State of Kansas

NOTICE OF INTENTION TO DRILL.

CARD MUST BE SIGNED


(see rules on reverse side)

API Number 15—065-22,400-00-00 OPERATOR: License # 6875 NW SE NE Sec. 26 Twp. 10 S. Rg. 23 X West 5 Name Marmik Oil Company 3630 Ft. from South Line of Section Address 200 N. Jefferson, #500 990 Ft. from East Line of Section City/State/Zip ElDorado, AR 71730 (Note: Locate well on Section Plat on reverse side) Contact Person Curtis G. Morrill Phone 501-862-8546 Nearest lease or unit boundary line990......feet County Graham CONTRACTOR: License # 5422 Lease Name... Klenk "C" Well # 1 Name Abercrombie Drilling, Inc. City/State Wichita, Kansas Ground surface elevation ... 2324 feet MSL Well Drilled For: Well Class: Type Equipment: Domestic well within 330 feet: X Oil SWD Infield X Mud Rotary Municipal well within one mile: ves X no ___ Ini ___ Pool Ext. ___ Air Rotary Surface pipe by Alternate: 1 ___ 2 X ____ Gas Depth to bottom of fresh water.......150! OWWO X Expl X Wildcat Cable Depth to bottom of usable water1150! If OWWO: old well info as follows: Surface pipe planned to be set225.1..... Well Name N/A Projected Total Depth 3829 feet Formation BKC I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications. cementing will be done immediately upon setting production/casing. For KCC Use:

Must be filed with the K.C.C. five (5) days prior to commencing well This card void if drilling not started within six (6) months of date received by K.C.C.

A Regular Section of Land 1 Mile = 5,280 Ft.

`



Important procedures to follow:

- 1. Notify District office before setting surface casing.
- 2. Set surface casing by circulating cement to the top.
- 3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- 5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
- 61/Submit plugging report (CP-4) to K.C.C. after plugging is completed.
- Obtain an approved injection docket number before disposing of salt water.
- 8. Notify K.C.C. within 10 days when injection commences or terminates.
- 9. If an alternate 2 completion, cement in the production pipe from Below any usable water to surface within 120 days of spud date.

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238 CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 9-9-87	API Number 15—065 - 22, 400
month day year	Łast
OPERATOR: License #	NW SE NE Sec Twp S, Rg X West
Name Marmik Oil Company	3630 Ft. from South Line of Section
Address 200 N. Jefferson, #500	990 Ft. from East Line of Section
City/State/Zip ElDorado, AR 71730	(Note: Locate well on Section Plat on reverse side)
Contact Person Curtis G. Morrill	
Phone 501-862-8546	Nearest lease or unit boundary line990feet
CONTRACTOR: License # 5422	CountyGraham
Name Abercrombie Drilling, Inc.	Lease NameKlenk "C" Well #1
City/State Wichita, Kansas	Ground surface elevation 2324
Well Drilled For: Well Class: Type Equipment:	Domestic well within 330 feet:yes _X no
X Oil SWD Infield X Mud Rotary	Municipal well within one mile:yes _X no
Gas Inj Pool Ext Air Rotary	Surface pipe by Alternate: 1 2 X
OWWO X Expl X Wildcat Cable	Depth to bottom of fresh water
If OWWO: old well info as follows:	Depth to bottom of usable water1150 '
Operator	Surface pipe planned to be set225!
Well Name N/A	Projected Total Depth3829 feet
Comp Date Old Total Depth	Formation, BKC
I certify that well will comply with K.S.A. 55-101, et seq., plus eventual	
cementing will be done immediately upon setting	· 14 · · · · · · · · · · · · · · · · · ·
Date 9-2-87 Signature of Operator or Agent	Title Agent
For KCC Use:	
Conductor Pipe Required feet; Minimum Surface Pipe	Required
This Authorization Expires 3-7-88 Effective 9-7-87.	Approved By Rest 9-1-8.7
Communication of the contract	And the state of the first the state of the
ale the market	Q-A OA OAA
Sarold Maley Spud	9-9-81 PM Hein!
alucrontes Set 225	-+ Pond
	-+ Pond
aburente Set 225 Called in 9-8-87 PLUGGING PROPOSAL	IF ABOVE IS D & A MM
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the time	IF ABOVE IS D & A MM
aburente Set 225 Called in 9-8-87 PLUGGING PROPOSAL	IF ABOVE IS D & A MM
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays).	IF ABOVE IS D & A e the district office is called prior to setting surface casing (call 7 a.m. to
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 exs of 60/40 posmix, 6% gel 3% c.
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). 1st plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 • xs of 60/40 posmix, 6% gel 3% c. 0-100 • sxs of 60/40 posmix, 6% gel 3% c.
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 sxs of 60/40 posmix, 6% gel 3% c. 0-100 sxs of 60/40 posmix, 6% gel 3% c. 0-50 sxs of 60/40 posmix, 6% gel 3% c.
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feetdepth with 25 2nd plug @ 1200 Meet depth with 80 3rd plug @ 275 feet depth with 49 4th plug @ 49-801id bridget depth with 19	IF ABOVE IS D & A e the district office is called prior to selting urface casing (call 7 a.m. to 5-30 •xs of 60/40 posmix, 6% gel 3% c. 0-100 •xs of 60/40 posmix, 6% gel 3% c. 0-50 •xs of 60/40 posmix, 6% gel 3% c. 0-50 •xs of 60/40 posmix, 6% gel 3% c. 0 xss of 60/40 posmix, 6% gel 3% c.
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feedepth with 25 2nd plug @ 1200 Meel depth with 80 3rd plug @ 275 feet depth with 49 4th plug @ 49-501id bridset depth with 19 5th plug @ feet depth with 19	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 sxs of 60/40 posmix, 6% gel 3% c. 0-100 sxs of 60/40 posmix, 6% gel 3% c. 0-50 sxs of 60/40 posmix, 6% gel 3% c. sxs of
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feetdepth with 25 2nd plug @ 1200 Meet depth with 80 3rd plug @ 275 feet depth with 49 4th plug @ 49-801id bridget depth with 19	IF ABOVE IS D & A e the district office is called prior to selting urface casing (call 7 a.m. to 5-30 •xs of 60/40 posmix, 6% gel 3% c. 0-100 •xs of 60/40 posmix, 6% gel 3% c. 0-50 •xs of 60/40 posmix, 6% gel 3% c. 0-50 •xs of 60/40 posmix, 6% gel 3% c. 0 xss of 60/40 posmix, 6% gel 3% c.
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	## For a control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call 7 a.m. to control of the district office is called prior to setting furface casing (call
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 6xs of 60/40 posmix, 6% gel 3% colo-100 8xs of 60/40 posmix, 6% gel 3% colo-50 8xs of 60/40 posmix,
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feedbepth with 25 2nd plug @ 1200 Meet depth with 80 3rd plug @ 275 feet depth with 49 4th plug @ 40-solid bridget depth with 10 5th plug @ feet depth with 10 7th plug @ feet depth with fee	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 sxs of 60/40 posmix, 6% gel 3% c. 0-100 sxs of 60/40 posmix, 6% gel 3% c. 0-50 sxs of 60/40 posmix, 6% gel 3% c. sxs of 60/40 posmix, 6% gel 3% c. (b) Mousehole with sxs t and the amount of cement to be used is necessary prior to plugging. casing is cemented in.
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 sxs of 60/40 posmix, 6% gel 3% c. 0-100 sxs of 60/40 posmix, 6% gel 3% c. 0-50 sxs of 60/40 posmix, 6% gel 3% c. sxs of 60/40 posmix, 6% gel 3% c. (b) Mousehole with sxs t and the amount of cement to be used is necessary prior to plugging. casing is cemented in.
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feedbepth with 25 2nd plug @ 1200 Meet depth with 80 3rd plug @ 275 feet depth with 49 4th plug @ 40-solid bridget depth with 10 5th plug @ feet depth with 10 7th plug @ feet depth with fee	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30 sxs of 60/40 posmix, 6% gel 3% c. 0-100 sxs of 60/40 posmix, 6% gel 3% c. 0-50 sxs of 60/40 posmix, 6% gel 3% c. sxs of 60/40 posmix, 6% gel 3% c. (b) Mousehole with sxs t and the amount of cement to be used is necessary prior to plugging. casing is cemented in.
Called in 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @ 1845 feerdeepth with 25 2nd plug @ 1200 Meet depth with 80 3rd plug @ 275 feet depth with 40 4th plug @ 40-solid bridget depth with 10 5th plug @ feet depth with 10 9 Rathole with 10-15 sxs NOTE: Agreement between operator and district office on plug placement Important: Call district office after well is either plugged or production (Call 7 a.m. to 5 p. District office use only:	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to selting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting furface casing (call 7 a.m. to 5-30
Called M 9-8-87 PLUGGING PROPOSAL This plugging proposal will be reviewed and approved or revised at the tim 5 p.m. workdays). Ist plug @	IF ABOVE IS D & A e the district office is called prior to setting urface casing (call 7 a.m. to 5-30