Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

Address: P.O. Box 10					API Number: 15	Farme
Address: P.O. Box 101234 Denver, CO 80250					Lease Name: KSJ Farms #1 Well Number:	
Phone: (303) 722 -2899 Operator License #: 30537						
Type of Well: D&A		Doc	ket #: NA			QQ): <u>NE</u> - <u>SE</u>
(Oil, Gas D&A, SWD, ENF	HR, Water Supply Well, Cat		(If SW	(D or ENHR)		North / 🗹 South Sec
The plugging proposal was approved on: 3-08-2008 (Date)					2460 Feet from East / West Sect	
_{by:} David Wann		Sec. 33 Twp. 8 S S. R. 20 East				
Is ACO-1 filed? Ye	es No If not,	is well log attache	ed? Yes	No	County: Rooks	·····
	List All (If needed attach	Date Well Completed:				
NA Depth to Top: Bottom: T.D.					Plugging Commenced: 3-08-08	
	Bottor	n: 7	Г.D	Plugging Completed: 3-08-08		
	Depth to Top:	Bottor	n: 1	r.d	Plugging Complete	Q:
Show depth and thickne	ess of all water, oil and	gas formations.				
	r Water Records	-			Surface Conductor & Production)	
Formation	Content	From	To	Size	Put In	Pulled Out
None		Surface	set/267'	8 5/8"	267'	None
		,				
hole. If cement or other Plug Arbuckle @ 374	r plugs were used, state 6' w/ 25 Sks. Plug Anh	the character of hydrite/S.P. @ 1	same depth p	laced from (botto s. Plug Usable \	m), to (top) for each Water @ 950' w/100	plug set.
hole. If cement or other Plug Arbuckle @ 374	r plugs were used, state	the character of hydrite/S.P. @ 1	same depth p	laced from (botto s. Plug Usable \	m), to (top) for each Water @ 950' w/100	sxs. RECEI KANSAS CORPORATI
hole. If cement or other Plug Arbuckle @ 374	r plugs were used, state 6' w/ 25 Sks. Plug Anh	the character of hydrite/S.P. @ 1	same depth p	laced from (botto s. Plug Usable \	m), to (top) for each Water @ 950' w/100	plug set.
hole. If cement or other Plug Arbuckle @ 374 Plug Fresh wtr. @	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P	the character of hydrite/S.P. @ 1 rulg Top of Su	same depth p 700' w/25 sks rface Casin	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks.	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
hole. If cement or other Plug Arbuckle @ 374 Plug Fresh wtr. @ Name of Plugging Contr	r plugs were used, state 6' w/ 25 Sks. Plug Anh 300' w/ 40 Sks. P	the character of hydrite/S.P. @ 1 rulg Top of Su	same depth p 700' w/25 sks rface Casin	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
hole. If cement or other Plug Arbuckle @ 374 Plug Fresh wtr. @ Name of Plugging Contr Address: Plainville, k	r plugs were used, state 6' w/ 25 Sks. Plug Anh 300' w/ 40 Sks. P actor: American Eagle	the character of hydrite/S.P. @ 1 ulg Top of Su	same depth p 700' w/25 sks rface Casir	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks.	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
hole. If cement or other Plug Arbuckle @ 374 Plug Fresh wtr. @ Name of Plugging Contr Address: Plainville, k	r plugs were used, state 6' w/ 25 Sks. Plug Anh 300' w/ 40 Sks. P	the character of hydrite/S.P. @ 1 ulg Top of Su	same depth p 700' w/25 sks rface Casir	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks.	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
Plug Arbuckle @ 374 Plug Fresh wtr. @ Name of Plugging Contact Address: Plainville, K	r plugs were used, state 6' w/ 25 Sks. Plug Anh 300' w/ 40 Sks. P actor: American Eagle	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p 700' w/25 sks rface Casir	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks.	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
Plug Arbuckle @ 374 Plug Fresh wtr. @ Name of Plugging Conta Address: Plainville, K	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (Ss.	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p 700' w/25 sks rface Casir	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334	plug set. PECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA,
Plug Arbuckie @ 374 Plug Fresh wtr. @ Name of Plugging Contraddress: Plainville, k Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. lible for Plugging Fees: County	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p. 700' w/25 sks rface Casir C	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks. License #: 334	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA,
Name of Plugging Contraddress: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p. 700' w/25 sks rface Casir C	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks. License #: 334	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION
Name of Plugging Contraddress: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p. 700' w/25 sks rface Casir C	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 O sks. License #: 334	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA,
Name of Plugging Contraddress: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County rat I have knowledge of act, so help me God.	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p. 700' w/25 sks rface Casir C	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334 Operator) or (Operator) and the log of the	plug set. sxs. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA,
Name of Plugging Contraddress: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County rat I have knowledge of act, so help me God.	the character of hydrite/S.P. @ 1 ulg Top of Su Drilling L	same depth p. 700' w/25 sks rface Casir C ources, Inc.	laced from (botto s. Plug Usable \ ng @ 40' w/ 1	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334 Operator) or (Operator) and the log of the	plug set. Pass. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA, r) on above-described well, bell above-described well is as fill
Name of Plugging Contraddress: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County rat I have knowledge of act, so help me God.	venture Resorted by Denver (Signature) (Address)	same depth p. 700' w/25 sks rface Casir C ources, Inc.	laced from (botto s. Plug Usable v ng @ 40' w/ 10 , ss. (Employee of ors herein contain) Much	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334 Operator) or (Operator) and the log of the	plug set. Pass. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA, r) on above-described well, bell above-described well is as fill
Name of Plugging Contraddress: Plainville, Kname of Party Responsional T. Mackey	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (S. clible for Plugging Fees: County rat I have knowledge of act, so help me God.	venture Resorted by Denver (Signature) (Address)	same depth p. 700' w/25 sks rface Casir C Durces, Inc.	laced from (botto s. Plug Usable v ng @ 40' w/ 10 , ss. (Employee of ors herein contain) Much	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334 Operator) or (Operatored, and the log of th	plug set. Pass. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA, r) on above-described well, bell above-described well is as fill
Name of Plugging Contradors: Plainville, K Name of Party Respons State of Colorado Ronald T. Mackey sworn on oath, says: The same are true and corre	r plugs were used, state 6' w/ 25 Sks. Plug Ant 300' w/ 40 Sks. P ractor: American Eagle (s. Libbe for Plugging Fees: County nat I have knowledge of act, so help me God.	venture Resorted Denver (Signature) (Address) (Notary Put	same depth p. 700' w/25 sks rface Casir C Durces, Inc. Ints, and matte	laced from (botto s. Plug Usable \(\) ng @ 40' w/ 1 . , ss. . (Employee of ors herein contain . (Lipin My of M	m), to (top) for each Water @ 950' w/100 0 sks. License #: 334 Operator) or (Operatored, and the log of th	plug set. Pass. RECEI KANSAS CORPORATI JUL 2 1 CONSERVATION WICHITA, Pr) on above-described well, being above-described well is as fill WEY CO: BOSIC

American Eagle Drilling, LLC 700 S. Washington P. O. Box 66 Plainville, KS 67663 785-434-2079

DATE: 2-29-08	TIME: <u>)`.30 P.M.</u>	AM/PM
Tool Pusher Signature: James 1	Delie	
Spud Call: Company Representative:		
Company Name: Venture		
Spud Date: 3-1-08 KCC Represe	ntative: HerbDaines	
Conductor Size: N/A inches set at	ft.	
Surface Casing: Proposed setting depth 251	D' ft. Size 8 78" inc	<u>hes</u>
Surface Casing: Minimum 200'	ft. Alt I(II)	
Drilling Fluid MgmtNormal	@ completionsalt/complet	ionSteel pits (Approved haul off pit
Plugging: P.O. received from: David Wann	Pho	one # <u>785-628-6525</u>
Drlg T.D. 3825 ft. Final T.D. 382		
Surface Casing: Size 85/8	_set @ <u>264</u> ft. with <u>165</u>	sx lon, 38 L.L. 225 sacks of cement
Did cement circulate to surface?Yes	No	
Did you rat hole ahead? Yes	_ No	
Plug Arbuckle @ 3746'	ft. with <u>Z5</u> sacks of cement.	· A
Plug Hugoton/Council Grove @	ft. with sacks of cerr	nent.
Plug Aлhydrite/S.P. @ <u>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ </u>	ft. with 25 sacks of cement.	
Plug Usable Water @ 950'	ft. with 100 sacks of cem	OCKPORATION CONSTRUCTION
Plug Fresh Water @	ft. with 40 sacks of cem	JUL 2 1 2008
Plug Base Surface Casing @	ft. with sacks of cem	nent CONSERVATION DIVISION
Plug Top of Surface Casing @ <u>식 O'</u>	ft. with 10 sacks of cement.	WICHITA, KS
Circulate rat hole with 15 sacks of cement		
Vater Supply Well:Yes		
Tement: 60/40 POZ mix est gel 476 be. Pechnician who gave plugging orders Dovid Wotart Time: 130 (ASI/PM) Completion Time (ASI/PM) Company Name:	Ann me: 5;00 AM/PM Completion D	第0:0 . Date <u>ス~8~08</u> Date: <u></u>
et Pipe: T.D. <u>ft. Prod.</u>		ft. withsacks of
ement. DV Tool/Port Collar set at	-	· · · · · · · · · · · · · · · · · · ·
irculate? Yes No If no		