

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Butler

County. Sec. 7 Twp. 26S Rge. 3 (E) (W)

Location as "NE/CNW&SW" or footage from lines NW/4 SW/4 SW/4

Lease Owner John P. Gaty

Lease Name De Moss Well No. 1

Office Address 11 Cypress Dr., Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) _____

Date well completed February 17 1949

Application for plugging filed January 26, 1955

Application for plugging approved January 27, 1955

Plugging commenced January 29, 1955

Plugging completed February 17, 1955

Reason for abandonment of well or producing formation Water

If a producing well is abandoned, date of last production October 31, 1954

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Lawrence W. Matthews

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 2866 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Six sacks cement in bottom.
Mudded to 150'
Set 20' rock bridge with 20 sacks cement at 150'
Mudded to bottom of cellar
Capped with rock and 5 sacks cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor John P. Gaty

Address 11 Cypress Dr., Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick

Earl Wentworth (employee of owner) or XXXXXXXXXXXXXXXX (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) Earl Wentworth

734 Pippin Court, Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 23rd day of February, 1955

My commission expires December 12, 1955

Notary Public.



PLUGGING
FILE SEC 21-26R-3E
BOOK PAGE 93 LINE 34

RECEIVED
STATE CORPORATION COMMISSION
FEB 25 1955
2-25-55
CONSERVATION DIVISION
Wichita, Kansas

WELL LOG

Company: John P. Gaty
 Farm: DeMoss #1

Section 7, T 26S, R 3E
 NW SW SW
 Butler County, Kansas
 Cable Tools
 Elevation: 1348'
 Total Depth: 2866'
 Initial Potential:

Commenced: December 3, 1948
 Completed: February 17, 1949
 Contractor: Earl Wentworth

Casing: 15-1/2"	@ 110'	6-58" UR 2806'
13-3/8"	@ 1062'	64' of 5-1/2" liner
10"	@ 1416'	
8-1/4"	@ 2177'	
6-5/8"	@ 2625'	

0-27	Clay	1075-1120	Shale
30	Gravel	1135	Lime
45	Black shale	1140	Shale
65	Lime	1145	Lime
100	Shale	1150	Shale
105	Lime	1158	Lime
110	Shale	1165	Shale
125	Lime	1175	Lime
180	Shale	1185	Shale
185	Lime	1205	Lime
200	Shale	1210	Shale
215	Lime	1220	Lime
220	Shale	1270	Shale
270	Lime	1275	Lime
280	Shale	1300	Sand
370	Lime	1320	Shale
375	Shale	1365	Lime
420	Lime	1372	Lime
425	Shale	1380	Shale
430	Red rock	1382	Shale blue
445	Sandy lime	1390	Lime
460	Shale	1435	Shale
475	Lime	1485	Lime
480	Red rock	1520	Shale
530	Lime	1545	Lime
550	Shale	1555	Shale
565	Lime	1560	Lime
570	Shale	1565	Shale
580	Lime	1570	Lime
585	Shale	1575	Shale
590	Shale blue	1585	Lime
600	Lime	1605	Shale
610	Shale blue	1620	Lime
620	Lime	1630	Shale
625	Shale white	1645	Lime
640	Shale	1660	Shale
650	Lime	1665	Lime
700	Shale and shells	1670	Lime
710	Lime	1675	Shale
720	Shale	1705	Lime
727	Lime	1715	Shale
765	Shale and shells	1755	Lime
775	Shale	1760	Shale
805	Lime	1800	Lime
820	Shale	1820	Shale
825	Lime	1840	Lime
850	Shale	1880	Shale
855	Lime	1930	Sandy shale
880	Shale	2005	Shale
890	Red rock	2035	Lime
910	Shale	2045	Sand hard
915	Red rock	2055	Lime
920	Lime	2090	Shale sandy
925	Red rock	2135	Shale
945	Lime	2177	Lime
1050	Shale	2180	Shale
1060	Sand	2215	Lime
1064	Shale	2220	Shale
1075	Sand	2230	Lime

PLUGGING
 FILE SEC _____ T _____ R _____
 BOOK PAGE _____ LINE _____

RECEIVED
 STATE CORP. DIVISION
 FEB 25 1949
 CONSERVATION DIVISION
 Wichita, Kansas

John P. Gaty - DeMoss #1 - continued

2230-2235	Shale
2240	Lime
2245	Shale
2260	Lime
2275	Shale
2295	Lime
2368	Shale
2470	Lime
2475	Shale
2480	Lime
2483	Black shale
2500	Lime
2505	Shale
2530	Lime
2600	Shale
2607	Lime
2640	Shale
2645	Lime
2675	Shale
2680	Lime
2690	Shale
2700	Lime
2719	Shale
2733	Lime
2740	Shale
2770	Lime
2805	Shale
2808	Lime
2815	Variocolored shale
2824	Chert
2828	Dolomite
2835	Chert
2851	Dolomite
2856	Lime
2866	Chert

Total Depth 2866'

Tops: Kansas City limestone @ 2368'
Mississippian limestone @ 2815'

Water Record: HFW 1050-1060
HFW 1275
1/2 BWP 1520-1525
HFW 2165
Wtr. 2430-35

Show of free oil 2819-24
Free oil 2863
RFO 2866

COPY

1912 1913
CONSERVATION DIVISION
Wichita, Kansas