

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD

K.A.R. 82-3-117

Lease Operator: Presco Western, LLC

Address: 5665 FLATIRON PARKWAY BOULDER CO 80301

Phone: 303-305-1163 Operator License #: 32309

Type of Well: D & A Docket #: (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)

The plugging proposal was approved on: 12/22/2008 (Date)

by: Steve Durant (KCC District Agent's Name)

Is ACO-1 filed? Yes No If not, is well log attached? Yes No

Producing Formation(s): List All (if needed attach another sheet)

Depth to Top: Bottom: T.D.

Depth to Top: Bottom: T.D.

Depth to Top: Bottom: T.D.

API Number: 15- 129-21827-0000

Lease Name: Hu11

Well Number: 5-G30-32-39

Spot Location (QQQQ): SE - SE - SW - NE

2,595 Feet from North / South Section Line

1,405 Feet from East / West Section Line

Sec. 30 Twp. 32 S. R. 39 East West

County: Morton

Date Well Completed: 12/22/2007

Plugging Commenced: 12/22/2007

Plugging Completed: 12/22/2007

Show depth and thickness of all water, oil and gas formations.

Table with columns: Oil, Gas or Water Records (Formation, Content) and Casing Record (Surface Conductor & Production) (From, To, Size, Put in, Pulled out)

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole.

1st Plug @ 1,620' w/ 50 SKS. 2nd Plug @ 660' w/ 50 SKS. 3rd Plug @ 60' w/ 20 SKS. Plug rat and mouse hole w/ 25 SKS.

RECEIVED KANSAS CORPORATION COMMISSION

SEP 19 2008

Name of Plugging Contractor: Trinidad Drilling LP License #: 33784

Address: 2425 W. Loop South, Ste #360, Houston, TX 77027

CONSERVATION DIVISION WICHITA, KS

Name of Party Responsible for Plugging Fees: Presco Western, LLC

State of Colorado County, Boulder, ss.

Keli Kowalski (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well as filed and the same are true and correct, so help me God.

(Signature) Keli Kowalski


(Address) 5665 Flatiron Parkway, Boulder, CO 80301

SUBSCRIBED and SWORN TO before me this 18th day of September, 20 08

Prada Deimer Notary Public

My Commission Expires: 1-18-2009

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



Handwritten initials 'PK'

ALLIED CEMENTING CO., INC. 25419

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Liberal

DATE <u>12/17/07</u>	SEC <u>30</u>	TWP <u>32s</u>	RANGE <u>79W</u>	CALLED OUT	ON LOCATION <u>9:00 PM</u>	JOB START <u>11:40 AM</u>	JOB FINISH <u>3:15 AM</u>
LEASE <u>Hull</u>	WELL # <u>5-G</u>	LOCATION <u>Rolla 6 1/4 W 3 NE into</u>			COUNTY <u>Morton</u>	STATE <u>Ks</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR Trinidad #201
 TYPE OF JOB CMT 8 3/4 Surface CSG
 HOLE SIZE 12 1/4 T.D. 1608
 CASING SIZE 9 5/8 24# DEPTH 1607.48
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 MEAS. MAX 900 MINIMUM 100
 MEAS. LINE SHOE JOINT 37
 CEMENT LEFT IN CSG. 37
 PERFS.
 DISPLACEMENT 100 MAL

EQUIPMENT

PUMP TRUCK CEMENTER Head/Max
 # 417 HELPER Cabe
 BULK TRUCK
 # 456-239 DRIVER Mansfield
 BULK TRUCK
 # 457-463 DRIVER Pablo

REMARKS:

Mix 575 sks Lite + 150 sks Class C
Drop Plug Displace 100% MAL
Land Plug Float held cement
Did Circulate

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

OWNER Same

CEMENT AMOUNT ORDERED
575 sks Lite + 390 cc 4 1/2 Flo-Seal
150 sks Class C + 390 cc

COMMON <u>150 sks 4000C</u>	@ <u>15.40</u>	<u>2310.00</u>
POZMIX	@	
GEL	@	
CHLORIDE <u>24 sks</u>	@ <u>46.60</u>	<u>1118.40</u>
ASC	@	
<u>575 sks Lite weight</u>	@ <u>11.85</u>	<u>6813.75</u>
<u>Flo-Seal 144#</u>	@ <u>2.00</u>	<u>288.00</u>
	@	
	@	
	@	
	@	
	@	
HANDLING <u>785 sks</u>	@ <u>1.90</u>	<u>1491.50</u>
MILEAGE <u>98.5 hr/mi</u>		<u>4239.00</u>
TOTAL		<u>16260.65</u>

SERVICE

DEPTH OF JOB	<u>1607</u>	
PUMP TRUCK CHARGE		<u>1610.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>60 mi</u>	@ <u>6.00</u>	<u>360.00</u>
MANIFOLD <u>Head Rental</u>	@	<u>100.00</u>
	@	
	@	
TOTAL		<u>2070.00</u>

PLUG & FLOAT EQUIPMENT

<u>1-8 3/4 Rubber Plug</u>		<u>100.00</u>
<u>1-8 3/4 Guide Shoe</u>	@	<u>250.00</u>
<u>1-8 3/4 Sure Seal Float Collar</u>	@	<u>580.00</u>
<u>10-8 3/4 Centralizers</u>	@ <u>55.00</u>	<u>550.00</u>
<u>1-8 3/4 Cement Mask</u>	@	<u>220.00</u>
<u>1- Thread Lock</u>	@	<u>30.00</u>
TOTAL		<u>1730.00</u>

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION


PRINTED NAME Mack Kuehler

SEP 1 2008

DIVISION
KS

HALLIBURTON

Cementing Job Summary

Stage/Plug #: 1									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbm/gal	Yield ft ³ /sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk
1	Plug 1 @1620	POZ PREMIUM 40/60 - SBM (15075)	50.0	sacks	13.5	1.47	7.04		7.04
2 %		BENTONITE, BULK (100003682)							
7.042 Gal		FRESH WATER							
Stage/Plug #: 2									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density uom	Yield uom	Mix Fluid uom	Rate uom	Total Mix Fluid uom
1	Plug 2 @ 660	POZ PREMIUM 40/60 - SBM (15075)	50.0	sacks	13.5	1.47	7.04		7.04
2 %		BENTONITE, BULK (100003682)							
7.042 Gal		FRESH WATER							
Stage/Plug #: 3									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density uom	Yield uom	Mix Fluid uom	Rate uom	Total Mix Fluid uom
1	Plug 3 @ 60	POZ PREMIUM 40/60 - SBM (15075)	20.0	sacks	13.5	1.47	7.04		7.04
2 %		BENTONITE, BULK (100003682)							
7.042 Gal		FRESH WATER							
Stage/Plug #: 4									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density uom	Yield uom	Mix Fluid uom	Rate uom	Total Mix Fluid uom
1	Plug Rat Hole	POZ PREMIUM 40/60 - SBM (15075)	15.0	sacks	13.5	1.47	7.04		7.04
2 %		BENTONITE, BULK (100003682)							
7.042 Gal		FRESH WATER							
Stage/Plug #: 5									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density uom	Yield uom	Mix Fluid uom	Rate uom	Total Mix Fluid uom
1	Plug Mouse Hole	POZ PREMIUM 40/60 - SBM (15075)	10.0	sacks	13.5	1.47	7.04		7.04
2 %		BENTONITE, BULK (100003682)							
7.042 Gal		FRESH WATER							
Calculated Values		Pressures			Volumes				
Displacement		Shut In: Instant		Lost Returns		Cement Slurry		Pad	
Top Of Cement		5 Min		Cement Returns		Actual Displacement		Treatment	
Frac Gradient		15 Min		Spacers		Load and Breakdown		Total Job	
Rates									
Circulating		Mixing		Displacement		Avg. Job			
Cement Left in Pipe	Amount	0 ft	Reason	Shoe Joint					
Frac Ring # 1 @	ID	Frac ring # 2 @	ID	Frac Ring # 3 @	ID	Frac Ring # 4 @	ID		
The Information Stated Herein Is Correct				Customer Representative Signature					
									

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 19 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC. 25417

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Liberi

DATE <i>12/11/07</i>	SEC <i>30</i>	TWP <i>32S</i>	RANGE <i>39W</i>	CALLED OUT	ON LOCATION <i>11:00AM</i>	JOB START <i>9:30AM</i>	JOB FINISH <i>11:00AM</i>
LEASE <i>Hull</i>	WELL# <i>5-G</i>	LOCATION <i>Bella Jet 56 51 6 3/4 N 3 NE</i>			COUNTY <i>Morton</i>	STATE <i>Ks</i>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR *Trinidad #201*
 TYPE OF JOB *Cmt 13% Circulation for 450*
 HOLE SIZE *17 1/2* T.D. *625*
 CASING SIZE *13 3/4 4#* DEPTH *628.42*
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX *500* MINIMUM *100*
 MEAS. LINE SHOE JOINT *35.48*
 CEMENT LEFT IN CSG. *35.45*
 PERFS.
 DISPLACEMENT *73.15 BBL*

OWNER *SAME*

CEMENT AMOUNT ORDERED
4000 lbs Lite + 3900 lbs #10 Seal
150 lbs class C + 3900

COMMON <i>Class C 150 sk @ 15.40</i>		<i>2310.00</i>
POZMIX	@	
GEL	@	
CHLORIDE <i>135 sk @ 46.60</i>		<i>6291.00</i>
ASC	@	
<i>Lite u-iglat 4000 sk @ 11.85</i>		<i>4740.00</i>
<i>Ela Seal 100 # @ 2.00</i>		<i>200.00</i>
	@	
	@	
	@	
	@	
	@	
HANDLING <i>588 sk @ 1.98</i>		<i>1167.20</i>
MILEAGE <i>78.158 / Mi</i>		<i>3175.20</i>
TOTAL		<i>12148.20</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Max*
 # *417* HELPER *Bob*
 BULK TRUCK
 # *456-234* DRIVER *Abel*
 BULK TRUCK
 # *457-463* DRIVER *Pablo*

REMARKS:

Cmt 13% with 4000 lbs Lite + 150 lbs class C Prox Plug
View log 94 BBL cement plug
Slide in Csg cement
Did circulate

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<i>815.00</i>
EXTRA FOOTAGE <i>325 @ .65</i>		<i>211.25</i>
MILEAGE <i>60 MI @ 3.00</i>		<i>180.00</i>
MANIFOLD <i>Head Rental @ 100.00</i>		<i>100.00</i>
	@	
	@	
TOTAL		<i>1486.25</i>

CHARGE TO: *Process Western*
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<i>1-13 3/8 Rubber Plug @ 220.00</i>		<i>220.00</i>
<i>1-13 3/8 Buffer Mate @ 165.00</i>		<i>165.00</i>
<i>1-13 3/8 Guide Shoe @ 400.00</i>		<i>400.00</i>
<i>1-13 3/8 cement valves @ 88.00</i>		<i>88.00</i>
<i>1-13 3/8 cement hanger @ 275.00</i>		<i>275.00</i>
TOTAL		<i>1324.00</i>

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *[Signature]*

MARK KNEELAND
PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 19 2008

CONSERVATION DIVISION
WICHITA, KS