

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5003
Name: McCoy Petroleum Corporation
Address: 3017 N. Cypress Street
City/State: Wichita, KS
Zip: 67226-4003

Purchaser: Gas: None SEP 28 1999
Oil: None

Operator Contact Person: Steve O'Neill
Phone: (316) 636-2737

Contractor: Name: Sweetman Drilling, Inc.
License: 5658

Wellsite Geologist: Mikeal K. Maune

Designate Type of Completion
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover:
Operator: _____
Well Name: _____
Comp. Date _____ Old Total Depth _____
 Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBSD
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____

4/5/97 4/12/97 4/13/97
Spud Date Date Reached TD Completion Date

API NO. 15- 193-20,662-00-00

County Thomas

Spot Location: 6'N & 6'W of _____ E

C NW SE NW Sec. 3 Twp. 9S Rge. 31 X W

3636 Feet from (S)N (circle one) Line of Section

3636 Feet from (E)W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, (SE) NW or SW (circle one)

Lease Name SCHMIDT "B" Well # 1-3

Field Name Wildcat

Producing Formation None

Elevation: Ground 2995' KB 3004'

Total Depth 4711' PBSD None

Amount of Surface Pipe Set and Cemented at 319' Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D&A 874 1-2-98
(Data must be collected from the Reserve Pit)

Chloride content 1,000 ppm Fluid volume 1240 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: _____

Operator Name _____

Lease Name _____ License Lo. _____

Quarter _____ Sec. _____ Twp. _____ S Rng. _____ E/W

County _____ Docket No. _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all Wireline Logs and Geologist Well Report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Brent B Reinhardt


Title Brent B. Reinhardt, Regulatory Geologist Date 5/30/97

Subscribed and sworn to before me this 30th day of May 19 97

Notary Public Deborah Ann Paulus

Date Commission Expires January 8, 2000

K.C.C OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
KCC _____ SWD/Rep _____ NGPA
KGS _____ Plug _____ Other _____
(Specify)



JUN 06 1997
06-06-1997
CONSERVATION DIVISION
WICHITA, KS

Operator Name McCoy Petroleum Corporation SIDE TWO Lease Name SCHMIDT "B" Well # 1-3
 Sec. 3 Twp. 9s Rge. 31 East County Thomas
 West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No Log Formation (Top), Depth and Datums Sample
 (Attach Additional Sheets.) Name Top Datum
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No See Attached Log Tops:
 Electric Log Run Yes No
 (Submit Copy.)
 List All E. Logs Run: Log Tech
Dual Induction Log, Borehole Compensated Sonic Log, Dual
Compensated Porosity Log, Microresistivity Log, Geological
Report
 See Attached DST Reports: None

CASING RECORD New Used

Report all strings set-conductor, Surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	319'	Common	190	2%Gel, 3%CaCl

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose: <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	Depth		Type of Cement	Sacks Used	Type and Percent Additives
	Top	Bottom			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None			

TUBING RECORD Size None Set At Packer At Liner Run Yes No

Date of First, Resumed Production, SWD or Inj. None: D&A Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls. <u>N/A</u>	Gas Mcf <u>N/A</u>	Water Bbls. <u>N/A</u>	Gas-Oil Ratio	Gravity
-----------------------------------	----------------------	--------------------	------------------------	---------------	---------

Disposition of Gas: Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

METHOD OF COMPLETION _____

Production Interval D&A

(If vented, submit AC0-18)

ORIGINAL

CONFIDENTIAL

*McCoy Petroleum Corporation
Schmidt 'B' #1-3
NW SE NW
Section 3-9S-31W
Thomas County, Kansas
API #15-193-20,662-0000
Spud 4-05-97*

RELEASED

SEP 28 1999

ACO-1 Continued

FROM CONFIDENTIAL

No Drill Stem Tests taken

Log Tops:

Anhydrite	2611	(+393)
Base Anhydrite	2643	(+361)
Heebner Sh.	4004	(-1000)
Lansing	4044	(-1040)
Muncie Creek Sh.	4167	(-1163)
Stark Sh.	4250	(-1246)
BKC	4312	(-1308)
Marmaton	4331	(-1322)
Pawnee	4428	(-1424)
Myrick Station	4462	(-1458)
Cherokee Sh.	4528	(-1524)
Miss	4616	(-1612)
RTD	4710	(-1706)
LTD	4711	(-1707)

KCC

MAY 30

CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 06 1997

CONSERVATION DIVISION
WICHITA, KS

15-193-20662-00-00 ORIGINAL

ALLIED CEMENTING CO., INC. 5518

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT: Oakley

DATE <u>4-5-97</u>	SEC. <u>3</u>	TWP. <u>S 9</u>	RANGE <u>31</u>	CALLED OUT	ON LOCATION <u>3:30 AM</u>	JOB START <u>8:45 AM</u>	JOB FINISH <u>9:22 AM</u>
LEASE <u>Schmidt B</u>	WELL # <u>1-3</u>	LOCATION <u>Oakley N to Rd M, 9 1/2 E-SS.</u>	COUNTY <u>Thomas</u>	STATE <u>Kan</u>			

OLD OR NEW (Circle one) NEW

CONTRACTOR Sweetman Digs #2

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 326'

CASING SIZE 8 5/8 DEPTH 319'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 42.10'

CEMENT LEFT IN CSG. 42'

PERFS.

OWNER Same

CEMENT

RELEASED
SEP 28 1999

AMOUNT ORDERED 190 SKS COM
3% CC - 2% Cel

COMMON	<u>190 SKS @ 7.20</u>	<u>1,368.00</u>
POZMIX	@	
GEL	<u>3 SKS @ 9.50</u>	<u>28.50</u>
CHLORIDE	<u>7 SKS @ 28.00</u>	<u>196.00</u>
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>190 SKS @ 1.05</u>	<u>199.50</u>
MILEAGE	<u>44 per sk/ mile</u>	<u>144.40</u>

FROM CONFIDENTIAL

EQUIPMENT

PUMP TRUCK CEMENTER Walt

102 HELPER Walt

BULK TRUCK

212 DRIVER Dean

BULK TRUCK

DRIVER

TOTAL 1,936.40

MAY 3 0

REMARKS:

Cement Drill Core

Landed Plug 2400#

Mark G

CONFIDENTIAL SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>445.00</u>
EXTRA FOOTAGE <u>19'</u>	@ <u>4.14</u>	<u>77.79</u>
MILEAGE <u>19 miles</u>	@ <u>2.85</u>	<u>54.15</u>
PLUG <u>8 5/8 Surface</u>	@	<u>45.00</u>
	@	
	@	

TOTAL 551.94

CHARGE TO: McCoy Petro Corp

STREET 3017 N Cypress

CITY Wichita STATE Kan ZIP 67226-4003

FLOAT EQUIPMENT

	<u>8 5/8</u>	
1- Baffle Plate	@	<u>135.00</u>
1- Centralizer	@	<u>61.00</u>
	@	
	@	
	@	

TOTAL 196.00

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 06 1997

CONSERVATION DIVISION
To Allied Cementing Co., Wichita, KS
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Brad Dwy

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

111101

ALLIED CEMENTING CO., INC. 5523

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>4-13-97</u>	SEC. <u>3</u>	TWP. <u>9S</u>	RANGE <u>31</u>	CALLED OUT	ON LOCATION <u>6:40 AM</u>	JOB START <u>8:15 AM</u>	JOB FINISH <u>12:30 PM</u>
LEASE <u>Schmidt</u>	WELL # <u>B-1-3</u>	LOCATION <u>Oakley 14N-5 1/2 E-S.S.</u>	COUNTY <u>Thomas</u>	STATE <u>Kan</u>			

OLD OR (NEW) (Circle one)

CONTRACTOR Sweetman Digs #2

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4710'

CASING SIZE DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

OWNER Same

CEMENT

AMOUNT ORDERED SKs 6940 per

6% Cel 1/4# Flo-Seal

COMMON	<u>120 SKs</u>	@	<u>7.20</u>	<u>864.00</u>
POZMIX	<u>80 SKs</u>	@	<u>3.15</u>	<u>252.00</u>
GEL	<u>10 SKs</u>	@	<u>9.50</u>	<u>95.00</u>
CHLORIDE		@		
	<u>50# Flo-Seal</u>	@	<u>1.15</u>	<u>57.50</u>
		@		
		@		
		@		
		@		
HANDLING	<u>200 SKs</u>	@	<u>1.05</u>	<u>210.00</u>
MILEAGE	<u>4 per SK/mile</u>			<u>152.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

102 HELPER Walt

BULK TRUCK

315 DRIVER Jason

BULK TRUCK

DRIVER

TOTAL 1,630.50

REMARKS:

<u>25 SKs @ 2650'</u>
<u>100 SKs @ 1750'</u>
<u>40 SKs @ 325'</u>
<u>10 SKs @ 40'</u>
<u>15 SKs in R.H.</u>
<u>10 SKs in M.H.</u>

SERVICE

DEPTH OF JOB	<u>2650'</u>		
PUMP TRUCK CHARGE			<u>550.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>19 miles</u>	@	<u>2.82</u>
PLUG	<u>35% D.H.</u>	@	<u>23.00</u>
		@	
		@	

TOTAL 627.15

CHARGE TO: McCoy Petro Corp

STREET 3017 N Cypress

CITY Wichita STATE Kan ZIP 67226-4003

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Duffy Kelly