

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

*Handwritten:* All Mar 7/25/08

Operator: License # 4787  
 Name: TDI, Inc  
 Address: 1310 Bison Road  
 City/State/Zip: Hays, Kansas 67601  
 Purchaser: \_\_\_\_\_  
 Operator Contact Person: Tom Denning  
 Phone: (785) 628-2593  
 Contractor: Name: WW Drilling, LLC  
 License: 33575  
 Wellsite Geologist: Herb Deines  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  
 Spud Date or Recompletion Date: 06-04-08    Date Reached TD: 6/09/08    Completion Date or Recompletion Date: 6/09/08

API No. 15 - 051-25770-00-00  
 County: Ellis  
~~NE~~ ~~SE~~ ~~NW~~ ~~SW~~ ~~NE~~    Sec. 35    Twp. 14    S.    R. 16     East  West  
1340 feet from S (N) (circle one) Line of Section  
1470 feet from (W) / W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one)    NE    SE    NW    SW  
 Lease Name: MDJ    Well #: 1  
 Field Name: wildcat  
 Producing Formation: \_\_\_\_\_  
 Elevation: Ground: 1834' 1830'    Kelly Bushing: 1839'  
 Total Depth: 3374'    Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 934 Feet  
 Multiple Stage Cementing Collar Used?     Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan** AH 1 NCR 7-29-08  
 (Data must be collected from the Reserve Pit) P+H  
 Chloride content 54,000 ppm    Fluid volume 900 bbls  
 Dewatering method used hauling off free water on top, let evaporate  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: TDI, Inc  
 Lease Name: Dreiling B    License No.: 4787  
 Quarter SW/4    Sec. 22    Twp. 14S    S.    R. 16     East  West  
 County: Ellis    Docket No.: D-25,112

*Handwritten:* Run CP-23 dls. in exp. All Mar 7/25/08

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: T. Denning  
 Title: President    Date: July 6, 2008  
 Subscribed and sworn to before me this 7th day of July  
20 08  
 Notary Public: Vickie Cole  
 Date Commission Expires: \_\_\_\_\_



**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution    **RECEIVED**  
 KANSAS CORPORATION COMMISSION

**JUL 15 2008**

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: TDI, Inc Lease Name: MDJ Well #: 1  
 Sec. 35 Twp. 14 S. R. 16  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	931'	+908'
Electric Log Run <i>(Submit Copy)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Topeka	2817'	-978'
List All E. Logs Run:		Heebner	3039'	-1200'
		Toronto	3058'	-1219'
		Lansing/ KC	3092'	-1253'
		Base KC	3319'	-1480'
		Total depth	3374'	-1535'

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	23#	934'	common	400 sxs	3%cal 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**JUL 15 2008**  
 CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., LLC. 32254

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell KS

DATE <u>6-5-08</u>	SEC. <u>35</u>	TWP. <u>14</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>6:00 pm</u>	JOB FINISH <u>6:45 pm</u>
LEASE <u>MDJ</u>	WELL # <u>1</u>	LOCATION <u>Walker KS 3 1/4 South</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1 East 1 1/2 South West into</u>				

CONTRACTOR W-W Drilling Rig #6 OWNER \_\_\_\_\_

TYPE OF JOB Surface CEMENT \_\_\_\_\_

HOLE SIZE 12 1/4 T.D. 935' AMOUNT ORDERED 400 com 3% cc 2% bel

CASING SIZE 8 5/8 #23 DEPTH 933.66'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 33'

CEMENT LEFT IN CSG. 33'

PERFS. \_\_\_\_\_

DISPLACEMENT 57.35

EQUIPMENT \_\_\_\_\_

PUMP TRUCK # 409 CEMENTER John Roberts

BULK TRUCK # 396 HELPER Adrian

BULK TRUCK # \_\_\_\_\_ DRIVER Robert

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

CHARGE TO: TDI Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Sid Deutscher

SIGNATURE Sid Deutscher

COMMON 400 @ 12.15 4860.00

POZMIX @ \_\_\_\_\_

GEL @ 18.25 146.00

CHLORIDE 12 @ 51.00 612.00

ASC @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING 420 @ 2.05 861.00

MILEAGE SK/mi/09 567.00

TOTAL 7046.00

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE 1045.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 15 @ 7.00 105.00

MANIFOLD @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 258.00

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**JUL 15 2008**

CONSERVATION DIVISION  
WICHITA, KS  
**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

8 5/8 Baffle Plate @ 145.00

8 5/8 Rubber Plug @ 110.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

# ALLIED CEMENTING CO., LLC.

30236

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Russell*

DATE <b>6-9-2008</b>	SEC. <b>35</b>	TWP. <b>14 S</b>	RANGE <b>16 W</b>	CALLED OUT	ON LOCATION	JOB START <b>11:00 AM</b>	JOB FINISH <b>NOON 12:00 PM</b>
LEASE <b>MDJ</b>	WELL # <b>1</b>	LOCATION <b>Walker, 4 1/2 S, 1 E, 1/2 S, 1/2 W</b>			COUNTY <b>Ellis</b>	STATE <b>KANSAS</b>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR **W-W Drllg, Rig # 6**

TYPE OF JOB **Rotary Plug**

HOLE SIZE **7 7/8** T.D. **3374**

CASING SIZE **8 5/8 Surface** DEPTH **933'**

TUBING SIZE DEPTH

DRILL PIPE **4 1/2 X-H** DEPTH **980**

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER

CEMENT AMOUNT ORDERED **12.5 SK 60/40 4% Gel**

**1/4 # Flo-Seal Per Sack**

COMMON	<b>75</b>	@	<b>12.15</b>	<b>911.25</b>
POZMIX	<b>50</b>	@	<b>6.80</b>	<b>340.00</b>
GEL	<b>4</b>	@	<b>18.25</b>	<b>73.00</b>
CHLORIDE		@		
ASC		@		
	<b>Flo Seal 311bs</b>	@	<b>2.20</b>	<b>68.00</b>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<b>129</b>	@	<b>2.05</b>	<b>264.45</b>
MILEAGE	<b>SK/M/09 (M.W)</b>			<b>274.00</b>
				TOTAL <b>1930.90</b>

EQUIPMENT

PUMP TRUCK CEMENTER **Glenn**

# **398** HELPER **Gary**

BULK TRUCK

# **345** DRIVER **Mike**

BULK TRUCK

# DRIVER

REMARKS:

**40 SK @ 980**

**60 SK @ 380**

**10 SK @ 40' + Plug**

**15 SK @ Rathole**

*THANK'S*

CHARGE TO: **T D I Inc.**

STREET

CITY STATE ZIP

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE **893.00**

EXTRA FOOTAGE @

MILEAGE **15** @ **7.00** **105.00**

MANIFOLD @

TOTAL **998.00**

PLUG & FLOAT EQUIPMENT

**18x Wood** @ **39.00**

TOTAL **39.00**

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME **Sid Deutscher**

SIGNATURE *Sid Deutscher*

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT **RECEIVED** IF PAID IN 30 DAYS

KANSAS CORPORATION COMMISSION

JUL 15 2008

CONSERVATION DIVISION  
WICHITA, KS

# Hertel Tank Service, Inc.

# Invoice

704 East 12th Street  
 Hays, KS 67601-3440  
 785 628-2445

Date: 6/30/2008  
 Invoice #: 8-2077

TDI, Inc.  
 1310 Bison Road  
 Hays, KS. 67601-9696

Lease	M.D.J.
-------	--------

Work Order	Terms
	Net 30

Date	Item	Hours / Miles	Description	Rate	Amount
6/11/2008	01	2	80 Barrel Vacuum Truck Haul water out of reserve pit.	100.00	200.00

Terms: Net 30 Days. 1.5% Finance Charges Per Month  
 On Past Due Balances.

**Sales Tax (0.00)** \$0.00

**Total** \$200.00