STATE OF KANSAS STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:

 	<u> </u>
.	
, 	

WELL PLUGGING RECORD

State Corporation Commission 212 No. Market Wichita, Kansas	·	Sedgwi	ckCour	aty. Sec. 29	Twp. 26 Rge.	(E) E $(W$					
NORTH		Sedgwick County. Sec. 29 Twp. 26 Rge. 2 (E) E (W Location as "NE/CNW%SW%" or footage from lines SW NW NW									
	Lease Owner Tom Kat, Inc.										
	Lease Name Sample "A" Well No. 2										
1	Office Address	Office Address Wichita, Kansas Character of Well (completed as Oil, Gas or Dry Hole)									
	Character of										
	Date well completed										
	Application fo	r plugging filed				19					
	Application fo	r plugging approv	ed			19					
İ	Application for plugging approved Plugging commenced 8-6-66 Plugging completed 8-10-66 Reason for abandonment of well or producing formation If a producing well is abandoned, date of last production 19 Pepleted 19 19 19										
!!!!											
i li											
	Was permissi	Was permission obtained from the Conservation Division or its agents before plugging was con									
Locate well correctly on above Section Plat	menced?										
me of Conservation Agent who su	pervised plugging of t	his well Paul	Turpin								
ducing formation		Depth to top	Botto	om	Total Depth of	Well 2956 Fe					
w depth and thickness of all water	er, oil and gas formati	ons.									
OIL OLG OR WATER RECOI	nna.				_						
OIL, GAS OR WATER RECOF	(DS				(CASING RECORD					
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED DUT					
				13"	9401	None					
				5-1/2"	29501	27251					
						, , , , , , , , , , , , , , , , , , , ,					
,											
					 						
											
Checked ho cement with bridge @ 1	le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15	th placed, from s of rock rock						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer.	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	th placed, from s of rock rock						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	th placed, from s of rock rock						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	th placed, from s of rock rock						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	th placed, from s of rock rock						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	of rock rock ellar.	feet					
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and depose ped 5 sacks g, set 15' t. Set 15	of rock rock ellar.	feet					
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and deposition of same and deposition of the period of the perio	of rock rock ellar.	feet					
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	of same and deposition of same and deposition of the period of the perio	of rock rock ellar.						
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar.	feet					
checked ho cement with bridge @ 1 bridge @ 4	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar.	feet NIMISSION					
Checked ho cement with bridge @ 1	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar.	feet NIMISSION					
checked ho cement with bridge @ 1 bridge @ 4	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar.	feet NIMISSION					
feet for each plug Checked ho cement wit bridge @ 1 bridge @ 4	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10	e to 2930' a Pulled 5½ 20 sacks o	e character and dum "casine f cemen	ped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar.	feet of the state					
feet for each plug Checked ho cement wit bridge @ 1 bridge @ 4 PLUGGING Co	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. (If addition.	e to 2930' a Pulled 5½ 20 sacks of sacks of cer	and dum "casing f cemen nent to	of same and dependence of sacks g, set 15' to Set 15 base of co	of rock rock ellar.	feet of the state					
feet for each plug Checked ho cement with bridge @ 1 bridge @ 4 PLUGGING Co	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. (If additional NIGHT CASING P	e to 2930' a Pulled 5½ 20 sacks of sacks of cer	and dum "casing f cemen nent to	of same and dependence of sacks g, set 15' to Set 15 base of co	of rock rock ellar.	feel and a second					
feet for each plug Checked ho cement with bridge @ 1 bridge @ 4 PLUGGING Co	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. (If addition.	e to 2930' a Pulled 5½ 20 sacks of sacks of cer	and dum "casing f cemen nent to	of same and dependence of sacks g, set 15' to Set 15 base of co	of rock rock ellar.	feet of the state					
Checked ho cement wit bridge @ 1 bridge @ 4 PLUGGING Co	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. NIGHT CASING P HASE, KANSAS	e to 2930' a Pulled 5½ 20 sacks of cen sacks of cen ULLING COMPA	and dum "casing f cemen nent to	of same and depended 5 sacks g, set 15' t. Set 15 base of ce	of rock rock ellar. Aug 25 1956 Varion Olivia Ransas	The section of the se					
Checked ho cement wit bridge @ 1 bridge @ 4 PLUGGING Co me of Plugging Contractor K dress C:	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. NIGHT CASING P HASE, KANSAS	e to 2930' a Pulled 5½ 20 sacks of sacks of central description is necess ULLING COMPA	and dum "casing f cemen nent to	of same and depended 5 sacks g, set 15' t. Set 15 base of ce	of rock rock ellar. Aug 25 1956 Varion Olivia Ransas	feel and the second sec					
Checked ho cement wit bridge @ 1 bridge @ 4 PLUGGING Co	set. le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. NIGHT CASING P HASE, KANSAS	e to 2930' a Pulled 5½ 20 sacks of sacks of cei al description is necess ULLING COMPA	and dum " casing f cemen nent to	of same and deped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar. AUG 25 1966 NATION OF ONE STATE OF	feet and a second secon					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co The contractor Kong and the con	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. OMPLETE. ANSAS Oel J. Knig ht says: That I have kn	e to 2930 e Pulled 5½ 20 sacks of cer sacks of cer al description is necess PULLING COMPA	and dum "casing f cemen nent to ary, use BACI	of same and depend 5 sacks g, set 15' t. Set 15 base of co K of this sheet) owner) or (Note that the same and matter)	of rock rock ellar. Aug 25 1966 Note of the control of the contr	feet					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co The contractor Kong and the con	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. OMPLETE. ANSAS Oel J. Knig ht says: That I have kn	e to 2930' a Pulled 5½ 20 sacks of cer sacks of cer Pulled 5½ 20 sacks of	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	of same and depend 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar. AUG 25 1950 AUG 25 195	of the above-described and the log of the					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co re of Plugging Contractor K dress C ATE OF KA No	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. OMPLETE. ANSAS Oel J. Knig ht says: That I have kn	e to 2930 e Pulled 5½ 20 sacks of cer sacks of cer al description is necess PULLING COMPA	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	of same and depend 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar. AUG 25 1950 AUG 25 195	of the above-described and the log of the					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co The contractor Kong and the con	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. OMPLETE. ANSAS Oel J. Knig ht says: That I have kn	e to 2930' a Pulled 5½ 20 sacks of cer sacks of cer Pulled 5½ 20 sacks of	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	of same and deped 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar. AUG 25 1950 AUG 25 195	of the above-described and the log of the					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co re of Plugging Contractor K dress C ATE OF KA No	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. OMPLETE. ANSAS Oel J. Knig ht says: That I have kn	e to 2930' a Pulled 5½ 20 sacks of cer sacks of cer Pulled 5½ 20 sacks of	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	ped 5 sacks g, set 15' t. Set 15 base of co K of this sheet) owner) or (Sociated) Chase,	of rock rock ellar. Aug 5 195 195 195 195 195 195 195 195 195 1	of the above-described and the log of the					
Checked ho cement with bridge @ 1 bridge @ 4 bridge @ 4 PLUGGING Co re of Plugging Contractor K dress C ATE OF KA No	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. NIGHT CASING P HASE, KANSAS Oel J. Knig ht says: That I have ke at the same are true a	e to 2930' a Pulled 5½ 20 sacks of cer sacks of cer Pulled 5½ 20 sacks of	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	ped 5 sacks g, set 15' t. Set 15 base of co K of this sheet) owner) or (Sociated) Chase,	of rock rock ellar. AUG 25 1950 AUG 25 195	of the above-described and the log of the					
Checked ho cement with bridge @ 1 bridge @ 4 PLUGGING Co me of Plugging Contractor K dress C ATE OF K No No No Rest for each plug Checked ho cement with bridge @ 1 bridge @ 1 bridge @ 4 Rest for each plug Checked ho cement with bridge @ 1 bridge @ 1 bridge @ 4 Rest for each plug Attack PLUGGING Co K In No ATE of K No No No ATE of S No No No ATE of S ATE of S No ATE of S AT	le, sanded hol h dump bailer. 85' and dumped O' and ran 10 OMPLETE. NIGHT CASING P HASE, KANSAS Oel J. Knig ht says: That I have ke at the same are true a	Pulled 5½ Pulled 5½ 20 sacks of cer sacks of cer al description is necess ULLING COMPA UNITY OF—RIC (en nowledge of the find correct. So he (Signature)	and dum " casing f cemen nent to ary, use BAC NY CE mployee of acts, statem	of same and depend 5 sacks g, set 15' t. Set 15 base of co	of rock rock ellar. Aug 5 195 195 195 195 195 195 195 195 195 1	of the above-described and the log of t					

John P. Gaty, Owner - Sample No. 2 - Section 29, Township 26, Range 2 East SW NW NW, Sedgwick County, Kansas

FIGURES INDICATE BOTTOM OF FORMATION

			•		- Children Colonial C								-		
0	to	10	Cellar		940	to	990	Shale Lime Shale Red Ro Shale Red Ro		1975	to	1990	Shale		
		75	Shale Lime Shale	. •			1005	Lime				2000	Limo		
		85	Lime				1025	Shale	_			2140	Shale		
		90	Shale				1030	Red Ro	ock			2160	Lime		
	1	.ua	Lilmo				1045	Shale	_			2170	Shale		
	1	35	Shale	•			1050	Red Ro	ock			2215	Lime		
	1	40	Lime		•		1060	Shale Lime Shale				2240	Shale		
	1	.65	Shale	•			1070	Lime				2305	Lime		
			Lime				1155	Shale				2330	Shale		
	. 2	900	Shale	٠			3377	T #					Lime		
	2	215	Lime Shale Lime Shale Red Rock Shale Lime Shale		*		1210	Shale				2405	Shale		
	2	240	Shale				1218	Lime				2418	Lime		
	2	275	Lime				1265	Shale				2503	Shale		
	. 2	285	Shale				1290	Lime				2600	Lime		
	2	293	Red Rock				1310	Shale				2610	Shale		
	3	315	Shale		4+		1355	Lime				2630	Lime		
	3	335	Lime				1415	Shale				2635	Shale		•
	3	365	Shale	•			1425	Lime				2657	Lime		
													Shale Lime Shale		
	. 4	130	Shale	•			1445	Lime		•		2695	Lime	2695	
	Ę	515	Lime	* ·			1450	Shale				2715	Shale		
	8	525	Shale	,			1460	Sand				2775	Lime		
	٤	535	Lime ·				1475	Lime				2780	Shale		
		540	Shale Lime Shale Lime Shale Lime Shale Lime Red Rock Lime Shale Lime Shale Lime Shale Lime Shale Red Rock	•			1480	Shale				2810	Lime		
	8	550	Lime				1490	Lime				2830	Shale		
	5	60	Shale .				1495	Shale	•			2855	Lime		•
	•	310	Lime				1500	Lime				2865	Shale		
	•	317	Red Rock				1530	Shale				2875	Lime		
		530	Lime				1570	Sand			•	2910	Shale		
	€	335	Shale				1625	L1me				2928	Lime		
	•	360	Lime				1655	Shale				2930	Shale		4
	•	665	Shale		•		1675	Lime				2955	Shale &	Shells	
	•	572	Lime				1690	Shale		ار آن	1	2956	- Total	Depth	
	€	680	Shale Red Rock Lime				1710	Lime		**					
	•	385	Red Rock				1760	Shale	,		•	4		•	
				`					Q,	A	٠,		•		
			Shale					Shale	C.	14	,				
			Lime					Lime	67	3	ູ່ວ	e e e e e e e e e e e e e e e e e e e			
			Shale					Shale			,		,		
			Lime					Lime	1.5	6	5		S.		
			Shale					Shale	On the second	Market State		υ ΄ (1	E.		
			Lime	-				Lime	•	Yaga :	es est + e				
			Shale					Shale		S.	War.				
			Lime	•				Lime			É		•	•	
			Shale					Shale							
	8	140	Lime		•		1975	Lime							

extra .

John P. Gaty - Sample No. 2 - Continued

Spudded - 4/13/49 Completed - 5/14/49

Top Kansas City - 2503

Pipe Record
13" - 940
10" - 1560
8-1/4" - 2550
7" - 2680
5" - 2956

Water Record

1 bailers per hour - 1115
6 " " - 1460

H.F.W. - 1530 - 1560

H.F.W. - 2570 - 2580

5 bailers per hour - 2645 - 2655

State of Kansas) SS County of Sedgwick)

I, C. A. Black, Drilling Contractor of the above-described well, being first duly sworn on oath, declare: That, I have knowledge of the facts, statements and matters herein contained pertaining to the log of the above-described well as filed, and that the same are true and correct.

GABlack, Partner

Subscribed and sworn to before me this 24 day of may, 1949.

My commission expires

Joch Crawley