

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 34084  
Name: Brass Oil, Inc  
Address: 2920 KENSINGTON ROAD  
City/State/Zip: LAWRENCE, KS 66046  
Purchaser: CMT TRANSPORTATION, INC  
Operator Contact Person: Randy Nuckolls  
Phone: (785) 865-4086  
Contractor: Name: E. K. ENERGY, LLC  
License: 33977  
Wellsite Geologist: Jim Rickerson

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

|                                   |                 |   |
|-----------------------------------|-----------------|---|
| <u>4/7/08</u>                     | <u>4/9/08</u>   | <u>4/26/08</u>                          |
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |

API No. 15 - 001-29723-00-00  
County: Allen  
NW    NW    NE    Sec. 8 Twp. 24 S. R. 19  East  West  
165 feet from S / (N) (circle one) Line of Section  
2475 feet from (E) / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: meiwes Well #: 1  
Field Name: Iola  
Producing Formation: Tucker  
Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_  
Total Depth: 1028 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 20.9 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan** A11 II NCR 8-21-08  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: President Date: 5/31/08  
Subscribed and sworn to before me this 31<sup>st</sup> day of May  
20 08  
Notary Public: [Signature]  
Date Commission Expires: 09/07/2011



**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**AUG 11 2008**

Operator Name: Brass Oil, Inc Lease Name: meiwes Well #: 1  
 Sec. 8 Twp. 24 S. R. 19  East  West County: Allen

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

|  |  |       |     |       |        |      |      |
|--|--|-------|-----|-------|--------|------|------|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><br>Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><i>(Submit Copy)</i><br><br>List All E. Logs Run: | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br><table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Tucker</td> <td>1013</td> <td>1028</td> </tr> </table> | Name  | Top | Datum | Tucker | 1013 | 1028 |
| Name   | Top  | Datum |     |       |        |      |      |
| Tucker   | 1013   | 1028  |     |       |        |      |      |

| CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| SURFACE   | 11 7/8"           | 8 5/8"                    | 15                | 20.9          | PORTLAND       | 5            |                            |
| CASING  | 5 5/8"            | 2 7/8"                    | 10.50             | 1011.5        | PORTLAND       | 125          |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |             |                            |
|--|------------------|----------------|-------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate<br><input type="checkbox"/> Protect Casing<br><input type="checkbox"/> Plug Back TD<br><input type="checkbox"/> Plug Off Zone |                  |                |             |                            |
|  |                  |                |             |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

|   |                |  |                   |   |
|---|----------------|--|-------------------|---|
| TUBING RECORD   | Size<br>2 7/8  | Set At<br>1011.5   | Packer At         | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Date of First, Resumerd Production, SWD or Enhr.<br>4/26/08 |                | Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |                   |   |
| Estimated Production Per 24 Hours                           | Oil Bbls.<br>3 | Gas Mcf  | Water Bbls.<br>10 | Gas-Oil Ratio<br>18   |

|   |  |                     |
|---|--|---------------------|
| Disposition of Gas <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____ | Production Interval |
|---|--|---------------------|

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**AUG 11 2008**

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

CA001  
CASH CUSTOMER

SHIP TO:

BR477  
BRASS OIL CO.  
BOX 3  
SOUTH DAKOTA RD E TO 2000  
1st HOUSE E S IN DRIVE  
IOLA, KS 66749

| TIME      | FORMULA | LOAD SIZE           | YARDS ORDERED | % CAL      | DRIVER/TRUCK | % AIR         | PLANT/TRANSACTION # |
|-----------|---------|---------------------|---------------|------------|--------------|---------------|---------------------|
| 12:27:07p | WELL    | 6.00 yd             | 12.00 yd      | 0.00       | BT<br>34     | 0.00          |                     |
| DATE      | LOAD #  | YARDS DEL           | BATCH#        | WATER TRIM | SLUMP        | TICKET NUMBER |                     |
| 04-09-08  | 2<br>1  | 12.00 yd<br>6.00 yd | 4698          |            | 4.00 in      | 20380         |                     |

**WARNING**

**IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY:

X

| QUANTITY | CODE     | DESCRIPTION              | UNIT PRICE | EXTENDED PRICE |
|----------|----------|--------------------------|------------|----------------|
| 6.00     | WELL     | WELL (10 SACKS PER UNIT) | 69.00      | 414.00         |
| 1.00     | TRUCKING | TRUCKING CHARGE          | 50.00      | 50.00          |

*Mettres #1*  
*Brass Oil*

| RETURNED TO PLANT | LEFT JOB     | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN   | TIME ALLOWED |
|-------------------|--------------|------------------|---|--------------|
| 33                | 1:41         |                  | 1. JOB NOT READY<br>2. SLOW POUR OR PUMP<br>3. TRUCK AHEAD ON JOB<br>4. CONTRACTOR BROKE DOWN<br>5. ADDED WATER |              |
| LEFT PLANT        | ARRIVED JOB  | START UNLOADING  |   | TIME DUE     |
| 12:50             |              |                  |   |              |
| TOTAL ROUND TRIP  | TOTAL AT JOB | UNLOADING TIME   |   | DELAY TIME   |
|                   |              |                  |   |              |

|                     |        |
|---------------------|--------|
| SubTotal \$         | 464.00 |
| Tax % 6.300         | 29.23  |
| Total \$            | 493.23 |
| Order \$            | 493.23 |
| ADDITIONAL CHARGE 1 |        |
| ADDITIONAL CHARGE 2 |        |
| <b>GRAND TOTAL</b>  |        |

RECEIVED  
KANSAS CORPORATION COMMISSION

AUG 11 2008

CONSERVATION DIVISION  
WICHITA, KS

**Lone Jack Oil Company**  
**509 East Walnut**  
**Blue Mound, KS 66010**

# Invoice

|           |           |
|-----------|-----------|
| Date      | Invoice # |
| 4/10/2008 | 621       |

|  |
|--|
| <b>Bill To</b>   |
| Brass Oil Company<br>c/o Jim Rickerson<br>P.O. Box 3<br>Iola, KS 66749 |

|          |                |         |
|----------|----------------|---------|
| P.O. No. | Terms          | Project |
|          | Due on receipt |         |

| Quantity                            | Description   | Rate         | Amount          |
|-------------------------------------|---|--------------|-----------------|
| 1                                   | <del>Mewies Lease</del><br>4/9/08, Well #1, circulated 120 sacks of cement to surface, pumped 230 gallons of water behind cement and shut in. | 500.00       | 500.00T         |
| 3                                   | 4/10/08, Well #1, Ran 900 feet of 1 inch, drilled 100 feet of cement out of well and washed sand out of open hole.                            | 65.00        | 195.00T         |
| 1                                   | wash pump charge  | 200.00       | 200.00T         |
|                                     | Sales Tax   | 6.30%        | 56.39           |
| <b>Thank you for your business.</b> |   | <b>Total</b> | <b>\$951.39</b> |

RECEIVED  
KANSAS CORPORATION COMMISSION  
AUG 11 2008  
CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Idola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CA001  
CASH CUSTOMER

BR47  
BRASS OIL CO.  
BOX 3  
SOUTH DAKOTA RD E TO 2000  
1st HOUSE E S IN DRIVE  
IDOLA, KS 66749

SHIP TO:

| TIME      | FORMULA | LOAD SIZE           | YARDS ORDERED | % CAL      | DRIVER/TRUCK | % AIR         | PLANT/TRANSACTION # |
|-----------|---------|---------------------|---------------|------------|--------------|---------------|---------------------|
| 12:27:07p | WELL    | 6.00 yd             | 12.00 yd      | 0.00       | BT<br>34     | 0.00          |                     |
| DATE      | LOAD #  | YARDS DEL.          | BATCH#        | WATER TRIM | SLUMP        | TICKET NUMBER |                     |
| 04-09-08  | 2<br>1  | 12.00 yd<br>6.00 yd | 4698          |            | 4.00 in      | 20380         |                     |

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
SIGNED

X

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY:

X

| QUANTITY | CODE     | DESCRIPTION              | UNIT PRICE | EXTENDED PRICE |
|----------|----------|--------------------------|------------|----------------|
| 6.00     | WELL     | WELL (10 SACKS PER UNIT) | 6.00       | 69.00          |
| 1.00     | TRUCKING | TRUCKING CHARGE          | 1.00       | 50.00          |

*Metres Brass Oil*

| RETURNED TO PLANT | LEFT JOB     | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN   | TIME ALLOWED |
|-------------------|--------------|------------------|---|--------------|
| 12:53             | 1:41         |                  | 1. JOB NOT READY<br>2. SLOW POUR OR PUMP<br>3. TRUCK AHEAD ON JOB<br>4. CONTRACTOR BROKE DOWN<br>5. ADDED WATER |              |
| LEFT PLANT        | ARRIVED JOB  | START UNLOADING  |   | TIME DUE     |
| 12:50             |              |                  |   |              |
| TOTAL ROUND TRIP  | TOTAL AT JOB | UNLOADING TIME   |   | DELAY TIME   |
|                   |              |                  |   |              |

|                     |        |
|---------------------|--------|
| SubTotal \$         | 464.00 |
| Tax % 6.30%         | 29.23  |
| Total \$            | 493.23 |
| Order \$            | 493.23 |
| ADDITIONAL CHARGE 1 |        |
| ADDITIONAL CHARGE 2 |        |
| <b>GRAND TOTAL</b>  |        |

RECEIVED  
KANSAS CORPORATION COMMISSION

AUG 11 2008

CONSERVATION DIVISION  
WICHITA KS

**Lone Jack Oil Company**  
**509 East Walnut**  
**Blue Mound, KS 66010**

# Invoice

|           |           |
|-----------|-----------|
| Date      | Invoice # |
| 4/10/2008 | 621       |

|  |
|--|
| <b>Bill To</b>   |
| Brass Oil Company<br>c/o Jim Rickerson<br>P.O. Box 3<br>Iola, KS 66749 |

|          |                |         |
|----------|----------------|---------|
| P.O. No. | Terms          | Project |
|          | Due on receipt |         |

| Quantity | Description  | Rate   | Amount  |
|----------|--|--------|---------|
|          | Mewies-Lease   |        |         |
| 1        | 4/9/08, Well #1, circulated 120 sacks of cement to surface, pumped 230 gallons of water behind cement and shut in. | 500.00 | 500.00T |
| 3        | 4/10/08, Well #1, Ran 900 feet of 1 inch, drilled 100 feet of cement out of well and washed sand out of open hole. | 65.00  | 195.00T |
| 1        | wash pump charge   | 200.00 | 200.00T |
|          | Sales Tax  | 6.30%  | 56.39   |

Thank you for your business.

**Total** RECEIVED  
WAS CORPORATION COMM 991.39

**AUG 11 2008**

CONSERVATION DIVISION  
WICHITA, KS



**Lone Jack Oil Company**  
**509 East Walnut**  
**Blue Mound, KS 66010**

# Invoice

| Date      | Invoice # |
|-----------|-----------|
| 4/10/2008 | 621       |

| Bill To  |
|--|
| Brass Oil Company<br>c/o Jim Rickerson<br>P.O. Box 3<br>Iola, KS 66749 |

| P.O. No. | Terms          | Project |
|----------|----------------|---------|
|          | Due on receipt |         |

| Quantity                     | Description  | Rate                | Amount          |
|------------------------------|--|---------------------|-----------------|
|                              | <del>Mewies Lease</del>  |                     |                 |
| 1                            | 4/9/08, Well #1, circulated 120 sacks of cement to surface, pumped 230 gallons of water behind cement and shut in. | 500.00 <sup>T</sup> | 500.00T         |
| 3                            | 4/10/08, Well #1, Ran 900 feet of 1 inch, drilled 100 feet of cement out of well and washed sand out of open hole. | 65.00               | 195.00T         |
| 1                            | wash pump charge   | 200.00              | 200.00T         |
|                              | Sales Tax  | 6.30%               | 56.39           |
| Thank you for your business. |  | <b>Total</b>        | <b>\$951.39</b> |

RECEIVED  
KANSAS CORPORATION COMMISSION  
AUG 11 2008  
CONSERVATION DIVISION  
WICHITA, KS