KANSAS CORPORATION COMMISSION RIGHT ALL OIL & GAS CONSERVATION DIVISION

September 1999
Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5488	API No. 15 - 001-29732-0000				
Name: TWM Production Company	County: Allen				
Address: 1150 Highway 39	SE_NE_SE Sec. 22 Twp. 26 S. R. 18				
City/State/Zip: Chanute, Kansas 66720	1927' feet from (S)/ N (circle one) Line of Section				
Purchaser: CMT	275' feet from E)/ W (circle one) Line of Section				
Operator Contact Person: Michael Or Jennifer Wimsett	Footages Calculated from Nearest Outside Section Corner:				
Phone: (_620) 431-4137	(circle one) NE SÈ NW SW				
Contractor: Name: W & W Production Company	Lease Name: CANNON A Well #: 53				
License: 5491	Field Name: HUMBOLDT/CHANUTE				
Wellsite Geologist: NONE	Producing Formation: BARTLESVILLE				
	Elevation: Ground: N/A Kelly Bushing: N/A				
Designate Type of Completion:  New Well Re-Entry Workover	Total Depth: 886' Plug Back Total Depth:				
	Amount of Surface Pipe Set and Cemented at 22' 11" Feet				
	Multiple Stage Cementing Collar Used?				
Gas ENHR SIGW	If yes, show depth setFeet				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from 868'				
If Workover/Re-entry: Old Well Info as follows:	feet depth to SURFACE w/_175 sx cmt.				
Operator:	· ·				
Well Name:	Drilling Fluid Management Plan AIF II NIK 8-21-08				
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)				
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls				
Plug Back Plug Back Total Depth	Dewatering method used				
Commingled Docket No.	Location of fluid disposal if hauled offsite:				
Dual Completion Docket No	Operator Name:				
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:				
4/11/08 4/14/08 4/24/08	Quarter Sec TwpS. R East West				
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, works Information of side two of this form will be held confidential for a period of	ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING IIs. Submit CP-111 form with all temporarily abandoned wells.				
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements				
Signature: Xennyle A. Wunset	KCC Office Use ONLY				
Title: Secretary Date: 8/06/08	Letter of Confidentiality Received				
Subscribed and sworn to before me this	If Denied, Yes Date:				
$\Delta C = C = C = C = C$	Wireline Log Received				
20_0\lambda	Geologist Report Received				
Notary Public: Adding Italy	UIC Distribution KANSAS CORPORATION COMMIS				
Date Commission Expires: 10-6-2010					
	AUG 1 1 2008				

NOTARY PUBLIC - State of Karonis ERVATION DIVISION JAIME D. FICKEL WICHITA, KS My Appt. Expires 10-6-2010

Operator Name: TWM Production Company			Lease Name: CANNON A		A	Well #: 53		
		✓ East	County: Aller					
ested, time tool oper emperature, fluid rec	and closed, flowing overy, and flow rate	and base of formations pe g and shut-in pressures, v s if gas to surface test, al inal geological well site r	whether shut-in p long with final ch	ressure reached	static level, hydro	static pressur	es, bottom hole	
Drill Stem Tests Taken			Log Format	tion (Top), Depth a		Sample		
		Yes No	Na	Name		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☑ Yes ☐ No						
ist All E. Logs Run:								
WELL LOG A	ND GAMMA F	RAY					,	
		CASING Report all strings set-c		New Used	ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
SURFACE	11"	8 5/8"		22' 11"	PORTLAND	6		
CASING		2 - 7/8		868'	PORTLAND	175	4 SACKS GEL	
		ADDITIONAL	CEMENTING / S	QUEEZE RECOR	RD.			
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks Used					
Protect Casing Plug Back TD Plug Off Zone								
			0.45	Acid Fr	rocture Shot Comen	t Sauceze Bero	ord	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth			
2 812.0 - 830.0				FRAC WITH 40 SACKS SAND 800'			800'	
TUBING RECORD 27	Size	Set At <b>868'</b>	Packer At	Liner Run	Yes No	)		
Date of First, Resumer 4/24/08	d Production, SWD or	Enhr. Producing Met	thod Flor	ving 📝 Pum	ping Gas Li	ft 🗍 Ot	ner (Explain)	
Estimated Production Per 24 Hours	Oil 3	Bbls. Gas	Mcf V	/ater	Bbls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION		Production Int	terval			
Vented Sold	Used on Lease	Open Hole	✓ Perf.	Dually Comp.	Commingled _		ECEIVED	

AUG 1 1 2008

WARNING"

DANGER - MAY CAUSE BURNS TO EYES AND SKIN. CONTAINS CALCIUM HYDROXIDE WHEN MIXED WITH WATER, SKIN AREAS THAT COME
INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED
CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR POSSIBLE THIRD DEGREE
BURNS REACHING DEEP TISSUES WITH LITTLE WARNING. BODY PERSPIRATION OR MOISTURE MAY CAUSE HYDRATION OF DRY CEMENT
ALSO RESULTING IN BURNS. IF IRRITATION BEGINS TO INCREASE SEE A PHYSICIAN IMMEDIATELY. IF PORTLAND CEMENT OR A MIXTURE
CONTAINING PORTLAND CEMENT GETS IN THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND SEEK PROMPT MEDICAL
ATTENTION. IF INGESTED, CONSULT A PHYSICIAN IMMEDIATELY. DRINK WATER. CONTAINS CRYSTALLINE SILICA; CHRONIC
OVEREXPOSURE TO AIRBORNE CRYSTALLINE SILICA HAS BEEN LINKED TO LUNG PROBLEMS, INCLUDING CANCER AND SILICOSIS. USE A
NIOSH-APPROVED DUST RESPIRATOR. MATERIAL SAFETY DATA SHEETS AVAILABLE ON REQUEST. KEEP OUT OF REACH OF CHILDREN. must be legibly filled in, in Ink, in Indelible Pencil, or in Carbon, and retained by the Agent This Shipping Order SHIPPING ORDER THE MONARCH CEMENT COMPANY AT HUMBOLDT, KANSAS the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder, shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or 2) in the applicable motor carrier classification or traiff if this is a rail or a rail-water shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns. SHIPPER'S **8C3791** Subject to Section 7 of conditions, if this shipment is to be delivered to the consigner without recourse on the consignor, the **HWP50C** without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. 00011 (Signature of Consignor) (Mail or street address of consignee — For purposes of notification only.) If charges are to be prepaid, write or stamp here, "To Be Prepaid." HOLLOUGH PARTY CONSIGNED TO 1150 W HIGHWAY CHANUTE KANSAS DESTINATION **ROUTE** (The signature here acknowledges only the 1 Charges Advanced: Class Quantity Description or Rate 8.30 TONS 7.53 METRIC TONS TYPE (ZII CENEÑ) RECEIVED KANSAS CORPORATION COMMISSION AUG 1 1 2008 CONSERVATION DIVISION WICHITA, KS 683 TIME 08:53 AM J. 44240 LB HXX Gates Closed: Last Product Hauled 08:51 <u>27640 I B</u> If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a carrier's or shipper's weight. NOTE-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding CORRECT NET 16600 LB THE MONARCH CEMENT COMPANY CERTIFIED SHIPPERS WEIGHTS Permanent post office address of shipper, . . HUMBOLDT, KANSAS 66748 SPECIAL INSTRUCTIONS 355 4/03/08 RUN: