

ORIGINAL

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

"VATION DIVISION" KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30537	API No. 15 - 065-23401-0000
Name: Venture Resources, Inc.	County: Graham
Address: P.O. Box 101234	NENWSwSec. 9 Twp. 8 S S. R. 21 East West
City/State/Zip: Denver CO. 80250	2280 feet from N (circle one) Line of Section
Purchaser: Coffeyville Resources, LLC	990 feet from E /W (circle one) Line of Section
Operator Contact Person: Ron Mackey	Footages Calculated from Nearest Outside Section Corner:
Phone: (_303)722-2899	(circle one) NE SE NW SW
Contractor: Name: American Eagle Drilling, LLC	Lease Name: Billips-Rice Unit Well #: 1
License: 33493	Field Name: Wildcat
Wellsite Geologist: Greg Mackey	Producing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 2011 Kelly Bushing: 2018
New Well Re-Entry Workover	Total Depth: 3645 Plug Back Total Depth: NA
✓ Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 50' Cond./ 264' surface Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ✓ Yes ☐ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 2054' Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 2054'
Operator:	feet depth to Surface w/ 260 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AI+ II NCC 8-21-08 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 28000 ppm Fluid volume 950 bbls
Plug Back Plug Back Total Depth	Dewatering method used Pulled liquids and evaporation
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: Venture Resources, Inc.
	Lease Name: Ridler A 1-W License No.: 30537
3-24-2008	Quarter NW Sec. 12 Twp. 11S S. R. 18 East V West
Recompletion Date Recompletion Date	County: Ellis Docket No.: 34,293-C
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	·
All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Signature: //au/H / Wall/	KCC Office Use ONLY
Title: VP/CEO Date: U-E-RAPA	STELL V_ Letter of Confidentiality Received
Subscribed and sworn to before me this 8th day of the	If Denied, Yes Date:
2008 / / / - / - / - / - / - / - / - / - /	Wireline Log Received Geologist Report Received KANSAS CORRESTED
Notary Public: A PUI	If Denied, Yes Date: Wireline Log Received Geologist Report Received KANSAS CORPORATION MISSIGNATION AUG 1 2008
Date Commission Expires: 5,19,2010	AUG 1 1 200m
TINING OF	COL
	MINIMINATION DIVISION

Side Two

Von	ture Resources, Inc		•		Billips-Rice Unit		ман и. 1	
		East 🗸 West	_				_ vveii #:	
STRUCTIONS: St sted, time tool oper mperature, fluid rec	now important tops a n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressures s if gas to surface test, final geological well site	penetrated s, whether along with	d. Detail a shut-in pre	Il cores. Report	static level, hydro	static pressur	es, bottom hole
rill Stem Tests Take		✓ Yes ☐ No		∑r	og Formatio	on (Top), Depth a	nd Datum	Sample
amples Sent to Geo	•	Yes V No		Nam Anhy			Top 1565'	Datum +453'
res Taken	noglodi Cui vey	☐ Yes ✓ No					2964'	-946'
ectric Log Run		✓ Yes		Heet			3173'	-1155'
(Submit Copy) List All E. Logs Run:			Lansing			3210'	-1192'	
			вкс				3414'	-1396'
DIL, CNL, CD	L			Arbu	ckle		3520'	-1502'
		CASIN Report all strings se	G RECORE	_	ew Used ermediate, product	tion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		/eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor	17 3/8"	13 3/8 "	47#		50'	Common	60 sx	3%cc/2%gel
Surface	12 1/4"	8 5/8"	23#		264'	Common	165 sx	3%cc/2%gel
Production	7 7/8"	5 1/2"	14#		3624'	ASC	175 sx	10%salt/500 gls.wfr2
		ADDITION	AL CEMEN	TING / SQ	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	of Cement #Sacks Used		Type and Percent Additives			
✓ Protect Casing Plug Back TD	2054'	60/40	260		6% gel, 1/4# Flo seal			
Plug Off Zone								
Shots Per Foot		ION RECORD - Bridge P		pe		cture, Shot, Cement		rd Depth
4 spf 3522'-3526'							3522-26	
	0022 0020				Jose gain 1000	, too gain 2010		
TUBING RECORD	Size	Set At	Packe	or At	Liner Run			
	7/8"	3450'	rauke	· •		Yes ✓ No		
ate of First, Resumer 8-8-08	d Production, SWD or I	Enhr. Producing M	lethod	Flowin	g 📝 Pumpii	ng 🔲 Gas Lif	t 🗌 Oth	er (Explain)
stimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B		ias-Oil Ratio	Gravity
	20 METHOD OF	COMPLETION		20	Production Inter	0		29
isposition of Gas	Used on Lease	COMPLETION Open Hol	e 🗸 Po	erf. 🗀 i	Production inter	Val		RECEIVED
	ubmit ACO-18.)	Other (Sp		· · · · · · · · ·	, = p-		KANSAS (CORPORATION COMME

AUG 1 1 2008

ALLIED CEMENTING CO., LLC. 327

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT:

Russell

	* *		
DATE 4-9-01 SEC TWP. RANGE 2/W	CALLED OUT ON LOCATION	JOB START	JOB FINISH
LEASE WELL# 1 LOCATION BOJU	e I F	COUNTY	STATE
OLD OR NEW (Circle one)			ξ.
CONTRACTOR Chito's Well Service	OWNER		
TYPE OF JOB Circulate Cement P.C.	CEMENT Used	260 sks	· · .
HOLE SIZE T.D. CASING SIZE 51/2 DEPTH 36.22	AMOUNT ORDERED 50	. 6% /	201/2
TUBING SIZE 2 % DEPTH	AMOUNT ORDERED _ 5 PA	7.00	2011/4/
DRILL PIPE DEPTH	· · · · · · · · · · · · · · · · · · ·		
FOOL P. C. DEPTH 2054	***************************************		
PRES. MAX 1000 ps; MINIMUM —		@ 12.15	1895.40
MEAS. LINE SHOE JOINT	POZMIX 104		707.20
CEMENT LEFT IN CSG.	GEL 10		182.50
PERFS.	CHLORIDE	@	
DISPLACEMENT 10 64/	ASC	@	•
EQUIPMENT	Flosec 1 65		143.00
		@:	
PUMPTRUCK CEMENTER Share		_@	
# 398 HELPER Gary		@ 	
BULK TRUCK		- @ 	· · · · · · · · · · · · · · · · · · ·
410 DRIVER Mike Knopp	-		
BULK TRUCK		@	
+ 396 DRIVER Ne:(HANDLING	@ <i>2.05</i>	1076.20
	MILEAGE 109/3K/M	<i>i</i>	3071.25
REMARKS:		TOTAL	2025.60
Tested tool to 1000 psi Opened	<u>.</u>		
Port Coller ast. Circulation Mixed	SERVI	CE	
260 sks to Circulate Cement.			·
Displaced 10 65%. Closed Port Colle	DEPTH OF JOB		
Tested, to 1000 ps; Ran Sists			
of Hole Clean, Come out			1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
0° 111/2	MILEAGE <u>65</u>	@ <u>2.00</u>	435
	MANIFOLD		<u></u>
CHARGE TO: Venture Resources			-
CHARGE TO: YTATUAL RESOURCES		mom. r	1 cmaz
STREET		TOTAL	
CÍTYSTATEZIP			**
STATE ZIP	PLUG & FLOAT	r equipmen	r
, , /	DECE:		
thanks.	RECEIVED KANSAS CORPORATION COMMIS		,
1 Man F	THE POLICE OF TH	310%	
To Allied Cementing Co., LLC.	AUG 1 1 2002	@	
You are hereby requested to rent cementing equipment	700 1 1 2008		
and furnish cementer and helper(s) to assist owner or	GONSERVATION DIVISION		<u> </u>
contractor to do work as is listed. The above work was	WICHITA, KS		
lone to satisfaction and supervision of owner agent or		TOTAL	
contractor. I have read and understand the "GENERAL	•		
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If Any)		 . **.
	TOTAL CHARGES		
PRINTED NAME	DISCOUNT		
SIGNATURE	*		
HOLLING ONL			•

ALLIED CEMENTING CO., LLC. 30287

Federal Tax I.D.	.######	-		30207	
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		SERV	ICE POINT:	,	
DATE 4-2-08 9 85 21 W		ON LOCATION	JOB START 7:45 pm	JOB FINISH 8:15 STATE	
LEASE WELL# 1 LOCATION Bogue			Graham	Ks.	
OLD OR NEW (Circle one)			j		
CONTRACTOR American Fasle #1	OWNER				
TYPE OF JOB Production String					
HOLE SIZE 7-38 T.D. 3645	CEMENT AMOUNT ORD	TENED 175	SVS AG	5 0	
CASING SIZE 5/3 DEPTH 3634.30 TUBING SIZE DEPTH	10% 5a/				
TUBING SIZE DEPTH DRILL PIPE DEPTH					
TOOL Port Collar (Blue) EPTH 2006.49'					
PRES. MAX MINIMUM	COMMON		_@		
MEAS. LINE SHOE JOINT 21.48	POZMIX		_@ @		•
CEMENT LEFT IN CSG. 21.48'	GEL CHLORIDE				
PERFS. DISPLACEMENT 87.9	ASC	25	@ 15.05	2633. 35	
EQUIPMENT	Salf 16		@مرار <u>هي</u>	336.00	
EQUITATIVE	WFR2-	500	_@ <u> /. '</u>	<u>550. a</u>	
PUMPTRUCK CEMENTER Gary Glenn			_@		
#398 HELPER Bob			- @		
BULK TRUCK					
# 345 DRIVER Chris			@		
BULK TRUCK # DRIVER		10 1	@ 2.0	79135	
# DRIVER	HANDLING MILEAGE	SK/mil	09	1/17.35	
REMARKS:	MILEAUE		TOTAL	5028.65	
▲ !			IOIAL		•
Port Collar (Blue) @ 2006,49'		SERVI	CE		
Loaded Plug @ 1500' Held					
·	DEPTH OF JOE	3		15/2 76	
Cement Circ.	PUMP TRUCK			1763.00	
	EXTRA FOOTA			228	
, 1	MILEAGE MANIFOLD		_ @ / _		•
4 (4.1)	MANI OLD				•
April 4 Comment			_ @		
CHARGE TO: Venture Resources, Inc.				2212 00	
STREET			TOTAL	2218,00	
CITYSTATEZIP	P	LUG & FLOA	T EQUIPMEN	ΙΤ	
	Float S.	hoe		515.00	
Thanks!	7 Centra	lizers	_ ، `ح۰ 	38r. 02	
	3 Backet	15	@ <i>_/ơ/.•</i> -	543,	
To Allied Cementing Co., LLC.	Latch Do	wn Assy.	@	1.917. 00	
You are hereby requested to rent cementing equipment	FUNT COIL	1-/-			;
and furnish cementer and helper(s) to assist owner or					r
contractor to do work as is listed. The above work was			TOTAL	3809. ==	
done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL				•	
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (I	f Any)			والمساور ووجع مداسات
of the first of the second of	TOTAL CHAR	GES			RECEIVED

PRINTED NAME

NT ______ IF PAID IN 30 DAYS AUG 1 1 2008

CONSERVATION DIVISION WICHITA, KS

A MARKET PROMISE A PROPERTY AS A CONTROL OF THE I . The I -	11114G CO., LLC. 30202
Federal Tax I.	SERVICE POINT: Russell, Ks
MITTO P.O. BOX 31	SERVICE POINT:
RELIGIOUS FILE RANSAS, 0,000 July 120 Marie 120 120 M	Kussell, K5
THE SECTION TWO SECTIONS OF THE SECTION TWO SECTIONS OF THE SECTION TO SECTIO	ON LOCATION JOB START JOB FINISH
WELL#1 LOCATION BOOM	COUNTY STATE
D OR NEW (Circle one)	2371
INTRACTOR A STATE OF THE STATE	OWNER CEMENT AMOUNT ORDERED 165 Com 3% CC
PEOFJOB SAFEOCE THE TOTAL	CALL CE
LE SIZE 1/2 /4/	CEMENT
SING SIZE 8 - A LEAD DEPTH 264,26	AMOUNT ORDERED 165 Care 5 /6 CC
ILL PIPE HAR AND	8: <u>\$\70 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\</u>
ILL PIPE PART AND AND DEPTH AND DEPT	
S MAX	
ASTLINE ALL THE HISHOE JOINT	POZMIX@
MENT/LEFTIN CSGH/5	# GEL
PEACEMENT V518 BRESTMINISTER	CHLORIDE @
PLACEMENT 75 % BRAGE	ASC
MURLING BENERALDS	@
	@ <u> </u>
APARUCKES CEMENTER LEGIS OF MAIN P	@ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @
KTRUCK A MANA MERICANA AND MANAGEMENT OF THE STATE OF THE	· · · · · · · · · · · · · · · · · · ·
DRIVER M. Ye	
MP.TRUCK, CEMENTER Gold Stone 66 HELPER Mott LK TRUCK DRIVER M. Ke LK TRUCK	<u> </u>
HANDER DRIVER AND MARKET AND	(HANDLING '@ '
	MILEAGE
REMARKS:	TOTAL
Cemen + a Concultural de la company	SERVICE
医神经线性性 化化对子 有的 对性温度性的 经自己 计正常性	k. A
就 就跟那物族多种是特别 的特别的 数字都特别 第二数十二级特别的数据 自動的的医生物的法共和国的一位。 "自己有效,从我是自己,	DEPTH OF IOD
क्षाक्रमान्त्राक्षः । १५ क्षांत्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त् व्यवस्थानम्बद्धाः । १५ क्षांत्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रात्त्रा	PUMP TRUCK CHARGE EXTRA FOOTAGE @
Charles the best of the second	EXTRA FOOTAGE @
中國 自由的 计图像 医原生性病 医皮肤 医皮肤 医皮肤 医皮肤 医皮肤	- Middi (00
Sichintaria edita Legicalida de la la la	MANIFOLD @ @
建建筑新加州等级。新加州,加州西北州西北州和州州市,	SANTE TAMES AND
和空港控制 化的证据与清价 医动脉系统 法国际国际 医线索引 法 证 第二次 一次,一次,一	@
ARGETO: Veryure Resources. Inc.	(a)
ARGETO: Veryare Resources, Inc.	TOTAL
ARGETO: Venyure Resources, Inc.	TOTAL
ARGETO: Veryure Resources Inc. EET ZIP	TOTAL
	PLUG & FLOAT EQUIPMENT
Than Ks	PLUG & FLOAT EQUIPMENT 35/8 Wooden Plug
MALA KS !! I STEEL !!	PLUG & FLOAT EQUIPMENT
7/han Ks	PLUG & FLOAT EQUIPMENT 35/8 Wooden Plug @
TMA on K5	PLUG & FLOAT EQUIPMENT 35/8 Wooden Plug @
Allica Cementing Co. LLC	PLUG & FLOAT EQUIPMENT 95/8 Wooden Plug @ @ @ @
Allied Cementing Co. LLC I are hereby requested to rent cementing equipment furnish cementer, and helper(s) to assist owner or	PLUG & FLOAT EQUIPMENT 95/8 Wooden Plug @ @ @ @
Alliced Cementing Co., LLC are hereby requested to rent cementing equipment furnish cementer, and helper(s) to assist owner or	PLUG & FLOAT EQUIPMENT 95/8 Wooden Plug @ @ @ @
Allied Cementing Go., LLC! u are hereby requested to rent cementing equipment i furnish cementer and helper(s) to assist owner or itractor to do work as is listed. The above work was to satisfaction and supervision of owner agent or itractor. I have read and understand the "GENERAL"	PLUG & FLOAT EQUIPMENT 9 5/8 Wooden Plug @ @ @ @ @ @ @ TOTAL
Allicd Cementing Co., LLC. u are hereby requested to rent cementing equipment i furnish cementer and helper(s) to assist owner or itractor to do work as is listed. The above work was the to satisfaction and supervision of owner agent or	PLUG & FLOAT EQUIPMENT 95/8 Wooden Plug @ @ @ @

RECEIVED KANSAS CORPORATION COMMISSION

AUG 1 1 2008

CONSERVATION DIVISION WICHITA, KS

FALLIED CEMENTING CO., INC. MILTO PO BOX 31 RUSSELL KANSAS 67665 DATE 3 2 08 WELL # 1/ LOCATION BOOK JOB START CALLED OUT JOB FINISH COUNTY OLD OR NEW (Circle one) CONTRACTOR AMELIAN ENTRE TYPE OF JOB C GAZ L'CTOR AL 2012 CEMENT AMOUNT ORDERED TUBING SIZE THE WE THE DEPTH PRES MAX的提供的特別的學MINIMUM COMMON MEAS!LINE的計算機能可能的 SHOE JOINT POZMIX, CÉMENT LEFT IN CSG. NION PROPERTIES PERFSAPHINATION OF BUILDING THE CO. CHLORIDE ____ BULKITRUCK J DRIVER # DRIVER REMARKS: SERVICE **的长线和时期的时期的影响最初的**影响影响的原则的影响的影响影响,影响影响影响影响影响。 的問題問題的自然性,其他特別學的問題與例如各种的主義。 1975年 DEPTH OF JOB PUMP TRUCK CHARGE 相對海峽門 四世上海特別的時候(4)相對於海洋等於海洋(4)15)。 EXTRA FOOTAGE CHARGE TO JONA 1 C TO STREET. STREET. STATE ZIP PATHETON CONTRACTOR TOTAL MILEAGE PLUG & FLOAT EQUIPMENT To Allied Cementing Co., Inc.

To Allied Cementing Co. Inc.

You are hereby, requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL

TOTAL CHARGE

IF PAID IN 30 DAKANSAS CORPORATION COMMISSION

RECEIVED

AUG 1 1 2008

PRINTED NAME

CONSERVATION CANAL YHICHITA KE