

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM



WELL HISTORY - DESCRIPTION OF WELL & LEASE

WELL HISTORY - DESCRI	15-185-20370 (00-0)
Operator: License # 5030	API No. 15 - Drilled 8/21/71
Name: Vess Oil Corporation	County: Stafford
Address: 8100 E. 22nd Street North, Bldg. 300	<u>SW_NE_SW_Sec. 6</u> Twp. 21SR. 12East wes
City/State/Zip: Wichita, KS 67226	1650' feet from S / N (circle one) Line of Section
Purchaser: N/A	3630' feet from E / W (circle one) Line of Section
Operator Contact Person: W.R. Horigan	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 682-1537 X103	
Contractor: Name: Cheyenne Well Service, Inc. RECEIVED	(circle one) NE SE NW SW Lease Name: Carey Well #: #5
License: 6 454 MAY -9 2005	Field Name: Carey
Wellsite (September 1997)	Producing Formation: Arbuckle (Inj)
Designate Type of Completion: KCC WICHITA	Elevation: Ground: 1852 Kelly Bushing: 1855
New WellRe-Entry Workover	Total Depth: 3877 Plug Back Total Depth: 3877
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 276 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeel
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Parrish Corporation	feet depth tow/sx cmt.
Well Name: Carey #5	
Original Comp. Date: 8/24/71 Original Total Depth: 3877'	Drilling Fluid Management Plan Alt NCR 7-24-08 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
44400	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-nd geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: Vice President-Operations Date: 5/3/65	Letter of Confidentiality Attached
Subscribed and sworn to before me this 3 rd day of	If Denied, Yes Date:
20 05	, Wireline Log Received
Market	Geologist Report Received
Notary Public: MICHELLE D. HENNING	UIC Distribution
Date Commission Expires: NOTARY PUBLIC STATE OF KANSAS My Appt. Exp.	



Side Two



Sec. 6 Twp. 21 INSTRUCTIONS: Sho lested, time tool open a				unty: Staffo	ord			
ested, time tool open a	w important tops							
Electric Wireline Logs	and closed, flowir very, and flow rat	ng and shut-in press es if gas to surface	sures, whether test, along wit	r shut-in pre	essure reached	static level, hydr	ostatic pressure	es, bottom hole
(Attach Additional Sheets)		☐ Yes 🗸			og Format	ion (Top), Depth	nd Datum ✓ Sample	
		Yes			Name		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		Yes V		on o	riginal applic	ation		
ist All E. Logs Run:								
		Report all string		, surface, inte	rmediate, produc	1		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Veight os. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	20		276,		225	
Production	7-7/8"	4-1/2"	9.5		3543		·175	
_		ADDITIO	ONAL CEMEN	ITING / SQL	EEZE RECOR) .		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cemen	t #Sad	cks Used		Type and f	Percent Additives	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			pe	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
	,							
TUBING RECORD 2-3/	Size	Set At 3457'	Packer 3457'	r At	Liner Run	Yes No		
Date of First, Resumerd Pi 4/5/02	roduction, SWD or E	Enhr. Producin	g Method	Flowing	Pumpi	ng 🔲 Gas Lif	t Other	(Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	т В	bls. G	Sas-Oil Ratio	Gravity
	METHOD OF (COMPLETION		L	Production Inter		······································	