

OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API #15-065-22,743 -00-00

ORIGINAL

County Graham

E/2 - NW - NE - NW Sec. 16 Twp. 10S Rge. 24 X V

Operator: License # 3966

CONFIDENTIAL

Name: Wanker Oil Company

Address RR #2, Box 14

City/State/Zip Wakeeney, KS 67672

Purchaser: N/A

Operator Contact Person: Patrick Wanker

Phone (913) -743-2769

Contractor: Name: Emphasis Oil Operations

License: 8241

Wellsite Geologist: Mark Torr

Designate Type of Completion

- New Well Re-Entry Workover
- Oil SWD SIOW Temp. Abd.
 Gas ENKR SIGV
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

- Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBTD
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____

7/11/94 7/16/94
Spud Date Date Reached TD Completion Date

4950 Feet from SW (circle one) Line of Section

3520 Feet from EW (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name Dinkel Well # 1

Field Name _____

Producing Formation None

Elevation: Ground 2480' KB 2485'

Total Depth 4070' PBTD _____

Amount of Surface Pipe Set and Cemented at 207 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ ex cat.

Drilling Fluid Management Plan D&A JH 3-24-95
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls

Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

RELEASED Operator Name NOU

Lease # 6 License No. _____

Quarter Sec. _____

County _____ Docket No. _____

FROM CONFIDENTIAL

CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]

Title Owner Date 8/22/94

Subscribed and sworn to before me this 22nd day of August

Notary Public Angela Sherfick

Date Commission Expires 6/27/96

ANGELA SHERFICK
NOTARY PUBLIC
STATE OF KANSAS
MY APPT. EXPIRES 6/27/96

RECEIVED Substitution
STATE CORPORATION COMMISSION
8-23-94
AUG 23 1994

ECG PLUG (Specify)

REGPA Other

CONSERVATION DIVISION
WICHITA, KANSAS (7-91)

Operator Wanker Oil Company

Lease Name Dinkel Well # 1

Sec. 16 Twp. 10S Rge. 24

County Graham

East
 West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets.)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy.)

List All E.Logs Run:

Name	Formation (Top), Depth and Datum		Sample
	Top	Datum	
Anhydrite	Top 2133	+352	
	Bottom 2169	+316	
Topeka	3579	-1094	
Heebner	3795	-1310	
Toronto	3819	-1334	
L-KC	3833	-1348	
Base KC	4064	-1579	
RTD	4070	-1585	

CASING RECORD

New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	209'	60/40 poz	190	6% gel.

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge-Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumed Production, SWD or Inj: D&A Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours: Oil N/A Bbls Gas N/A Mcf Water N/A Bbls

Disposition of Gas: Vented Sold Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION: Open Hole Part Dually Comp Other (Specify)

Production Interval: _____

CONFIDENTIAL

ORIGINAL

Phone 913-483-2627, Russell, Kansas

Phone Plainville 913-434-2812

Phone 316-793-5861, Great Bend, Kansas

Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC. 4021

New Home Office P. O. Box 31, Russell, Kansas 67665

Date	7-16-94	Sec.	16	Twp.	10S	Range	24W	Called Out	7:00 AM	On Location	9:30 AM	Job Start	10:15 AM	Finish	1:00 PM	
Lease by	DINKEL		Well No.	#1		Location		ST. PETER		4E 5S		County	GRAHAM		State	KANSAS
Contractor	Emphasis Drilling Rig #8															
Type Job	Rotary Plug															
Hole Size	7 7/8		T.D.		4070'											
Csg.	8 5/8 SURFACE		Depth		209'											
Tbg. Size			Depth													
Drill Pipe			Depth													
Tool			Depth													
Cement Left in Csg.			Shoe Joint													
Press Max.			Minimum		✓											
Meas Line			Displace													
Perf.																

Owner:
 To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To: WANKER Oil Co.
 Street: RR #2, Box 14
 City: Wakeeney State: Kan 67672
 The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No.
 x Jack D. Ford

CEMENT

Amount Ordered	190 SK 60/40 6% Gel	1 SK F10 Seal
Consisting of	Common 114	5.75 = 655.50
	Poz. Mix 76	3.00 = 228.00
	Gel. 10	9.00 = 90.00
	Chloride	
	Quickset	
	F10 Seal 25	110. = 27.50
Handling	RELEASED	1.00 = 190.00
Mileage	40m	.04 = 304.00
	OCT 26 1995	
	FROM CONFIDENTIAL	
	Sub Total	1495.00
	Total	

EQUIPMENT

Pumptrk #177	Cementer	Bill
	Helper	Will
Pumptrk #283	Cementer	
	Helper	
Bulktrk #283	Driver	Steve
Bulktrk	Driver	
DEPTH of Job	Reference:	Amount
	Pump Truck CHRG	430.00
	225 Permite 40m	90.00
	1-8 5/8 Plug	21.00
	Sub Total	541.00
	Tax	
	Total	

Remarks:
 25 SK @ 2140'
 100 SK @ 1250'
 40 SK @ 260'
 10 SK @ 40' + Plug
 15 SK @ RAT Hole

[Signature]

CONFIDENTIAL

ORIGINAL

Phone 913-483-2627, Russell, Kansas
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC. 4021

New Home Office P. O. Box 31, Russell, Kansas 67665

Date	7-16-94	Sec	16	Tw	10 S	Range	24 W	Called Out	7:00 AM	On Location	9:30 AM	Job Start	10:15 AM	Finish	1:00 PM
Lease	DINKEL	Well No.	#1	Location	ST. PETER	County	4 R	State	GRAHAM	State	KANSAS				
Contractor	EMPHASIS DRILLING RIG #8														
Type Job	ROTARY PLUG														
Hole Size	7 7/8	T.D.	4070'												
Csg.	8 5/8 SURFACE	Depth	209'												
Tbg. Size		Depth													
Drill Pipe		Depth													
Tool		Depth													
Cement Left in Csg.		Shoe Joint													
Press Max.		Minimum	✓												
Meas Line		Displace													
Perf.															

Owner _____

To: Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To: **WANKER OIL Co.**
 Street: **RR #2, Box 14**
 City: **Wakeeney** State: **Kan 67672**

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. _____

X **Jack D. Ford**

EQUIPMENT

Pumptrk #177	No.	Cementer	<i>Shan</i>
		Helper	<i>Well</i>
Pumptrk	No.	Cementer	
		Helper	
Bulktrk #283		Driver	<i>Steve</i>
		Driver	

CEMENT

Amount Ordered	190 SK 6% Gel	1 SK F10 Seal	
Consisting of	Common 114	5.75	655.50
	Poz. Mix 76	3.00	228.00
	Gel 10	9.00	90.00
Chloride			
Quickset			
F10 Seal 25 #	110		27.50
Handling	100		190.00
Mileage 40m	1.04		304.00
		Sub Total	1495.00
		Total	

DEPTH of Job

Reference:	Pump Truck CHRG	430.00
	27 th Penmile 40m	90.00
	1-8 5/8 PLUG	21.00
	Sub Total	541.00
	Tax	
	Total	

Remarks: 25 SK @ 2140'
 100 SK @ 1250'
 40 SK @ 260'
 10 SK @ 40' + Plug
 15 SK @ RAT Hole

AUG 22
CONFIDENTIAL

RELEASED

OCT 26 1995

FROM CONFIDENTIAL

[Signature]

CONFIDENTIAL

ORIGINAL

Phone 913-483-2627, Russell, KS
 Phone 316-886-5926, Medicine Lodge, KS
 Phone 913-625-5516, Hays, KS
 Phone 913-672-3471, Oakley, KS
 Phone 913-798-3843, Ness City, KS

ALLIED CEMENTING CO., INC. 7674
 Home Office P. O. Box 31
 Russell, Kansas 67665

New
 16818-200V
 RECEIVED
 STATE CORPORATION COMMISSION

Date	7-11-94	Secured	Wp	Range	Called Out	On Location	Job Start	Finish		
Lease	Dinkel	Well No.	1	Location	St Peter	4 1/2 E. S. 1	County	Graham	State	Kan
Contractor	Emphasis Oil Op #8		Owner	Wanker Oil Co						
Type Job	Surface		To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.							
Hole Size	12 1/4	T.D.	209'							
Csg.	8 5/8	Depth	209'							
Tbg. Size		Depth								
Drill Pipe		Depth								
Tool		Depth								
Cement Left in Csg.	15'	Shoe Joint								
Press Max		Minimum								
Meas Line	RELEASED		Displace							
Perf.	OCT 26 1995									

Charge To	Wanker Oil Co	
Street	R P # 2 Box 1A	
City	Wabesney	State
City	Wabesney	State
The above was done to satisfaction and supervision of owner agent or contractor.		
Purchase Order No.		
X Jack D. Fry		
CEMENT		
Amount Ordered	140 sks 60/40 per, 3% CC + 2% Cal	
Consisting of		

EQUIPMENT FROM CONFIDENTIAL

Pumptrk	No. 191	Cementer	Walt
		Helper	Terry
Pumptrk	No.	Cementer	
		Helper	
Bulktrk	212	Driver	B. G.
Bulktrk		Driver	

Common	84	SKS	2	5.75	483.00
Poz. Mix	56	SKS	2	3.00	168.00
Gel.	3	SKS	2	9.00	27.00
Chloride	4	SKS	2	25.00	100.00
Quickset					
Handling	1.00	per SK			140.00
Mileage	40	per SK/mile			224.00
40 miles					
Sub Total					1142.00
Total					

DEPTH of Job		
Reference	Pumptruck	430.00
	8 5/8 Surface Plug	42.00
	225 per mile	90.00
	Sub Total	
	Tax	
	Total	562.00

Floating Equipment AUG 22
 CONFIDENTIAL

Remarks: Cement Did Cure

Walter Co

CONFIDENTIAL

ORIGINAL

Phone 913-483-2627, Russell, KS

Phone 913-625-5516, Hays, KS

Phone 316-886-5926, Medicine Lodge, KS

Phone 316-793-5861, Great Bend, KS

Phone 913-672-3471, Oakley, KS

Phone 913-798-3843, Ness City, KS

ALLIED CEMENTING CO., INC. 7674
 Home Office P. O. Box 31
 Russell, Kansas 67665

New

Date	7-11-94	Secord	Range	Called Out	On Location	Job Start	Finish
Lease	Dinkel	Well No.	Location	St. Peter	4 1/2 E. S. 1	County	Graham
State							Kan
Contractor	Emphasis Oil Ops #8			Owner	Wanker Oil Co		
Type Job	Surface			To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer, and helper to assist owner or contractor to do work as listed.			
Hole Size	12 1/4	T.D.	209'	Charge To	Wanker Oil Co.		
Csg.	8 5/8	Depth	209'	Street	RR # 2 Box 14		
Tbg. Size		Depth		City	Wagoner State Kansas		
Drill Pipe		Depth		The above was done to satisfaction and supervision of owner agent or contractor.			
Tool		Depth		Purchase Order No.	X Jack D. Fry		
Cement Left in Csg.	15'	Shoe Joint		CEMENT			
Press Max.		Minimum		Amount Ordered	140 SKS 60% Poz, 3% CC, 2% Gel		
Meas Line		Displace		Consisting of			
Perf.				Common	84	SKS @ 5.75	483.00

EQUIPMENT

Pumptrk	No. 191	Cementer	Walt
		Helper	Terry
Pumptrk	No.	Cementer	
		Helper	
Bulktrk	212	Driver	B.G.
Bulktrk		Driver	

DEPTH of Job		
Reference	Pumptruck	430.00
	8 5/8 Surface Plug	42.00
	225 per mile	90.00
	Sub Total	
	Tax	
	Total	562.00

Remarks: Cement Did Cure

Quicksat	4	SKS @ 25.00	100.00
Handling	1.00 per SK		140.00
Mileage	40 per SK/mile		224.00
40 miles			
		Sub Total	1142.00
		Total	

Floating Equipment AUG 22

RELEASED CONFIDENTIAL

OCT 26 1995

FROM CONFIDENTIAL

Wanker Co