### RECEWED SEP 1 2 2005

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### KCC SEP 0 9 2005

Form ACO-1 September 1999 Form Must Be Typed

### KCC WICHITA

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE IDENTIAD RIGINAL

Operator: License # 3882 CONFIDENTIAL	API No. 15 - 15-159-22451-0000
Name: SAMUEL GARY JR. & ASSOCIATES, INC.	County: RICE
Address: 1670 BROADWAY, SUITE 3300	SE Sec20 _Twp18 _S.R9 _ ☐ East ⊠ West
City/State/Zip: DENVER, CO 80202-4838	1150 feet from SOUTH Line of Section
Purchaser: GARY-WILLIAMS ENERGY CORPORATION	590 feet from EAST Line of Section
Operator Contact Person: TOM LARSON	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 653-7368	(circle one) NE SE NW SW SCHOONOVER FAMILY
Contractor: Name: SUMMIT DRILLING	Lease Name: TRUST Well #: 1-20
License: 30141	Field Name: WILDCAT
Wellsite Geologist:JUSTIN CARTER	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 1715' Kelly Bushing: 1725'
X New Well Re-Entry Workover	Total Depth: 3373' Plug Back Total Depth:
Oil SWD SIOW Temp Abd.	Amount of Surface Pipe Set and Cemented at 304' Feet
Gas ENHR SIGW	Multiple State Cementing Collar Used? ☐ Yes ☒ No
X Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/ sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit) 4-24-07
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No.	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
	Lease Name: License No.:
5/16/2005 05/23/2005 05/23/2005  Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date	Quarter Sec. Twp. S. R. East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information on side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. S	with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING ubmit CP-111 form with all temporarily abandoned wells.
Therein are complete and correct to the best of my knowledge.	KCC Office Use ONLY
Signature: Nomas Itertal	Letter of Confidentiality Attached
Title: Date: 09/1/2005	If Denied, Yes 🗆 Date:
CFADO Subscribed and	, Wireline Log Received
	Geologist Report Received
Notary Public: Janny M. Tadden	UIC Distribution
My Commission Expires 9/22/05	

# CONFIDENTIAL

SEP 0 9 2005 ORIGINAL

Operator Name:	SAMUEL	. GARY	/ JR. 8	k AS	SOCIA	TES, IN	C.			_ Leas	se Namé	) <u>\</u> sc	Нодиолег	FAMILY TRUS	<u>ST</u> W	ell #:	1-20
Sec. 20	Twp.	18	_S. I	R	9	_ 🗆	East	Wes	it	Çoui	nty:	RIC	E				<del>-</del>
INSTRUCTIONS: tool open and clos and flow rates if g Attach final geolog	ed, flowin as to surfa	mporta g and s	nt top shut-ir t, alon	s and	l base ssures.	whethe	r shut-	in press	ure rea	ched st	tatic level	, hydros	static pressui	es, bottom hole	e temperai	ture, tiula rec	overy,
Drill Stem Tests T		ts)		, ] Ye	es	⊠	No		Ø	Log		Form	ation (Top), l	Depth and Datu			Sample
Sample Sent to G	eological :	Survey	D	₫ Ye	es		No		Name TOP	EKA BNER					Top 2478' 2752'		-753 -1027
Cores Taken			Ē	] Ye	es	$\boxtimes$	No		DOU	IGLAS					2783'		-1058 -1155
Electric Log Run (Submit Copy	)		. 12	₫ Ye	es		No		LAN	LIME SING UCKLE	·	REC	EIVE	)	2880' 2904' 3270' 3373'		-1179 -1545
List All E. Logs Ru	DI BI	UAL IN UAL CO HC SO ICROL	OMPE NIC		TED P	OROSI	ΓΥ					SEP	1 2 2005 WICHI				
						ING RE				New		sed	ction atc	4			
Purpose of string	Size		Size Set (	Casi	ng	Weight Lbs./Ft		Setting Depth	or, Suria	7	ype of Cement	, produ	# Sacks Used	Туј	pe and Pe	ercent Additive	es
SURFACE	12-1	/4"	8-	-5/8"		28		304'	CLA	SS A			175	2% GEL & 3%	6 CC		
•						•			1								
								· ·				•				-	
			<del></del>				ADDIT	IONAL C	CEMEN	ITING/S	SQUEEZE	RECC	ORD	4			
Purpose:			Top	Depti	ottom			Туре	of Cerr	nent		# 5	Sacks Used	Ту	pe and Pe	ercent Additive	es
Perforate Protect Ca Plug Back Plug Off Z	TĎ											,		,			
Shots per Foot	I	PERFC	PATI ecify F	ON F	RECOF ge of E	RD – Brie ach Inte	dge Pl erval P	ugs Set/ erforated	Type d		•			re, Shot, Ceme d of Material U		ze Record	Depth
						··········											
		,									<del></del>						
TUBING RECOR	)	: 8	Size			Set	At	P	acker A	At	Liner Ru	_	] Yes	□ No			
Date of First, Resi	umed Pro	duction	, SWE	or E	Enhr.	Proc	lucing	Method									
Estimated Produc Per 24 Hours	tion		Dil	0	Bbls.	0	àas	Mc	cf	Wate	Flowing er 0	Bbls.	<del>-</del>	☐ Gas as-Oil Ratio	Lift	Other (E.	
Disposition of Gas	·······								MET	HOD O	F COMPI	ETION				Produ	ction Interval
·	Sold		<u> </u>	Jsed	on Lea	ise		Ope	en Hole		□ Perf.		Dually Com	p. Cor	mmingled		

ALLIED CEMENTING CO., INC.

-₽Ø. B⊙X 31 RUSSELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566

RECEIVED

KCC

SEP 1 2 2005

SEP 0 9 2005

KCC WICHITA CONFIDENTIA

Invoice Number: 097096

Invoice Date: 05/31/05

ORIGINALY

Sold To:

Samuel Gary, Jr. & Assoc. % Larson Engineering, Inc.

562 W. Highway #4

Olmitz, KS

67561-8561

P.O. Number..: Schoonover TR #/-20

P.O. Date...: 05/31/05

<i>(</i>						
Item I.D./Desc.	Qty. Used	Unit	Price	]	Net	TX
Common Pozmix Gel Handling Mileage	99.00 66.00 7.00 172.00 30.00	SKS SKS SKS SKS MILE	8.7000 4.7000 14.0000 1.6000 10.3200		861.30 310.20 98.00 275.20 309.60	T T T T
172 sks @.06 pe Rotary Plug	r sk per mi 1.00 30.00	JOB MILE	750.0000 5.0000	÷ .	750.00 150.00	T T
Date of Invoice.	t, Payable 30 Days Foll 1 1/2% Charged Thereaft T take Discount of \$ <u>27</u> in 30 days from Invoice	owing Sub er. Taz 5.43 Pay	ototal: x: yments: tal:		2754.30 173.52 0.00 2927.82 \(\alpha\)	3>_
. ,	STATE COMP TWO TLOE	•		•	1/5029	1

DALG

AFE #

ACCT #

APPROVED BY

# IED CEMENTING CO., IN KCC-

SERVICE POINT:

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SEP 0 9 2005 DI Band CONSIDENTIAL ON LOCATION JOB START RANGE SEC. MA00:P MAOEIP 30 LOCATION Burton Bas Plant 225. GEST WELL#120 1E, 25, W/into OLD OR NEW (Circle one) OWNER Same CONTRACTOR Summet Bulg TYPE OF JOB Action **CEMENT** HOLE SIZE 778" T.D. 3370 AMOUNT ORDERED 1652 60/40 43 As CASING SIZE **DEPTH TUBING SIZE DEPTH** DRILL PIPE 4 DEPTH 3280' TOOL **DEPTH COMMON** PRES. MAX **MINIMUM** POZMIX MEAS. LINE **SHOE JOINT** @14.00 **GEL** CEMENT LEFT IN CSG. **CHLORIDE** PERFS. DISPLACEMENT ASC\_ RECEIVED **EQUIPMENT** PUMP TRUCK CEMENTER 1 #181 HELPER **BULK TRUCK** DRIVER Steve #341 **BULK TRUCK** DRIVER HANDLING 172 MILEAGE 30 . 172 . 6 **REMARKS:** 35 Nr 6 3280' SERVICE 35 De 950 35 Nr 8 600 35 Nr 6 DEPTH OF JOB 3280 360 29 Dr e PUMP TRUCK CHARGE 60 EXTRA FOOTAGE MILEAGE 30 CHARGE TO: Samuel Havy In a Associate TOTAL \_ 900,00 STREET Yo Lavon Eng PLUG & FLOAT EQUIPMENT @ MANIFOLD\_ (a) (a) To Allied Cementing Co., Inc. (a) You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work-was-TOTAL done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TAX \_\_\_ CONDITIONS" listed on the reverse side. TOTAL CHARGE \_ DISCOUNT -IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC.

P.O. BOX 31 RUSSELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566-

**RECEIVED** 

SEP 1 2 2005

ORIGINAL

INVOICE

CONFIDENTIAL

KCC WICHITA Invoice Number: 096953

Invoice Date: 05/19/05

Sold Samuel Gary, Jr. & Assoc. To: % Larson Engineering, Inc.

562 W. Highway #4

Olmitz, KS 67561-8561

RECEIVED

SEP 1 2 2005

KCC WICHITA

Cust I.D....: Gary

P.O. Number..: Schoonover1-20

P.O. Date...: 05/19/05

Due Date.: 06/18/05

Terms...: Net 30

Item I.D./Desc. Qty. U	sed	Unit	Price	Net	TX
Common Gel Chloride	175.00 3.00 5.00 183.00 30.00	SKS SKS SKS SKS MILE	8.7000 14.0000 38.0000 1.6000 10.9800	1522.50 42.00 190.00 292.80 329.40	T T E
183 sks @.06 per sk pe Surface Extra Footage Mileage pmp trk Wood Plug	r mi' 1.00 9.00 30.00 1.00	JOB PER MILE EACH	670.0000 0.5500 5.0000 55.0000	670.00 4.95 150.00 55.00	E E
All Prices Are Net, Paya Date of Invoice, 1 1/2% If Account CURRENT take ONLY if paid within 30 d	<u>Charged Thereafter.</u> Discount of \$ <b>325.6</b> 4	Tax.	total: : nents:	3256.65 114.00 0.00 3370.65 /325.66	
MORLG FICOMP FIWO	MINE			3044.99	<b>-</b>

APPROVED BY

CONFIDENTIAL CEME	VIING CO., I	NR GI	16491 NA
		VICE POINT: 1°	
RUSSELL, KANSAS 67605	P () 9 2005	GREAT	Donal
SEC. TWP. RANGE	CALLED OUT ON LOCATION	JOB START	JOB FINISH
DATE 5-17 00 20 18 14	12.30Am 2:30Am	11/1/11/11	STATE STATE
EASE TRUST WELL# -20 LOCATION BUSH	1, 1, 1,	151ce:	
OLD OR NEW (Circle one)	south - West MID		i o
CONTRACTOR Summit DRIG	OWNER Samuel G	FARY dr.	t began
TYPE OF JOB Surface Diper HOLE SIZE 1214 T.D. 3091	CEMENT		
CASING SIZE 8 5 DEPTH 309	AMOUNT ORDERED 17.5	5x Comm	1on
<u>'UBING SIZE</u> DEPTH  DEPTH	3% de + Mo gel		
TOOL DEPTH		<i>@</i> 70	1500 C
PRES. MAX MINIMUM	COMMON/SA	@_ <i><b>8.</b>7D</i> 	1522.Sc
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. OPROX 15	GEL 3 AL	@ <u>14.00</u>	48,00
PERFS.	CHLORIDE	_@_ <b>38.</b> @	_190.00
DISPLACEMENT /8 & STORY	ASC	@ @	
EQUIPMENT	RECEIVED	@	
PUMPTRUCK CEMENTER Jack	SEP 1 2 2005	@ @	
HELPER J.D.	KCC WICHITA	@	
BULK TRUCK  DRIVER  DRIVER	— NOC WICH IT	@	
BULK TRUCK		@ @	
† DRIVER	HANDLING 18344 MILEAGE 18344	06 30	792.80 329.40
REMARKS:  13un 7 to of used 28 lb line pipe cement Cyth 175 sx of coment—		06 30 TOTAL	_792.80 _329.40 237 b.70
REMARKS:  13/10 7 to of used 28 lb line pipe coment with 175 ox of coment— Displace plug will 182 BB/ of Fresh	MILEAGE BOAL SERVI	TOTAL	329.40
REMARKS:  13/10 7 its of used 28 lb line pipe cement bith 175 xx of cement -	MILEAGE 1831	TOTAL	329.40
REMARKS:  13/10 7 its of used 28 lb line pipe cement Eight 175 ox of coment— Displace plug unlig 182 BB/ of Fresh	MILEAGESERVI  DEPTH OF JOB3094  PUMP TRUCK CHARGE EXTRA FOOTAGE9	TOTAL  ICE  (a)	329.40 237 b.70 237 b.70 4.96
REMARKS:  13/10 7 th of used 28 lb line pipe cement with 175 sy of coment— Displace plug will 182 BBH of Fresh water	MILEAGE SERVI  DEPTH OF JOB 3091  PUMP TRUCK CHARGE	06 30 TOTAL ICE 	329.40 237 b.70
REMARKS:  13/40 7 its of used 28 lb line pipe cement Cith 175 sy of coment— Displace plug unfal8 & BBH of Fresh water  Thanks	MILEAGESERVI  DEPTH OF JOB3094  PUMP TRUCK CHARGE EXTRA FOOTAGE9	06 30 TOTAL ICE	329.40 237 b.70 237 b.70 4.96
REMARKS:  13/10 7 to of used 28 lb line pipe cement with 175 sy of coment— Displace plug will 182 BBH of Fresh water  Thanks	SERVI  DEPTH OF JOB	106 30 TOTAL  1CE	329.40 237 b.70 237 b.70 4.96
REMARKS:  13/10 7 to of used 28 lb line pipe  Cement Cith 175 sy of coment—  Displace plug with 182 BBH of Fresh  WATER  CHARGE TO: Samuel Gary Int Assoc	SERVI  DEPTH OF JOB	06 30 TOTAL  ICE  (	329.40 237 b.70 670.00 4.96 150.00
REMARKS:    Plin 7 its of used 28 lb line pipe  Cement Cith 175 xx of coment -  Displace plug with 182 BBH of Fresh  WATER  CHARGE TO: Samuel Gary Int Association  STREET 1670 Broadway, Suite 3.3	SERVI  DEPTH OF JOB	06 30 TOTAL  ICE  (	329.40 237 b.70 237 b.70 4.96
REMARKS:  13/10 7 its of used 28 lb line pipe cement with 175 xx of cement— Displace plug will 182 BBH of Fresh water  Chamer Engineering	SERVI  DEPTH OF JOB	TOTAL  ICE	329.40 237 b.70 237 b.70 4.96 150.00
REMARKS:  13/10 7 to of used 28 lb line pipe  Cement Cith 175 xx of cement -  Displace plug will 182 BB/1 of Fresh  WATER  CHARGE TO: Samuel Gary Int 1500  STREET 1670 Broadway, Suite 3.3	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  MANIFOLD	TOTAL  ICE	329.40 237 b.70 237 b.70 670.00 4.96 150.00
REMARKS:  13/10 7 to of used 28 lb line pipe  Cement Coth 175 xx of cement -  Displace plug wild 18 to BOIT of Fresh  WATER  CHARGE TO: Samuel Gary Int Associated  STREET 1670 Broadway, Suite 3.3	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  PLUG & FLOA	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 4.96 150.00
REMARKS:  13/10 7 its of used 28.16 line pipe coment with 175 or of coment—  Displace plug wild 182 BB/ of Fresh water  Water  CHARGE TO: Samuel Gary Int Associated Brown Strike 3.5  CITY Denver STATE Colo, ZIP 8020  To Allied Cementing Co., Inc.	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  MANIFOLD  1-85/8-43000000000000000000000000000000000000	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 670.00 4.96 150.00
REMARKS:    Plan 7   Sof 25   Sof 28   Inc pipe Cement Crith 175 0x of cement Displace plug with 182 BD1/ of Speech water Charge To Samuel Gary Ind Associated To Broadway, Suite 35 CITY Denver STATE Colo, ZIP 8020  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  MANIFOLD  1-85/8-43000000000000000000000000000000000000	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 670.00 4.96 150.00
REMARKS:    Proposed Sells   Ine pipe	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  MANIFOLD  1-85/8-43000000000000000000000000000000000000	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 670.00 4.96 150.00
REMARKS:    The Tip of used 28 lb line pipe cement with 175 sy of cement.  Displace plug with 185 BBH of Fresh water.  CHARGE TO: Samuel Gary Ind Associated.  STREET 1670 Broadway, Swite 35  CITY Denver STATE Colo, ZIP 8020  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do; work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	SERVI  DEPTH OF JOB 309  PUMP TRUCK CHARGE  EXTRA FOOTAGE 9  MILEAGE 30  PLUG & FLOA  MANIFOLD  1-85/8-43000000000000000000000000000000000000	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 4.96 150.00
REMARKS:    The Tip of used 28 lb line pipe cement with 175 sy of cement.  Displace plug with 185 BBH of Fresh water.  CHARGE TO: Samuel Gary Ind Associated.  STREET 1670 Broadway, Swite 35  CITY Denver STATE Colo, ZIP 8020  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do; work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	SERVI  DEPTH OF JOB	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 4.96 150.00
REMARKS:    The Tip of used 28 lb   ine pipe cement with 175 sy of cement of Splace plug with 185 BBH of Fresh water Plug with 185 BBH of Fresh water Street 1670 Broadway, Swite 35 CITY Denver STATE Colo, ZIP 8020 To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do: work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	SERVI  DEPTH OF JOB	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 4.96 150.00 824.95
REMARKS:    Plin 7 its of used 28 lb line pipe  Cement Cith 175 xx of coment -  Displace plug with 182 BBH of Fresh  WATER  CHARGE TO: Samuel Gary Int Association  STREET 1670 Broadway, Suite 3.3	SERVI  DEPTH OF JOB	TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	329.40 237 b.70 237 b.70 4.96 150.00