For KCC Use:

### KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(-)) - process of comments of the comments
Expected Stud Date: November 1 2008	Soot Descriptions
Expected Spud Date: November 1 2000 month day year	Spot Description:
34047	SE NE Sec. 29 Twp. 23 S. R. 17 XE W
OPERAIOH: License#	10001100110010000011
Name: Ron-Bob Oil LLC	ieet from Lie / W Line of Section
Address 1: PO Box 41	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Neosho Falls State: KS Zip: 66758 +	County: Woodson
Contact Person: Robert Chriestenson	Loss Nome: Fitzpatrick/Hoke
Phone: 62-0-365-0919	Field Name: Neosho Falls-Leroy
CONTRACTOR: License#_ 32642	Is this a Prorated / Spaced Field?
Name: Nicholas L Brown	Target Formation(s): Mississippi
	Nearest Lease of unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	000
⊠Oil ✓ Enh Rec ⊠Infield ✓ ⊠Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 160+
Other:	Depth to bottom of usable water: 150+
If OWWO: old well information as follows:	Surface Pipe by Alternate:
III OTTTO, OIG WEIT INFORTIATION AS FOROWS.	Length of Surface Pipe Planned to be set:  40'  Length of Conductor Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
- · · · - · · · · · · · · · · · · · · ·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR
NOC DAT #.	Will Cores be taken?
NOU DAT #.	Will Cores be taken? Yes No If Yes, proposed zone:
	If Yes, proposed zone:
AFF	IDAVIT  RECEIVEL: KANSAS CORPORATION COMMUNIS ST
	IDAVIT  RECEIVEL: KANSAS CORPORATION COMMUNIS ST
AFF	IDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  RECEIVEL:  RANSAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	IT Yes, proposed zone:  RECEIVEL: RANSAS CORPORATION COMMISSION OF 12 7 2008
AFF  The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	IT Yes, proposed zone:  RECEIVEL: RANSAS CORPORATION COMMISSION OF 12 7 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSI  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be will take.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT  SECEIVEL:  KANSAS CORPORATION COMMISSI  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be s
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri	IDAVIT  SECEIVEL:  KANSAS CORPORATION COMMISSI  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be shall be with the sop; in all cases surface pipe shall be with the sop; in all cases su
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge	IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shall be shall be will be shall
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shall be with K.S.A. 55 et. seq.  WICHITA, KS into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	IDAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shall be with K.S.A. 55 et. seq.  WICHITA, KS into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT  RECEIVEL:  KANSAS CORPORATION COMMISSION  OCT 2.7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be with the complexity of the
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSION  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall by SERVATION DIVIS.  Conderlying formation.  Interpretation casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15st of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IDAVIT  RECEIVEL:  KANSAS CORPORATION COMMISSION  OCT 2.7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be with the complexity of the
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSION  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall by Chitta, KS underlying formation.  Interpretation of the control of t
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the beautiful production. Signature of Operator or Agent:  For KCC Use ONLY	IDAVIT  IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the beautiful production. Signature of Operator or Agent:  For KCC Use ONLY	IDAVIT  Gring of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig;  OCT 2 7 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the surface of the specified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best place of the completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best place of the spud date or the well shall be the specific to the speci	IDAVIT  Gring of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig;  OCT 2 7 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best patern. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207 - 274570000  Conductor pipe required feet	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSION  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall with CHITA, KS in underlying formation;  dot or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Partner  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the surface consumers of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best part of the conductor pipe required	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSION  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall by Circulating cement to the top; in all cases surface pipe shall by Circulating cement to the top; in all cases surface pipe shall by Circulating cement to the top; in all cases surface pipe shall by Circulating cement to the top; in all cases surface pipe shall be considered by Circulating cement to the top; in all cases surface pipe shall be considered by Circulating cement to the top; in all cases and plugging; in the complete state of the top; in all cases and plugging; in the complete state of the top; in all cases, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Partner  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the distriction of the spropriate distriction of the surface casing order well is either plugged. It an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best place.  For KCC Use ONLY  API # 15 - 207 - 27457	IDAVIT  RECEIVEL:  RANSAS CORPORATION COMMISSION  OCT 2 7 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe shall with the properties of or plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 at of my knowledge and belief.  Partner  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the surface distriction of the surface casing order well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the complete of the surface of Operator or Agent:  For KCC Use ONLY  API # 15 - 207 - 274570000  Conductor pipe required	IDAVIT  Granging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig;  Ansas corporation commiss.  Oct 3 2008  Ansas corporation commiss.  Oct 4 2 7 2008  drilling rig;  Ansas corporation commiss.  Consequention or plugions;  Oct 2 7 2008  drilling rig;  Ansas corporation commiss.  Oct 2 7 2008  drilling rig;  Ansas corporation commiss.  Oct 2 7 2008  drilling rig;  Ansas corporation commiss.  Oct 2 7 2008  drilling rig;  Ansas corporation or plugions;  Oct 2 7 2008  drilling rig;  Ansas corporation commiss.  Oct 2 7 2008  drilling rig;  Ansas corporation or plugions;  Oct 2 7 2008  drilling rig;  Oct 2 7 2008  drilling r
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best post of the complete of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - 207 - 274570000  Conductor pipe required	IDAVIT  Granging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shall be s
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection of the distrection of the plugge of the spuddate of the set of the plugge of the spuddate of the well shall be must be completed within 30 days of the spuddate or the well shall be thereby certify that the statements made herein are true and correct to the between the statements of the plugge of the spuddate or the well shall be the plugge of the spuddate or the shall be plugged or the spuddate or the shall be plugged or the spuddate or the plugged or the shall be plugged or the spuddate or the shall be plugged or the spuddate or the s	IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IRECEIVEL  IXANSAS CORPORATION COMMISSION  OCT 2 7 2008  Identifying rig;  In price of pipe shall be shall b
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the set of	IDAVIT  Granging of this well will comply with K.S.A. 55 et. seq.  OCT 2 7 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shall be s

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27457-0000	
Operator: Ron-Bob Oil LLC	Location of Well: County: Woodson
Lease: Fitzpatrick/Hoke	1,815 feet from N / X S Line of Section
Well Number: 2	515 feet from X E / W Line of Section
Field: Neosho Falls-Leroy	Sec. 29 Twp. 23 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SE _ NE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	:		:	ſ		•	•
l .	i	:	:	ı	:	•	:
į.	i		:	l	:	•	
i .			:	ı		•	•
1				1	:	•	:
i .		:	:	1	:	•	
			:	i	:	•	
)				9	•	•	7
1				i			
Į.	-	_		1			_
I .			:	ı		•	2
l .			:	i	:	•	•
Į.			:	í	:	•	:
1	Ξ	•	:	1	•	•	•
I .	:	•	•	1	•	•	•
)	•	•	•	I	•	•	•
1	•	•	•	!	•	•	•
			-	1			•
				1			
1				ı			
1	•	•	•	1	•	•	•
	•	•	•		•		•
1	•	•	•		•		•
F .	•				•		
I	•		•	)	•		•
1	•		•	1			
1	•		•		•		
1	•			1		i	
1				l .		-	-
1				ł			
1				i .			
1	_						
			:		:	•	<u>.</u>
	Ξ '		:		•	•	-
į.						•	•
	Ι '					•	•
I	•					4	•
	•				•	•	•
	•		•		•	•	•
	•		•		•		•
ł	•		•		•	-	•
1 .							
i :	: ;		,				:
1							
				ı			
					••••		
					••••		,
					******		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					*****		,
				,,.	******		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
					*****	******	1#********
					••••		,
					••••		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
							,
						•••••	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

RECEIVED KANSAS CORPORATION COMMISSION

OCT 2 7 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Ron-Bob Oil LLC			License Number: 34047		
Operator Address: PO Box 41			Neosho Falls KS 66758		
Contact Person: Robert Chriestenson			Phone Number: 62-0-365-0919		
Lease Name & Well No.: Fitzpatrick/Hoke 2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE_NE_SE_		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 23 R. 17 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,815 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			510 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l		
	1		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?  Yes No	Is the bottom below ground level?  Artificial Liner?  Yes No		How is the pit lined if a plastic liner is not used?		
		a	native clay		
Fit differsions (all but working bits).	Length (fe		Width (feet) N/A: Steel Pits		
	om ground level to de	Γ			
		edures for periodic maintenance and determining neluding any special monitoring.			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.		
Source of infor		mation:			
leet Depth of water well leet Land measu			mation:		
		over and Haul-Off Pits ONLY:  Il utilized in drilling/workover: fresh water			
1		king pits to be utilized:1			
		procedure: Evaporation and backfill			
Does the slope from the tank battery allow all spilled fluids to		8			
		pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMIT					
$\mathcal{R}_{1/2} = \mathcal{R}_{1/2} = R$					
			ignature of Applicant or Agent CONSERVATION DIVISION WICHITA KS		
	KCC (	OFFICE USE OF			
/					
Date Received: 10/87/08 Permit Num	ber:	Permi	it Date: 10 87 0% Lease Inspection: Yes No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 27, 2008

Ron –Bob Oil, LLC PO Box 41 Neosho Falls, KS 66758

RE:

**Drilling Pit Application** 

Fitzpatrick/Hoke Lease Well No. 2

SE/4 Sec. 29-23S-17E Woodson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File