For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: November 1 2008 month day year	A . A
	Spot Description:
34047	(90900) - NE - NE - SE Sec. 29 Twp. 23 S. R. 17 NE
OPERATOR: License#	teet from N / X S Line of Section
Name: Ron-Bob Oil LLC	feet from X E / W Line or Section
Address 1: PO Box 41	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Robert Chriestenson	County: Woodson
Phone: 62-0-365-0919	Lease Name: Fitzpatrick/Hoke Well #: 3
20010	Field Name: Neosho Falls-Leroy
CONTRACTOR: License# 32642 Name: Nicholas L Brown	Is this a Prorated / Spaced Field?
Malue:	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 246'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 960' teet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X i
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100+
Other:	Depth to bottom of usable water: 150+
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Longin of Control i por latinos to be con
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 1300' Formation at Total Depth: Mississippi
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	n res, proposed zone.
	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and even	ntual plugging of this well will comply with K.S.A. 55 et, seq. KANSAS CORPORATION CO
It is agreed that the following minimum requirements will be met:	
is a agreed that the fenerally maintain requirements will be filet.	OOT 2 7 2008
,	OCT 2 7 2008
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of	on each drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> to 	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSE (430) (1) all cases surface
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPERATION OF ALL INTO THE UNITY ASSET OF THE PROPERTY ASSET OF THE PROPERTY ASSET OF THE PROPERTY ASSET OF THE PROPERTY ASSET
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the state of the	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSEVATION ON THE Into the underlying formation. WICHTA, KG the district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either 	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSEVATION ON THE Into the underlying formation. WICHTA, KG the district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the production of the control of the production of the control of the control	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMP SECTION OF THE INTERIOR OF TH
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the production of the control of the production of the control o	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF THE Into the underlying formation. It he district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; exemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the complete of the specific complete of the specific complete of the well is either than a specific complete of the specific complete of the well is either than a specific complete of the specific	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF THE INTERIOR OF THE
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be on the complete of the well is a completed within 30 days of the spud date or the well is the spud date or the well is the spud carried that the statements made herein are true and correct the spud carried that the statements made herein are true and correct the spud date.	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF THE INTERIOR OF THE
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either if an ALTERNATE II COMPLETION, production pipe shall be on the complete of the well is either to the complete of the spud date or the well is the complete of the spud date or the well is the spud care of the spud date or the well is the spud care of the spud date or the well is the spud care of the spud date. 	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPERVATION OF A to the underlying formation. It he district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either that a surface casing of the spuddate or the well is district to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spuddate or the well is thereby certify that the statements made herein are true and correct to the spuddate of the spuddate of the spuddate or the well is the spuddate. Date: 10 3 0 8 Signature of Operator or Agent:	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF the tinto the underlying formation. With a set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF The tinto the underlying formation. With a set by circulating cement to the tinter to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be on the organization of the spud date of the well is the entry of the spud date of the well in the statements made herein are true and correct the complete that the statements made herein are true and correct that the statement is the statement and the statement are true and the	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMP SECURION OF the tinto the underlying formation. It he district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is thereby certify that the statements made herein are true and correct the complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or Agent: The complete that the statements of the spud date or the well is the complete that the statements of the spud date or the well is the complete that the statements of the spud date or the well is the spud date. 	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF THE INTERIOR OF THE
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> , through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and of 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and correct to 1. Date: Date: C 3 3 5 Signature of Operator or Agent: C C C C C C C C C	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF A to tinto the underlying formation. It he district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date, order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Remember to: Fite Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and of 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is a fixed before the well in the statements made herein are true and correct to the complete of the statements of the spud date of the well in the statements made herein are true and correct to the complete of the statements made herein are true and correct to the statement are true and the statement are true and the statement are true	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF A to tinto the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Remember to: - Fite Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and of 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and correct to 1. Date: 10 3 0 5 Signature of Operator or Agent: 1. Por KCC Use ONLY API # 15 - 207 - 27458 - OCC Conductor pipe required 1. The feet Minimum surface pipe required 1. The first test products of the spud date of the statements and the feet per ALT. 1. The first products of the spud date of the spud date of the statements and the feet per ALT. 1. The first products of the spud date of the spud	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF A to tinto the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Title: Remember to: - Fite Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and of 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the operator to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well is a three by certify that the statements made herein are true and correct to be completed. Date: 10 3 0 8 Signature of Operator or Agent: 15 Conductor pipe required 16 Feet Minimum surface pipe required 16 feet per ALT. Approved by: 10 3808	on each drilling rig; I be set by circulating cement to the top; in all cases surface pipe SAMPSECTION OF the tinto the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Title: Remember to: - Fite Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is a thereby certify that the statements made herein are true and correct to the complete of the statements of the spud date or Agent: Date: 10 3 0 8 Signature of Operator or Agent: 15 Conductor pipe required 10	the set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It be set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It he district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement in necessary prior to plugging; the plugged or production casing is cemented in; the district office within 120 DAYS of spud date, order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and of 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the operator to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well is a three by certify that the statements made herein are true and correct to be completed. Date: 10 3 0 8 Signature of Operator or Agent: 15 Conductor pipe required 16 Feet Minimum surface pipe required 16 feet per ALT. Approved by: 10 3808	tinto the underlying formation. The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the completed within 30 days of the spud date or the well is a thereby certify that the statements made herein are true and correct to the complete of the statements of the spud date or Agent: Date: 10 3 0 8 Signature of Operator or Agent: 15 Conductor pipe required 10	the set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It be set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It he district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement in necessary prior to plugging; the plugged or production casing is cemented in; the district office within 120 DAYS of spud date, order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the surface of the surface will be notified before well is either that appropriate district office will be notified before well is either that appropriate district office will be notified before well is either that appropriate district office will be notified before well is either that appropriate district office will be notified before well is either that appropriate district office will be notified before well is either that the Appropriate within 30 days of the spud date or the well is thereby certify that the statements made herein are true and correct that the statements are true and correct that the statement is the statement that the	the set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It be set by circulating cement to the top; in all cases surface pipe SAMPSECTION (IV) It he district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement is necessary prior to plugging; the district office on plug length and placement in necessary prior to plugging; the plugged or production casing is cemented in; the district office within 120 DAYS of spud date, order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please tully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 -27458-0000	
Operator: Ron-Bob Oil LLC	Location of Well: County: Woodson
Lease: Fitzpatrick/Hoke	2,202 feet from N / N S Line of Section
Well Number: 3	246 feet from X E / W Line of Section
Field: Neosho Falls-Leroy	Sec. 29 Twp. 23 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	:		:		<u>:</u>		:
					•		
••••••	: :	············	:		·······	 :	···········
	:						•
	:	·········			 :	· · · · · · · · · · · · · · · · · · ·	:
		:	<u> </u>		:		:
							•
	· · · · · · · · · · · · · · · · · · ·	·	: 		· · · · · · · · · · · · · · · · · · ·	•••••	
	: 	·	********				· · · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	•	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•
:							

RECEIVED KANSAS CORPORATION COMMISSION

OCT 2 7 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ron-Bob Oil LLC			License Number: 34047		
Operator Address: PO Box 41			Neosho Falls KS 66758		
Contact Person: Robert Chriester	nson	Phone Number: 62-0-365-0919			
Lease Name & Well No.: Fitzpatrick/Hoke 3			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE _ NE _ SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 23 R. 17 East West		
Settling Pit Drilling Pit	If Existing, date or	onstructed:	2,202 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	200	(bbls)	<u>Woodson</u> County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	native clay		
Pit dimensions (all but working pits):	0 Length (fe	et)8	Width (feet) N/A: Steel Pits		
, , , , , , , , , , , , , , , , , , ,	om ground level to de		5		
If the pit is lined give a brief description of the		1 '	edures for periodic maintenance and determining		
material, thickness and installation procedure.		iner integrity, ii	ncluding any special monitoring.		
		8			
Distance to nearest water well within one-mile of pit Depth to shall			west fresh waterfeet.		
NA /		Source of infor	asured well owner electric log KDWR		
ieet Depth of water wertieeti			measured well owner electric log KDWR lling, Workover and Haul-Off Pits ONLY: e of material utilized in drilling/workover: fresh water mber of working pits to be utilized: 1		
Producing Formation:		Type of materia	al utilized in drilling/workover: fresh water		
			Number of working pits to be utilized: $\frac{1}{2}$		
Barrels of fluid produced daily: Abandon			procedure: Evaporation and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and o	correct to the best	CONTRACTOR COMMISSION COMMISSION		
OCT 2 7 2008 O 23-05 Rut					
Date Signature of Applicant or Agent CONSERVATION DIVISION DI VISION DI VISION DI VISION DI VISION DI VISION DI VISION DI VISIONI DI V					
	KCC (OFFICE USE OI	NLY Steel Pit RFAC RFAS		
Date Received: 10/27/08 Permit Number: Permit Date: 10/22/08 Lease Inspection: Yes No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

October 27, 2008

Ron –Bob Oil, LLC PO Box 41 Neosho Falls, KS 66758

RE:

Drilling Pit Application

Fitzpatrick/Hoke Lease Well No. 3

SE/4 Sec. 29-23S-17E Woodson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File