Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 7 2008	Spot Description:
month day year	NW SW SE Sec. 2 Twp. 34 S. R. 24 FEXW
33938	(a/a/a/a) 734 feet from N/X S Line of Section
OPERATOR: License#	2,073
	2,073 Feet from E / W Line of Section
Address 1: 525 Industrial Drive	Is SECTION: Regular Irregular?
Address 2: PO Box K	(Note: Locate well on the Section Plat on reverse side)
City: Garden City State: KS Zip: 67846 +	County: Clark
Contact Person: Wray Valentine	Lease Name: Gardiner Well #: 1-2
Phone:620-271-0236	Field Name:
CONTRACTOR: License# 5929 5929	
Name: Duke Drilling	Is this a Prorated / Spaced Field?
	Target Formation(s): Chester
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 734'
☑Oil ☑ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: 1956' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 110'
Other:	Depth to bottom of usable water: 350 (20)
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 800'
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 5800'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
3 mg/mi/ / John 1997	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location;	DWR Permit #:(Note: Apply for Permit with DWR X)
KCC DKT #:	
	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
AFF. The undersigned hereby affirms that the drilling, completion and eventual plug	
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the same and the same and the district of the same and the same and the district of the same and the same and the district of the same and the same a	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HITA and placement is necessary prior to pluggings of this well will comply with K.S.A. 55 et, seq. CONSERVATION DESCRIPTION DESCRIPTIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the district of the the state of the state	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HITA point or plug length and placement is necessary prior to pluggings of or production casing is cemented in: from below any usable water to surface within 120 DAYS of sould date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> shall be set to the through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13".	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HI A D DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HAVIO underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the approved as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the production of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HAVIO underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> 5 through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HAVIO underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HAVIO underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the spudding of the standard of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HAVIO underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. So, 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the state of the well shall be plugged or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HI AND LINE OF STREET OF STREE
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beginning to the complete of the complete of the plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - D S - 2 14 74 - 0000	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HI WICH INTO DAYS of spud date. Conservation Conservat
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Harmon visiting formation. It office on plug length and placement is necessary prior to plugging by log of or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is a file Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the spudding of the approved notice of intent to drill <i>shall be</i> posted on each of the spudding of the spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the spudding all unconsolidated materials plus a minimum of 20 feet into the spudding and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best of the spudding that the statements made herein are true and correct to the best of the spudding	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Harmon to office on plug length and placement is necessary prior to plugging of or or plug length and placement is necessary prior to plugging of or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. Or
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O25 - 2/14/74-0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HITA underlying formation. ct office on plug length and placement is necessary prior to pluggings d or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best in the statements of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HI WICE INTO DIVISION OF THE PROPERTY OF
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed by the statements of Operator or Agent: For KCC Use ONLY API # 15 - Das - 21474-0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HI WINTON DIVISION OF The control of the top; in all cases surface pipe shall be set HI WINTON DIVISION OF THE CONTROL OF THE CONT
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beat plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O25 - 21474-0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the surface within 120 DAYS of spud date; If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to the state of the minimum of 20 feet into the other or the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the statements of the price of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HIP of the complete on plug length and placement is necessary prior to plugging of or production casing is cemented in: from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing oblugged. In all cases, NOTIFY district office prior to any cementing. It it is: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the top; in all cases surface pipe shall be set Hilling rig; y circulating cement to the surface within 120 DAYS of spud date; If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 025-21474-0000	
Operator: Buckhorn Production Co., LP	Location of Well: County: Clark
Lease: Gardiner	
Well Number: 1-2	734 feet from N / X S Line of Section 2,073 feet from E / W Line of Section
Field:	Sec. 2 Twp. 34 S. R. 24 E X W
Number of Acres attributable to well: 640 QTR/QTR/QTR of acreage: NW _ SW _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

CONSERVATION DIVISION: WICHITA, KS 1980

3390

EXAMPLE

SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Buckhorn Production Company, LP		License Number: 33938]	
Operator Address: PO Box K Garden City, KS 67846				
Contact Person: Wray Valentine		Phone Number: 620-271-0236	1	
Lease Name & Well No.: Gardiner #1-2		Pit Location (QQQQ):	1	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date c Pit capacity: 11,130	Existing onstructed: (bbls)	NW SW SE Sec. 2 Twp. 34 R. 24 East West 734 Feet from North / South Line of Section 2,073 Feet from East / West Line of Section Clark County	
Is the pit located in a Sensitive Ground Water	Area? XYes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite from drilling mud	
Pit dimensions (all but working pits):12	25 Length (fe	eet)125	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring. RECEI KANSAS CORPORATI NOV 10	ри соммівз 2008
Distance to nearest water well within one-mile 1100 feet Depth of water well		Depth to shallo Source of information		DIVISION KS
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	S
Producing Formation:		Type of materia	l utilized in drilling/workover: Fresh Water Mud	8
Number of producing wells on lease: Number of working		king pits to be utilized:0	53	
Barrels of fluid produced daily:		Abandonment	procedure: Evaporation & Backfilling	14
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must b	ne closed within 365 days of spud date.	7.75
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				g
11-7-08 Date Writing Vall Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC → RFAS				
Date Received: 10 08 Permit Number: Permit Date: 10 108 Lease Inspection: Yes No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

November 14, 2008

Buckhorn Production Co., LP 525 Industrial Dr PO Box K Garden City, KS 67846

RE: Drilling Pit Application Gardiner Lease Well No. 1-2 SE/4 Sec. 02-34S-24W Clark County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>lined with native clay or bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

Cc: File