For KCC Use: Effective Date: District # SGA? Yes V No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 10, 2008		
Expected Spud Date:	Spot Description:	
		W
OPERATOR: License# 32679	feet from N / X S Line of Sec	
Name:AAS Oil Company		tion
Address 1: 2508 Edgemont Dr. Suite #4	is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Arkansas City State: KS Zip: 67005 + Contact Person: Dennis K. Shurtz	County: Cowley	
Phone: 620-442-7940	Lease Name: Well #: 1	
20054	Field Name: Gibson	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	No
Name: Guilloc Drining Company	Target Formation(s): Simpson	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
☑Oil ✓ ☐ Enh Rec ☑ Infield ✓ ☑ Mud Rotary ✓	Ground Surface Elevation: aprox.1145 feet N	No.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes Yes	No No
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 150	NO
Seismic ; # of Holes Other	Depth to bottom of usable water: 280	
Other:	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300	
Operator:	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 3800	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Simpson	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
A P.P.		
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plug		
	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION CO	MMISSIC
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	NOV 1 4 200	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate potice of intent to drill <i>shall be</i> posted on each of	NOV 1 4 200	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be read ION DIVI underlying formation.	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	NOV 1 4 200 drilling rig; y circulating cement to the top; in all cases surface pipe shall be read ION DIVI underlying formation. WICHITA, KS ct office on plug length and placement is necessary prior to plugging;	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	NOV 1 4 200 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ion Diviunderlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ION DIVI underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ION DIVI underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ION DIVI underlying formation. WICHITA, KS ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	8
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented to the statements made herein are true and correct to the best of the statements. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set on SERVATION DIVI underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief.	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatern.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set on SERVATION DIVI underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief.	8 stor-
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: 1 hereby certify that the statements made herein are true and correct to the bed Date: 1 1-14-08 Signature of Operator or Agent: 2 1-14-08 Signature of Operator or Agent: 3 2-14-08	drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh	8
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beginning to the complete of the plate: Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh	8 stor-
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. It is appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate: 11-14-08 Signature of Operator or Agent: Milliand Milli	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Ion Divi underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Exercise Title: **Light** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	8 sion
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the statements made herein are true and correct to the because of the confidence of the confidenc	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Ion Divi underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	8 stor-
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. It is the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent: William Por KCC Use ONLY API # 15 - D35 - 24320 - OCODO Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Ion Divi underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Exercise Title: **Light** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	20 34
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the beginning of the spud date of the well shall be provided in the statements of the provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statement of the spud date or the well shall be provided in the statement of the shall be provided in the statement of the shall be provided in the shall be preserved in the shall be provided in the shall be provided in the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Ion Divi underlying formation. Consider on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry;	8 sion
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It is a signature of Operator or Agent: Interest Interest	drilling rig; y circulating cement to the top; in all cases surface pipe shalls exection Diviunderlying formation. Wichita, Ks and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the completion form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	20 34
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the beginning of the spud date of the well shall be provided in the statements of the provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statements of the spud date or the well shall be provided in the statement of the spud date or the well shall be provided in the statement of the shall be provided in the statement of the shall be provided in the shall be preserved in the shall be provided in the shall be provided in the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh	20 34
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent: Will 15 - D35 - 24320 - OCODO Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required This authorization expires: 11-14-08 This authorization expires: 11-14-09	drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh	20 34
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent: Will 15 - D35 - 24320 - OCODO Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required This authorization expires: 11-14-08 This authorization expires: 11-14-09	drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh	20 34

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 035-24320-0000	
Operator: AAS Oil Company	Location of Well: County: Cowley
Lease: Marrs	
Well Number: 1	660 feet from N / X S Line of Section 330 feet from E / X W Line of Section
Field: Gibson	Sec. 20 Twp. 34 S. R. 3 X E W
Number of Acres attributable to well: QTR/QTR/QTR of acreage: w/2 _ sw sw	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:				
	:			-	
	:	t .		5	. :
	;	í	:	•	: ,
,		1	:	•	
•		ı	•	•	: 1
	•	!	•	•	•
1	•	1	•		• ,
		1			- 1
		1	•		
1 : :		1			. ,
	•	1		•	
•		1			
l		l			
1		1			
		1			1
		1	•		• 1
		ì			
1		1		1	. 1
, : :	:	1		•	. 1
	:	ì	:	•	: 1
	•	1	•	•	• 1
	•	1	•	•	• :
		i .			
		1	•		
1		1			
		1			
,		,			
L .					1
		l .			. 1
	•	[•		• 1
	•	I			• 1
1		F			
		ı			. 1
		I .		5	_ 1
	•	ı	:	•	: 1
	•	1	-		•
	•	ŀ			• (
· ·	•	1			
	-	ř.			- !
		I			1
					1
		1			
1		ı			
		1	-	•	. 1
	•	1	•	•	•
[1			• 1
1		1			
		1	•		. 1
1 : :		í			. 1
		1		1	
•	-		-	•	
			•	•	- 1
	·	/1	•		• 1
) • •	,	71	•		• 1
i	: 2	<i>7</i> 1			
		(/			
			•		• 1
		-		•	
i	•		•	•	•
1 1					- 1
1 : :					. 1
	:				_ 1
,	•				: 1
	•	,	•	•	- 1
,	•		•	•	• 1
,		i .	•	•	•
		1			1
£		1			1
		i			
		1			. 1
1 1 20 2 0 1	•		•		•
137	•		•	•	• !
	•		•		• 1
			•		•
		i			- 1
:	:	1			- 1
	:	1		- :	_ !
	•		-	•	· !
	•		•	•	
1		l ian-			1
		1-4-4-V-D			
		- 132V			1
10fF57		,			1
.471 . %\		1			- 1
	: 9	i		:	. !
L Δ(Γ) λη	· -,	1 1	-	•	: 1
47L/// 4	• 🚄	000	•	•	, 1
18PT// · ()		1 4 4 4 1	•	-	• 1
AIR! / A	. 7	1 770	-		•
) PMP / 📐	. ,		•		• 1
		1 .		1	. 1
		(.
	:	1		-	.
	:				1
	:	·			1
	:				
	:				
	:	DEO.			
	:	- PEO.			
	:	Dec.	:	:	;
6 5	<i>*</i>			:	:
6 5				:	<u>:</u>
				:	
5 5					
ئۇ ئۇ					
j. 3					
MARES TO		-33c			
\$ 5 m					
يو م					
j. 5					

3390'

RECEIVED KANSAS CORPORATION COMMISSION.

NOV 14 2008

CONSERVATION DIVISES
WICHITA, KS

SEWARD CO.

EXAMPLE

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: AAS Oil Company			License Number: 32679		
Operator Address: 2508 Edgemont	Dr. Suite #4		Arkansas City KS 67005		
Contact Person: Dennis K. Shurtz		Phone Number: 620-442-7940			
.ease Name & Well No.: Marrs 1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		w/2 _ sw _ sw		
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 34 R. 3 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3_3<\rightarrow Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Coudou		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Native Mud		
Pit dimensions (all but working pits): 2	Length (fe	et) 10	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: 6 (feet) No Pit					
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	·	Depth to shallo Source of infor			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
		ial utilized in drilling/workover: Native Mud			
1		rking pits to be utilized:3			
Barrels of fluid produced daily: Abandonment p		procedure: Natural dry-back fill when dry.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b			be closed within 365 days of spud date. RECEIVE		
I hereby certify that the above state	ements are true and	correct to the bes			
11-14-2008 Date			EugeWeeld Agent Signature of Applicant or Agent WICHITA, KS		
4-1	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS RFAS		
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	haa	Dosm	iit Date: ાપાય ૯૪ Lease Inspection: Yes 🔀 No		