# For KCC Use: Effective Date: District # SGA? Yes V No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 12 month day year	Spot Description: NW NW SE
	- NW NW SE Sec. 29 Twp. 32 S. R. 17 XE W
OPERATOR: License#	teet from N/X S Line of Section
Name: CEP MID CONTINENT LLC	2,310 feet from E / W Line of Section
Address 1: 15 WEST 6TH ST SUITE 1400	Is SECTION: Regular Irregular?
Address 2:	<del>_</del> _
City: TULSA State: OK Zip: 74119 + 5415	(Note: Locate well on the Section Plat on reverse side) County: MONTGOMERY
Contact Person: DAVID SPITZ, ENGINEERING MANAGER	County: MONTGOMEN
Phone: 918-877-2912 X309	Lease Name: Well #: 29-2
	Field Name: KANMAP
CONTRACTOR: License#34126	Is this a Prorated / Spaced Field?
Name: SMITH OILFIELD SERVICES	Target Formation(s): WEIR PITT, RIVERTON
The Freinness	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 890 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Depth: 1200
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPI
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well   Farm Pond   Other:
If Yes, true vertical depth:	<del>_</del>
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
KCC DKT #:	
	If Yes, proposed zone:
	RECEIVED KANSAS CORPORATION COMPUSES
	2011
The undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K,S,A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	NOV 2 0 2008
1. Notify the appropriate district office prior to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each d	rilling rig; CONSERVATION DIVISION
<ol><li>The minimum amount of surface pipe as specified below shall be set by</li></ol>	circulating cement to the top; in all cases surface pipe shall be SUCHITA KS
through all unconsolidated materials plus a minimum of 20 feet into the u	inderlying formation.
4. If the well is dry hole, an agreement between the operator and the district	t office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugged	for production casing is cemented in;
<ol> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133</li> </ol>	rom below any usable water to surface within 120 DATS of spud date.
must be completed within 30 days of the spud date or the well shall be p	bloodd in all cases NOTIFY district office prior to any cementing
I hereby certify that the statements made herein are true and correct to the best	/ // <b>/</b> /
Date: 11-17-08 Signature of Operator or Agent:	ENGINEERING MGR.
Date: Signature of Operator of Agent.	Title:
	Title:
	Title:
For KCC Use ONLY	Title:
12/- 2/82/-0000	Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of soud date:
API # 15- 125-31836-0000	File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
API # 15 - 125 - 31836-0000  Conductor pipe required None feet	File Completion Form ACO-1 with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 125 - 31836-0000  Conductor pipe required Nore feet  Minimum surface pipe required 10 feet per ALT. 1 11	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
API # 15 - 125 - 31836-0000  Conductor pipe required None feet  Minimum surface pipe required 10 feet per ALT. 1 11	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
API # 15 - 125 - 3183 6-0000  Conductor pipe required Nore feet  Minimum surface pipe required 10 feet per ALT. I III  Approved by: [MH II-20-08]	Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
API # 15 - 125 - 3183 6-0000  Conductor pipe required Nore feet  Minimum surface pipe required feet per ALT. I III  Approved by: fwh II-20-08  This authorization expires: 11-20-09	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
API # 15 - 125 - 3183 6-0000  Conductor pipe required Nore feet  Minimum surface pipe required 10 feet per ALT. I III  Approved by: [MH II-20-08]	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 125 - 3183 6-0000  Conductor pipe required Nore feet  Minimum surface pipe required feet per ALT. I III  Approved by: fwh1+20-08  This authorization expires: 11-20-09	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

proposed acreage autibation drift for on world.	
API No. 15 - 125-318-36-0000	
Operator: CEP MID CONTINENT LLC	Location of Well: County: MONTGOMERY
Lease: KNISLEY	2,310 feet from N / X S Line of Section
Well Number: 29-2	2,310 feet from $X \to I$ W Line of Section
Field: KANMAP	Sec. 29 Twp. 32 S. R. 17 X E W
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:  - NW - NW - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

<u>:</u>	: :		RECEIVED KANSAS CORPORATION COMMISSION
	1400		NOV 2 0 2008
: :			CONSERVATION DIVISION WICHITA, KS
.,,,,,,,	Seit	vy 330 FRM	n LEASE BOUNDARY EXAMPLE
		X 2310 FEL	
- 1111		Knisley	1980
		A STATE OF THE STA	3390'
		200	
		16	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: CEP MID CONTINE	NT LLC		License Number: 34027	
Operator Address: 15 WEST 6TH ST SUITE 1400			TULSA OK 7	74119
Contact Person: DAVID SPITZ, ENGINEERING MANAGER		Phone Number: 918-877-2912 X309		
Lease Name & Well No.: KNISLEY	29-	-2	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW NW SE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 32 R. 17 X East W	/est
Settling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of	f Section
Workover Pit Haul-Off Pit	Pit capacity:	<u> </u>	2,310 Feet from East / West Line of	f Section
(If WP Supply API No. or Year Drilled)	1,710	(bbls)	MONTGOMERY	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l
Lather helders believe assumed lavial?	Artificial Liner?	<del></del>	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Is the bottom below ground level?  Yes No	Yes X	No	NATIVE CLAYS	
Pit dimensions (all but working pits):	30 Length (fe	eet) 40	Width (feet) N/A: Steel Pi	its
	rom ground level to de		8	
If the pit is lined give a brief description of the		r : - · · · · · · · · · · · · · · · · · ·	edures for periodic maintenance and determining	
material, thickness and installation procedure.		liner integrity, including any special monitoring.		
NA		NA		
				ŀ
Distance to pearest water well within one-mi	le of nit	Depth to shallo	west fresh water 20 feet.	
Distance to nearest water well within one-mile of pit		Source of information:		
feet Depth of water well		measi		DWR
		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH WATER	,
			Number of working pits to be utilized: 1	
· •			Abandonment procedure: AIRDRIED AND BACKFILLED	
Does the slope from the tank battery allow a	Il spilled fluids to			
flow into the pit? Yes No Drill pits		Drill pits must	be closed within 365 days of spud date.	CEIVED
I hereby certify that the above stat	ements are true and	correct to the bes		
		(( ))	NOV	2 0 20
11-17-08 Date				EVATION DIV
				ICHITA, KS
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	mber:	Pern	nit Date: ು ೨೦ (೧೭ Lease Inspection: Yes	×No
	-			