

KANSAS CORPORATION COMMISSION
 OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
 WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC

SEP 19 2005

Form ACO-1
 September 1999
 Form Must Be Typed

CONFIDENTIAL

ORIGINAL

Operator: License # 3882
 Name: SAMUEL GARY JR. & ASSOCIATES, INC.
 Address: 1670 BROADWAY, SUITE 3300
 City/State/Zip: DENVER, CO 80202-4838
 Purchaser: GARY-WILLIAMS ENERGY CORPORATION
 Operator Contact Person: TOM LARSON
 Phone: (620) 653-7368
 Contractor: Name: SUMMIT DRILLING
 License: 30141
 Wellsite Geologist: JUSTIN CARTER
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth _____
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
 Spud Date or Recompletion Date: 5/26/2005 Date Reached TD: 6/3/2005 Completion Date or Recompletion Date: 6/21/2005

API No. 15 - 15-053-21144-0000
 County: ELLSWORTH
SW Sec. 8 Twp. 17 S. R. 10 East West
2620 feet from SOUTH Line of Section
750 feet from WEST Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: SOEKEN-STUCKY Well #: 1-8
 Field Name: WILDCAT
 Producing Formation: _____
 Elevation: Ground: 1871' Kelly Bushing: 1881'
 Total Depth: 3453' Plug Back Total Depth: _____
 Amount of Surface Pipe Set and Cemented at 433 Feet
 Multiple State Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.


Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

ALT I P&A WITH
 4-24-07

INSTRUCTIONS: An original and two copies of this information shall be filed with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Thomas H. Ferial
 Title: SR. GEOLOGIST Date: 09/19/2005
 Subscribed and sworn to before me this 19th day of SEPTEMBER,
2005
 Notary Public: Tammy M. Fadden
 Date Commission Expires: _____



My Commission Expires
 SEPTEMBER 22, 2009

KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: SAMUEL GARY JR. & ASSOCIATES, INC. Lease Name: SOEKEN-STUCKY Well #: 1-8
Sec. 8 Twp. 17 S. R. 10 East West County: ELLSWORTH

INSTRUCTIONS: Show important tops and base of formation penetrated. Detail all cores. Report all final copes of drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geologist well site report.

Drill Stem Tests Taken, Sample Sent to Geological Survey, Cores Taken, Electric Log Run, List All E. Logs Run: DUAL INDUCTION, DUAL COMPENSATED POROSITY, BHC SONIC, MICROLOG. Includes KCC SEP 19 2005 CONFIDENTIAL stamp and formation data table.

CASING RECORD table with columns: Purpose of string, Size Hole Drilled, Size Casing Set (in O.D.), Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Row 1: SURFACE, 12-1/4", 8-5/8", 28, 433', CLASS A, 235, 2% GEL & 3% CC.

ADDITIONAL CEMENTING/SQUEEZE RECORD table with columns: Purpose, Depth Top/Bottom, Type of Cement, # Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type and Acid. Fracture, Shot, Cement, Squeeze Record (Amount and Kind of Material Used) Depth. Includes RECEIVED KANSAS CORPORATION COMMISSION SEP 20 2005 CONSERVATION DIVISION WICHITA KS stamp.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run (Yes/No).

Date of First, Resumed Production, SWD or Enhr. Producing Method: Flowing, Pumping, Gas Lift, Other (Explain).

Estimated Production Per 24 Hours table with columns: Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas and METHOD OF COMPLETION (Open Hole, Perf., Dually Comp., Commingled, Other) Production Interval.

CONFIDENTIAL

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566

KCC

SEP 19 2005

CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 20 2005

CONSERVATION DIVISION
WICHITA, KS

ORIGINAL

*
* INVOICE *
*

Invoice Number: 097182

Invoice Date: 06/09/05

✓48395

Sold Samuel Gary, Jr. & Assoc.
To: % Larson Engineering, Inc.
562 W. Highway #4
Olmits, KS
67561-8561

Cust I.D.....: Gary
P.O. Number...: SoekenStucky #1-8
P.O. Date.....: 06/09/05

Due Date.: 07/09/05

Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	99.00	SKS	8.7000	861.30	T
Pozmix	66.00	SKS	4.7000	310.20	T
Gel	5.00	SKS	14.0000	70.00	T
Handling	170.00	SKS	1.6000	272.00	T
Mileage	24.00	MILE	10.2000	244.80	T
170 sks @.06 per sk per mi					
Rotary Plug	1.00	JOB	750.0000	750.00	T
Mileage pmp trk	24.00	MILE	5.0000	120.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 262.83
ONLY if paid within 30 days from Invoice Date

Subtotal: 2628.30
Tax.....: 165.58
Payments: 0.00
Total....: 2793.88

<262.83>
2531.05

DRLG COMP W/O LOE

AFE #

ACCT #

APPROVED BY

1-8
135/72
T.C. Larson

ALLIED CEMENTING CO., INC. 18387

CONFIDENTIAL

KCC

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SEP 19 2005

SERVICE POINT:

H Bend

CONFIDENTIAL

DATE <i>6-3-05</i>	SEC <i>8</i>	TWP. <i>17</i>	RANGE <i>10</i>	CALLED OUT <i>12:30 PM</i>	ON LOCATION <i>2:45 PM</i>	JOB START <i>3:15 PM</i>	JOB FINISH <i>6:00 PM</i>
LEASE <i>Soeken stucky</i>	WELL # <i>1-8</i>	LOCATION <i>156 & Wilson Bltp 2 1/2 N, 1 E, 1/2 W</i>			COUNTY <i>Ellsworth</i>	STATE <i>Ks</i>	
OLD OR NEW (Circle one)				<i>E/into</i>			

CONTRACTOR *Summit Dalg*

TYPE OF JOB *Rotary Plug*

HOLE SIZE *7 7/8"* T.D. *3450'*

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE *4"* DEPTH *3363'*

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER *Same*

CEMENT AMOUNT ORDERED *165 lbs 60/40 420 lbs*

COMMON	<i>99 gal</i>	@	<i>8.70</i>	<i>861.30</i>
POZMIX	<i>66 gal</i>	@	<i>4.70</i>	<i>310.20</i>
GEL	<i>5 gal</i>	@	<i>140.00</i>	<i>700.00</i>
CHLORIDE		@		
ASC		@		

RECEIVED
KANSAS CORPORATION COMMISSION
@ *SL* *15*
@ **CONSERVATION DIVISION**
@ **WICHITA, KS**

EQUIPMENT

PUMP TRUCK CEMENTER *Tom D*

181 HELPER *Don Smith*

BULK TRUCK

342 DRIVER *Richard*

BULK TRUCK

_____ DRIVER _____

HANDLING	<i>170 gal</i>	@	<i>1.60</i>	<i>272.00</i>
MILEAGE	<i>170 gal .06</i>	<i>24</i>		<i>244.80</i>
				TOTAL <i>1758.30</i>

REMARKS:

Mixed - 35 lbs @ 3363'

35 lbs @ 1350'

35 lbs @ 900'

35 lbs @ 470'

25 lbs @ 60'

[Signature]

CHARGE TO: *Samuel Hony Inc Associates*

STREET *90 Larson Engineering*

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB *3363'*

PUMP TRUCK CHARGE _____ *750.00*

EXTRA FOOTAGE _____ @ _____

MILEAGE *24* @ *5.00* *120.00*

_____ @ _____

_____ @ _____

TOTAL *870.00*

PLUG & FLOAT EQUIPMENT

RECEIVED
KANSAS CORPORATION COMMISSION
@ **SEP 20 2005**
@ **CONSERVATION DIVISION**
@ **WICHITA, KS**

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *[Signature]*

[Signature] DAN COX
PRINTED NAME

CONFIDENTIAL

ALLIED CEMENTING CO., INC.
P.O. BOX 31
RUSSELL, KS 67065
PH (785) 483-3887
FAX (785) 483-5566

KCC
SEP 19 2005
CONFIDENTIAL

ORIGINAL

* INVOICE *

Invoice Number: 097099

Invoice Date: 05/31/05

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 20 2005

CONSERVATION DIVISION
WICHITA, KS

Sold Samuel Gary, Jr. & Assoc.
To: % Larson Engineering, Inc.
562 W. Highway #4
Olmitz, KS
67561-8561

Cust I.D.....: Gary
P.O. Number...: Soeken-Stuckey #1-8
P.O. Date.....: 05/31/05

Due Date.: 06/30/05
Terms....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	235.00	SKS	8.7000	2044.50	T
Gel	4.00	SKS	14.0000	56.00	T
Chloride	7.00	SKS	38.0000	266.00	T
Handling	246.00	SKS	1.6000	393.60	E
Mileage	24.00	MILE	14.7600	354.24	E
246 sks @.06 per sk per mi					
Surface	1.00	JOB	670.0000	670.00	E
Extra Footage	138.00	PER	0.5500	75.90	E
TWP	1.00	EACH	55.0000	55.00	T
Mileage pmp trk	24.00	MILE	5.0000	120.00	E

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 403.52
ONLY if paid within 30 days from Invoice Date

Subtotal: 4035.24
Tax.....: 152.56
Payments: 0.00
Total....: 4187.80

<403.52>
3784.28

DRLG COMP W/O LOE
AFE # 1-8
ACCT # 135/60
APPROVED BY J.C. Larson

CONFIDENTIAL

ALLIED CEMENTING CO., INC. 17185

ORIGINAL ✓

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Heat Bend

DATE <u>5-27-05</u>	SEC. <u>8</u>	TWP. <u>17</u>	RANGE <u>10</u>	CALLED OUT <u>1:30 PM</u>	ON LOCATION <u>2:45 PM</u>	JOB START <u>5:00 PM</u>	JOB FINISH <u>5:30 PM</u>
LEASE <u>Soeken-Stucky</u>	WELL # <u>1-8</u>	LOCATION <u>Hwy 156 + 156 lounge 2 1/2 E, 2 1/2 N,</u>			COUNTY <u>Ellsworth</u>	STATE <u>Ka</u>	
OLD OR (NEW) (Circle one)							

CONTRACTOR Summit Drilling

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 438'

CASING SIZE 8 5/8 - 28" DEPTH 436'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT ✓ 26 1/4 BBLs

EQUIPMENT _____

OWNER Sam Gary Jr

CEMENT

AMOUNT ORDERED 235 - AX Common

3% CC 2% GEL

PUMP TRUCK CEMENTER [Signature]

181 HELPER Ron Demmit

BULK TRUCK

342 DRIVER Steve Turley

BULK TRUCK

_____ DRIVER _____

COMMON	<u>235 net</u>	@	<u>8.70</u>	<u>2044.50</u>
POZMIX		@		
GEL	<u>4 net</u>	@	<u>14.00</u>	<u>56.00</u>
CHLORIDE	<u>7 net</u>	@	<u>38.00</u>	<u>266.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>246 net</u>	@	<u>1.60</u>	<u>393.60</u>
MILEAGE	<u>2460.606</u>	@	<u>24</u>	<u>354.24</u>
				TOTAL <u>3114.34</u>

REMARKS:

Ran 8 5/8 casing to bottom, circulate w rig mud, hook up to pump trip & mixed 235 ax common 3% cc 2% gel shut down, change valves over & released 8 5/8 TWP. Displaced down 8 5/8 casing with 26 1/4 BBLs fresh h²⁰ cement did circulate shut in at manifold.

SERVICE

DEPTH OF JOB	<u>438'</u>			
PUMP TRUCK CHARGE				<u>670.00</u>
EXTRA FOOTAGE	<u>138</u>	@	<u>55</u>	<u>7590</u>
MILEAGE	<u>24</u>	@	<u>5.00</u>	<u>120.00</u>
<u>1.8 5/8 TWP</u>		@	<u>55.00</u>	<u>55.00</u>
		@		
		@		

CHARGE TO: Sam Gary Jr. & Associates Inc.

STREET 1470 Broadway Suite 3300

CITY Denver STATE Colorado ZIP 80202

TOTAL 920.90

PLUG & FLOAT EQUIPMENT

RECEIVED

MANIFOLD _____

KANSAS CORPORATION COMMISSION

@ SEP 20 2005

@ _____

CONSERVATION DIVISION

@ WICHITA, KS

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as-is-listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME DAW COX

THANK YOU.