

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Operator: License # 3882  
Name: SAMUEL GARY JR. & ASSOCIATES, INC.  
Address: 1670 BROADWAY, SUITE 3300  
City/State/Zip: DENVER, CO 80202-4838  
Purchaser: GARY-WILLIAMS ENERGY CORPORATION  
Operator Contact Person: TOM LARSON  
Phone: (620) 653-7368  
Contractor: Name: PETROMARK DRILLING  
License: 33323  
Wellsite Geologist: RENE HUSTEAD

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
5/27/05 6/4/05 6/4/05  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 15-053-21138-0000  
County: ELLSWORTH  
SE Sec. 26 Twp. 17 S. R. 10  East  West  
1910 feet from SOUTH Line of Section  
420 feet from EAST Line of Section


Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE  SE NW SW  
Lease Name: WOYDZIAK Well #: 1-26  
Field Name: WILDCAT  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 1786' Kelly Bushing: 1792'  
Total Depth: 3300' Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 299 Feet  
Multiple State Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan *ALT I P&A WITH 4-24-2007*  
(Data must be collected from the Reserve Pit) **RECEIVED**  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used **KANSAS CORPORATION COMMISSION**  
Location of fluid disposal if hauled offsite: **SEP 21 2005**  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No. **CONSERVATION DIVISION WICHITA, KS**  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this information shall be filed with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Thomas H Ferial  
Title: SR. GEOLOGIST Date: 09/20/2005  
Subscribed and sworn to before me this 20th day of SEPTEMBER  
2005  
Notary Public: Tammy McFadden  
Date Commission Expires: \_\_\_\_\_



**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

CONFIDENTIAL

KCC  
Side Two

ORIGINAL

Operator Name: SAMUEL GARY JR. & ASSOCIATES, INC.

SEP 20 2005

Lease Name: WOYDZIAK

Well #: 1-26

Sec. 26 Twp. 17 S. R. 10  East  West County: ELLSWORTH

**INSTRUCTIONS:** Show important tops and base of formation penetrated. Detail all cores. Report all final copes of drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geologist well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Sample Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	TOPEKA	2520'	-782
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	HEEBNER	2776'	-984
List All E. Logs Run:	DUAL INDUCTION DUAL COMPENSATED POROSITY BHC SONIC MICROLOG	DOUGLAS	2805'	-1013
		BRN LIME	2892'	-1100
		LANSING	2908'	-1116
		ARBUCKLE	3263'	-1471
		TD	3300'	

RECEIVED  
KANSAS CORPORATION COMMISSION

SEP 21 2005

CONSERVATION DIVISION

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used WICHITA, KS							
Report all strings set - conductor, surface, intermediate, production, etc.							
Purpose of string	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4"	8-5/8"	28	299'	CLASS A	175	2% GEL & 3% CC

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth		Type of Cement	# Sacks Used	Type and Percent Additives
	Top	Bottom			
<input type="checkbox"/> Perforate					
<input type="checkbox"/> Protect Casing					
<input type="checkbox"/> Plug Back TD					
<input type="checkbox"/> Plug Off Zone					

Shots per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement, Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run
				<input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumed Production, SWD or Enhr.	Producing Method			
	<input type="checkbox"/> Flowing	<input type="checkbox"/> Pumping	<input type="checkbox"/> Gas Lift	<input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas	METHOD OF COMPLETION				Production Interval
<input type="checkbox"/> Vented <i>If vented, submit ACO-18.)</i>	<input type="checkbox"/> Sold	<input type="checkbox"/> Used on Lease	<input type="checkbox"/> Open Hole	<input type="checkbox"/> Perf.	
			<input type="checkbox"/> Dually Comp.	<input type="checkbox"/> Commingled	
			<input type="checkbox"/> Other (Specify)		

RECEIVED

V48394

ALLIED CEMENTING CO., INC.

JUN 22 2005

P.O. BOX 31  
RUSSELL, KS 67665  
PH (785) 483-3887  
FAX (785) 483-5566

CONFIDENTIAL

SAMUEL GARY JR.  
& ASSOCIATES, INC.

\*\*\*\*\*  
\* ORIGINAL \*  
\* INVOICE \*  
\*\*\*\*\*

KCC

SEP 20 2005

Invoice Number: 097181

CONFIDENTIAL

Invoice Date: 06/09/05

RECEIVED  
KANSAS CORPORATION COMMISSION

SEP 21 2005

CONSERVATION DIVISION  
WICHITA, KS

Sold Samuel Gary, Jr. & Assoc.  
To: % Larson Engineering, Inc.  
562 W. Highway #4  
Olmitz, KS  
67561-8561

Cust I.D.....: Gary  
P.O. Number...: Woydziak 1-26  
P.O. Date.....: 06/09/05

Due Date.: 07/09/05  
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	108.00	SKS	8.7000	939.60	T
Pozmix	72.00	SKS	4.7000	338.40	T
Gel	5.00	SKS	14.0000	70.00	T
Handling	185.00	SKS	1.6000	296.00	T
Mileage	28.00	MILE	11.1000	310.80	T
185 sks @.06 per sk per mi					
Rotary Plug	1.00	JOB	750.0000	750.00	T
Mileage pmp trk	28.00	MILE	5.0000	140.00	T

All Prices Are Net, Payable 30 Days Following  
Date of Invoice. 1 1/2% Charged Thereafter.  
If Account CURRENT take Discount of \$ 284.48  
ONLY if paid within 30 days from Invoice Date

Subtotal: 2844.80  
Tax.....: 179.22  
Payments: 0.00  
Total....: 3024.02  
<284.48>  
2739.54

DRLG    COMP    W/O    LOE  
AFE # 126  
ACCT # 135/72  
APPROVED BY T.C. Larson

# ALLIED CEMENTING CO., INC.

18388

**CONFIDENTIAL**

**KCC**

**ORIGINAL**

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SEP 20 2005

SERVICE POINT:

*St. Bernard*

CONFIDENTIAL 6-3-05

DATE <i>6-3-05</i>	SEC. <i>26</i>	TWP. <i>12</i>	RANGE <i>10</i>	CALLED OUT <i>8:30PM</i>	ON LOCATION <i>10:30PM</i>	JOB START <i>11:00PM</i>	JOB FINISH <i>2:30AM</i>
LEASE <i>Woydziak</i>		WELL # <i>1-26</i>	LOCATION <i>H + Burton Rd, 1/2 E, 1/4 N, W/3</i>		COUNTY <i>Ellsworth</i>	STATE <i>Ka</i>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR *Astronach #2*  
 TYPE OF JOB *Rotary Plug*  
 HOLE SIZE *7 7/8"* ID. *3300'*  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE *4 1/2"* DEPTH *3248'*  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER *Same*  
 CEMENT AMOUNT ORDERED *180 lbs 60/40, 4% S&L*

**EQUIPMENT**  
 PUMP TRUCK CEMENTER *Tom D*  
 # *181* HELPER *Dou Dimitt*  
 BULK TRUCK DRIVER *Rich H*  
 # *342*  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

COMMON	<i>108</i> @	<i>8.70</i>	<i>939.60</i>
POZMIX	<i>72</i> @	<i>4.70</i>	<i>338.40</i>
GEL	<i>5</i> @	<i>14.00</i>	<i>70.00</i>
CHLORIDE	@		
ASC	@		
<b>RECEIVED</b>			
KANSAS CORPORATION COMMISSION			
@			
@ <b>SEP 21 2005</b>			
@			
@ CONSERVATION DIVISION			
@ WICHITA, KS			
@			
@			
HANDLING	<i>185</i> @	<i>1.60</i>	<i>296.00</i>
MILEAGE	<i>185</i> @	<i>1.60</i>	<i>310.00</i>
			<b>TOTAL 1954.80</b>

**REMARKS:**

*Mixed - 35 lbs @ 3248'*  
*35 lbs @ 1250'*  
*35 lbs @ 950'*  
*35 lbs @ 350'*  
*25 lbs @ 60'*  
*15 lbs in Pot hole*

CHARGE TO: *Samuel Gray Jr & Associates*  
 STREET *90 Lannon Engineering*  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB *3248'*  
 PUMP TRUCK CHARGE \_\_\_\_\_ *750.00*  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE *28* @ *5.00* *140.00*  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL *890.00*

**PLUG & FLOAT EQUIPMENT**

MANIFOLD @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *X Dave Morgan*

*X Dave Morgan*  
 PRINTED NAME

**ALLIED CEMENTING CO., INC.**

P.O. BOX 31  
RUSSELL, KS 67665  
PH (785) 483-3887  
FAX (785) 483-5566

**CONFIDENTIAL**

**KCC**

**SEP 20 2005**

**CONFIDENTIAL**

*11/4/98*  
**ORIGINAL**

\*\*\*\*\*  
\* I N V O I C E \*  
\*\*\*\*\*

Invoice Number: 097100

Invoice Date: 05/31/05

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**SEP 21 2005**

CONSERVATION DIVISION  
WICHITA, KS

Sold Samuel Gary, Jr. & Assoc.  
To: % Larson Engineering, Inc.  
562 W. Highway #4  
Olmitz, KS  
67561-8561

Cust I.D.....: Gary  
P.O. Number...: Woydziak 1-26  
P.O. Date.....: 05/31/05

Due Date.: 06/30/05  
Terms....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	175.00	SKS	8.7000	1522.50	T
Gel	3.00	SKS	14.0000	42.00	T
Chloride	5.00	SKS	38.0000	190.00	T
Handling	183.00	SKS	1.6000	292.80	E
Mileage	28.00	MILE	10.9800	307.44	E
183 sks @.06 per sk per mi					
Surface	1.00	JOB	670.0000	670.00	E
Mileage	28.00	MILE	5.0000	140.00	E
Wood Plug	1.00	EACH	55.0000	55.00	T

All Prices Are Net, Payable 30 Days Following  
Date of Invoice. 1 1/2% Charged Thereafter.  
If Account CURRENT take Discount of \$ 321.97  
ONLY if paid within 30 days from Invoice Date

Subtotal: 3219.74  
Tax.....: 114.00  
Payments: 0.00  
Total....: 3333.74

321.97  
3011.77

DRLG    COMP    W/O    LOE

AFE # 1026

ACCT # 135/60

APPROVED BY J.C. Larson

# ALLIED CEMENTING CO., INC.

16499

**CONFIDENTIAL**

**KCC**

**ORIGINAL** ✓

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SEP 20 2005

SERVICE POINT:

*Great Bend*

**CONFIDENTIAL**

DATE <i>5-27-05</i>	SEC <i>26</i>	TWP. <i>17</i>	RANGE <i>10W</i>	CALLED OUT <i>6:30 pm</i>	ON LOCATION <i>8:00 pm</i>	JOB START <i>9:00 pm</i>	JOB FINISH <i>9:30 pm</i>
LEASE <i>Woodsick</i> WELL # <i>1-26</i>			LOCATION <i>Bushon 13 1/2 bp-1 East</i>		COUNTY <i>Atsarah</i>	STATE <i>KS</i>	
OLD OR NEW (Circle one)			<i>1/2 north East into</i>				

CONTRACTOR *Petromark #2*  
 TYPE OF JOB *Surface Pipe*  
 HOLE SIZE *12 1/4* T.D. *300'*  
 CASING SIZE *8 5/8* DEPTH *300'*  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. *Approx 15'*  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT *18 BBLs*

OWNER *Samuel Gary Jr. & Ass.*

CEMENT AMOUNT ORDERED *175sy Common*  
*372 c/c & 290 gel*

COMMON	<i>175sy</i>	@	<i>8.70</i>	<i>1522.50</i>
POZMIX		@		
GEL	<i>372</i>	@	<i>14.00</i>	<i>42.00</i>
CHLORIDE	<i>Sref</i>	@	<i>38.00</i>	<i>190.00</i>
ASC		@		
<b>RECEIVED</b>				
KANSAS CORPORATION COMMISSION				
<b>SEP 21 2005</b>				
CONSERVATION DIVISION				
WICHITA, KS				
HANDLING	<i>183 c/c</i>	@	<i>1.60</i>	<i>292.80</i>
MILEAGE	<i>183.44</i>	<i>06</i>	<i>28</i>	<i>307.44</i>
				<b>TOTAL</b> <i>2354.74</i>

**EQUIPMENT**

PUMP TRUCK CEMENTER *Jack*  
 # *120* HELPER *Bur*  
 BULK TRUCK  
 # *341* DRIVER *Don*  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

*Run 7 ft of Used 28 lb line pipe  
 Cement with 175 sy cement - Displace  
 plug with 18 BBLs of Fresh water  
 Cement did cure -*

*Thanks*

CHARGE TO: *Samuel Gary Jr. & Ass.*  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB	<i>300'</i>			
PUMP TRUCK CHARGE				<i>670.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>28</i>	@	<i>5.00</i>	<i>140.00</i>
				<b>TOTAL</b> <i>810.00</i>

**PLUG & FLOAT EQUIPMENT**

MANIFOLD		@		
<i>1-8 3/4" 5/8" 1/2"</i>		@	<i>55.00</i>	<i>55.00</i>
				<b>TOTAL</b> <i>55.00</i>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *Tim Fabricius*

*Tim Fabricius*  
 PRINTED NAME