Kansas Corporation Commission Oil & Gas Conservation Division

1

Porm ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 9067	API No. 15 - 135-24663 - 00 - 00
Name: DaMar Resources, Inc.	County: Ness
Address: 234 W. 11th	SW_SW_SE_SW_Sec20 Twp16 S. R25 East west
City/State/Zip: Hays, KS 67601	150 feet from N (circle one) Line of Section
Purchaser: Coffeyville Resources, LLC	1540 feet from E / (circle one) Line of Section
Operator Contact Person: Curtis R. Longpine	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _625-0020	(circle one) NE SE NW SW
Contractor: Name: WW Drilling, LLC	Lease Name: Michaelis Unit Well #: 1
License: 33575	Field Name: Arnold SW
Wellsite Geologist: Randy Kilian	Producing Formation: Fort Scott-Mississippian
Designate Type of Completion:	Elevation: Ground: 2563 Kelly Bushing: 2568
✓ New Well Re-Entry Workover	Total Depth: 4590 Plug Back Total Depth: 4567
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 250 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1942 Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1942
Operator:	feet depth to surface w/ 250 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 3000 ppm Fluid volume 3000 bbls
Plug BackPlug Back Total Depth	Dewatering method used evaportion
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
6/22/07 6/28/07 7/19/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: The	KCC Office Use ONLY
Title: VP/Geologist Date: 10-2-07	Letter of Confidentiality Received
Subscribed and sworn to before me this 2 day of October	It Danied Vos Date:
0	Wireline Log Received KANSAS CORPORATION COMMISSION
20.07	Geologist Report Received
Notary Public: Wille Su	UIC Distribution
Date Commission Expires: NOTARY PUBLIC - State of Kansas VICKIE COLE My Appt. Exp. 6-18-08	CONSERVATION DIVE ON MICHITA, KS

Side Two

f Operator Name: Da	Mar Resources, I	nc.	Le	ase Name:_	Michaelis Un	it	Well #: _1	
Sec Twp	16 S. R. 25	East ☑W		unty: Ness				
INSTRUCTIONS: S tested, time tool ope	thow important tops a n and closed, flowing covery, and flow rate	and base of forma g and shut-in pres s if gas to surface	tions penetrate sures, whethe test, along wi	ed. Detail a	III cores. Repor	static level, hydr	ostatic pressure	
Drill Stem Tests Take		✓ Yes	No		.og Format	ion (Top), Depth	and Datum	Sample
Samples Sent to Ge	ological Survey	Yes	No	Nam See	ne attached Ge	o Report	Тор	Datum
Cores Taken Electric Log Run (Submit Copy)			No No			о ко р о. к		
List All E. Logs Run:								
see attached								
			ASING RECOR		ew Used			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	,	r, surface, inti Weight bs. / Ft.	ermediate, productions Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	24#		250	SMD	200	
production	7 7/8"	5 1/2"	15.5#	#	4587	EA-2	150	
		ADDIT	IONAL CEMEN	NTING / SQ	JEEZE RECOR	D	 ··	
Purpose: Perforate	Depth Top Bottom	Type of Ceme	nt #Sa	cks Used		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone								
Shots Per Foot		ON RECORD - Brid Footage of Each Inte		/pe		acture, Shot, Cemer mount and Kind of M		d Depth
4	4502-04, 4488-9	0, 4477-79			1000 gal. a	cid	-	
4 4393-96, 4377-80			2000 gal. acid					
						•		
TUBING RECORD	Size 7/8''	Set At	Pack	er At	Liner Run	Yes ✓ No		
Date of First, Resumer	d Production, SWD or E	4565 Inhr. Produc	none ing Method					
7/24/07				Flowin				r (Explain)
Estimated Production Per 24 Hours	101	Bbls. Ga	s Mcf	Wate 5	er E	3bls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	OMPLETION			Production Inte	rval		
Vented Sold	Used on Lease ubmit ACO-18.)	= '	n Hole 📝 Fer (Specify)	Perf. [Dually Comp.	Commingled _	Kansas Corf	ECENTED POPATION COMMISSION

OCT 0 3 2007

ALLIED CEMENTING CO., INC. Federal Tax I.D.

30191

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		SER	VICE POINT:	great Bend	_
DGE 22-07 SEC. TWP RANGE 25	CALLEDS		10-22	3-07	_
MICHALO	3 Am	ON TOCOLON	JOBATA	JOB ENTE	_
OLD OR CED (Circle one)	a 32 E V/5		COUNTY	STATE .	-
CONTRACTOR W-W Rig 2 TYPE OF JOB Suchace	OWNER				
TYPE OF JOB Sucface HOLE SIZE (24 T.D. 250 H	CEMENT			· · · · · · · · · · · · · · · · · · ·	•
CASING SIZE 8 5 DEPTH 219 4	AMOUNT ORI	DERED 180	2 14 6		
TUBING SIZE DEPTH DRILL PIPE DEPTH		370	·c 2 29.	an mar	
TOOL DEPTH					
PRES. MAX MINIMUM	COMMON	180Ay.	@ ///)	1900	
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. 13 M	POZMIX			-1770.00	,
PERFS.	GEL CHLORIDE	424	@ 16.65	66.60)
DISPLACEMENT 14 2 661	_ ASC	6 sy	@-46.6D	279.60	2
EQUIPMENT			@		
PUMPTRUCK CEMENTER Mike M.			.@		
# 120 HELPER Randy P			@		
BULK TRUCK	_		@		
# 342 DRIVER DON D BULK TRUCK			@		•
# DRIVER			@ @		
	HANDLING	1904.	@ 1.90	361.00	
REMARKS:	MILEAGE			<u> 410.40</u>	
Execulate Hole with this mud Rum	P		TOTAL _	3115,60)
Dix Comont + Then Mukies - Plus	• ·	SERVICI	E		
Vishland Phag Down With water	DEDENI OF YOU				
Had To REAMED Pipe Down	DEPTH OF JOB PUMP TRUCK C	HARCE		5.6	
TWO TIME	EXTRA FOOTAC	GE G		BIS, OD	
Coment did Circulato To	MILEAGE	24@	0 6.00	144.00	
Sur fac.	MANIFOLD	@	<u> </u>		
CHARGE TO M	WAITING-	time Zitas	100.00	100.00	
CHARGE TO: Damar Rus Inc					
STREET			TOTAL _	1259,00	
CITYSTATEZIP					
Λ . ν	PLU	JG & FLOAT E	QUIPMENT		
I hank	1-83	1 01 0			
709	. 5 5 0000	den Phus @	was t	0.00	
To Allied Cementing Co., Inc.		@			
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or		@ @			
contractor to do work as is listed. The above work was		@			
done to satisfaction and supervision of owner agent or			TOTAL _E	0.00	•
contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAV	,			RECEIVED
CONDITIONS listed on the reverse side.	TAX				RECIETA ED KANSAS CORPORATION COMMISSION
<i>i</i> /	TOTAL CHARGE				aat a 2 2017
/. /.	DISCOUNT		_ IF PAID IN	30 DAYS	OCI 112 KARI
IGNATURE POPULI A	/	1. 1.0=	(·		CONCIENTS
The state of the s	Lonne	PRINTED N	LANGE		$k_{\rm eff}$
		LICINITEDIA	A IVI H		

ALLIED CEMENTING CO., INC. 30191

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	rederar rax	1.0.4	SERV	ICE POINT: '	great Bend
DE 22-07 SEC. TWELL RANGE	E 9,	CALLEDGAT	ON LOCATION	JOB OT AST	JOB FINES
Michae's	<i>2</i> 0	9 001	69	ログラグ	STATE AA
OLD OR OED (Circle one)	ION UTICA	32 E V/5		COUNTY	"Ks,
	2	OWNED			
TYPE OF JOB Sucface		OWNER			
HOLE SIZE 124 T.D. 25	oft	CEMENT	,		
CASING SIZE S DEPTH 2 TUBING SIZE DEPTH	19 ft	AMOUNT ORD	ERED 180	SK Co	nmon
DRILL PIPE DEPTH		 	370	c 229.	<u> </u>
TOOL DEPTH					···
PRES. MAX MINIMUM		COMMON	180ry.	@	199800
MEAS. LINE SHOE JOIN CEMENT LEFT IN CSG. 15 M	<u>T</u>	POZMIX		@	
PERFS.		GEL	454	@ 16.65	bbab0
DISPLACEMENT 142 661		CHLORIDE ASC	6 sy	@ <i>_46.bU</i> @	279.60
EQUIPMENT				@	····
				@	
PUMPTRUCK CEMENTER MIKE	h			@	
# 120 HELPER Randy	Pi			@	
BULK TRUCK # 342 DRIVER Don	\mathcal{D}			@ @	
BULK TRUCK	<u>U</u>			@	
# DRIVER		II AND INC		@	
		HANDLING MILEAGE	1904.	@ <u>1.90 </u>	361.00
REMARKS:				TOTAL	410.10 3115.60
Circulate Hole with his m	Jud Rump	•		IOIAL _	3117.60
Mix Comond + Then Muliage	Thus		SERVICE	E	
Visplace Phag Down W. Yh	water				
Had To REAMEN PiPE DO	wn	DEPTH OF JOB	3494		
Two Time	<u></u>	PUMP TRUCK CE EXTRA FOOTAG			RIS, OD
		MILEAGE		6.00	144.00
Coment did Circula	To 10	MANIFOLD.			1.4.1.00
<u> </u>	Surfac.	LEAN GILL	<u></u> @	100.00	100.00
CHARGE TO: Damar Rus	Lac	WAITING T	hme Zitas	100.00	200,00
				TOTAL	1000 -
TREET				IOIAL _	1259.00
CITYSTATEZII		PLI	G & FLOAT E	OHDMENT	
Show K	•				
han K You So Allied Cementing Co. Inc.		1-8 \$ wood	den Phus @	lan	60.00
409	グ				10.00
or fined cementing co., file.			@		
ou are hereby requested to rent cementing eq	uipment		@		···
nd furnish cementer and helper to assist owne ontractor to do work as is listed. The above we	er or				
one to satisfaction and supervision of owner a	ouk was			TOTAL	(10 Oā)
ontractor. I have read & understand the "TER	MS AND			TOTAL _L	<u> </u>
ONDITIONS" listed on the reverse side.		TAX			
,		TOTAL CHARGE			
/		DISCOUNT			
£ /1		,		_ IF PAID IN	
GNATURE COLLUNIA CO		/ Ann 100	PRINTED		
		~U'W', C	PRINTED	IAMF	
			- **** 1 LD 1		

ALLIED CEMENTING CO., INC. 30191

reuciai iax i	and 1	
REMIT, TO P.O. BOX 31	SERVICE POINT: Great Bend	
RUSSELL, KANSAS 67665	Auss city	
	6-23-07	
DAR-22-07 SEC. TWP RANGE 25 C.	THE LOCAL DOBOTTAL JOB ENTRY	
Dat-12-01 20 16 25		
Michaels Well# LOCATION UTICA	COUNTY STATE NESS KS.	
CH Secretary	7 = 4/)	
OLD OR (Circle one)		
i.e O		
CONTRACTOR W-W Ry 2	OWNER	
TYPE OF JOB Surface	·	
HOLE SIZE 124 T.D. 250 AT	CEMENT	
CASING SIZE 85 DEPTH 219 ft	AMOUNT ORDERED 180 Sk Common	
TUBING SIZE DEPTH	37cc 26gd	
DRILL PIPE DEPTH		
TOOL DEPTH	02.0	
PRES. MAX MINIMUM	COMMON_180A4. @ 1/10 1998.00	
MEAS. LINE SHOE JOINT	POZMIX@	
CEMENT LEFT IN CSG. 15 At	GEL 4st @ 1665 6600	
PERFS.	CHLORIDE 6 AU @ 46.60 279.60	
DISPLACEMENT 142 661	ASC@	
	@	
EQUIPMENT	@	
100 1 1	@	
PUMP TRUCK CEMENTER MILES	@	
# 120 HELPER Randy Pr	@	
BULK TRUCK	@	
# 342 DRIVER Don D	@	
BULK TRUCK	@	
# - · · DRIVER	1.00	
10.00		
REMARKS:	TOTAL <u>3118,60</u>	
Esrculate Hole with this Mud RimP		
Mix Coport + Then Rulies - This	SERVICE	
Displace Ohne Down with water		
	DEPTH OF JOB 3494	
Had To Reamen PiPe Down	PUMP TRUCK CHARGE SIS, OD	
Two Time	EXTRA FOOTAGE @	
700 0	MILEAGE 24 @ 6,00 144.00	
Coment did Circulate to		
Surface	MANIFOLD @	
<i>July</i> 4.00-	WAITING time 21/05@ 100.00 200.00	
D 0 1	WATTING TIME 2110 100 to 200,00	
CHARGE TO: Damar Rus Inc	0	
STREET	TOTAL _1259.00	
STREET		
CITYSTATEZIP	DATE OF THE OWNER PROPERTY.	
Λ Ι.	PLUG & FLOAT EQUIPMENT	
(hank you		
/ Man V	1-8 & wooden Phug @ 6000 60.00	
y04_		
To Allied Comenting Co. Inc.		
To Allied Cementing Co., Inc.	@	
You are hereby requested to rent cementing equipment		RECEIVED
and furnish cementer and helper to assist owner or	м	TAMSAS CORPORATION COMMISSION
contractor to do work as is listed. The above work was	TOTAL <u>60.00</u>	
done to satisfaction and supervision of owner agent or	101AL	OCT 0 3 2007
contractor. I have read & understand the "TERMS AND	TAV	
CONDITIONS" listed on the reverse side.	TAX	CONSERVATION DIVISION
	TOTAL CHARGE	WIGHTA KE
4		
1 /	DISCOUNT IF PAID IN 30 DAYS	
1 /,	<i>1</i>	

ALLIED CEMENTING CO., INC. 30191

REMIT TO P.O. BO RUSSE		NSAS 676	65		SER	RVIC	E POINT: '	great Bend
bo-22-07	SEC.	TWP	RANGE 25	CALLED	ONTOGON	10	BATA	JOB EINGA
Michaels	WELL#	1	LOCATION UTICA			CC	UNTY Wess	STATE
OLD OR (VEW) (Circ								, , , , , , , , , , , , , , , , , , ,
CONTRACTOR			Ris 2	OWNER				
TYPE OF JOB HOLE SIZE		ur Sac	11	CEMENT				
CASING SIZE	8 :	.,	TH 219 ft	_ AMOUNT OR				mmon
TUBING SIZE		DEI			37	<u>e</u> e	2 23.	el
DRILL PIPE TOOL			PTH PTH	-				
PRES. MAX			YTH NMUM	COMMON	180ry.	@	1110	10000
MEAS. LINE			DE JOINT	POZMIX	ICONY,	_ @	77,10	1770.00
CEMENT LEFT IN (CSG.	15 1	7	GEL GEL	400.		16.65	660
PERFS.				CHLORIDE	6 24			279.60
DISPLACEMENT		142	661	ASC		_ @	76.00	
	EOU	IPMENT						
	EQU.					_ @		
PUMP TRUCK CI	EMENTE	in M	the bri	·		_ @		
	EMENTE ELPER	^_	1 0	·		_@		
BULK TRUCK	ELPEK	`Kai	ndy Pr	·		_ @ .		
	RIVER	Do	$n \mathcal{D}$			_@		
BULK TRUCK	KIVEK					@		
	RIVER			25	.00	_ @ _	. 75	
	CK / DIC			HANDLING_		_ @ .	1.90	_361.00
		IARKS:		MILEAGE				_410.40 _3115.60
Mix Comora Displace pl	Hola p t + D lug D	en Mi	his Mud fun Leas- Plus Vith water	P 	SERVI	CE		
				DEPTH OF JO	B 3494	<u>_</u>		
		4.P	2 Down		CHARGE			SIS, OD
TWO TIM	<u>~</u>			EXTRA FOOT	AGE	_@_		
- A	- 110		1-1-1	MILEAGE	24	_@_	6.00	144.00
(ie Me KI	aid	Circ	ulatoto	MANIFOLD_		_ @ _		
			Sur fac.		Utal	_@_	100.00	_100.00
a	`		1	WAITING	otime 214	<u>s</u> @_	100.00	200,00
CHARGE TO:	la Mo	er 't	lus Inc					
STREET							TOTAL	1259.00
CITY	STA	TE	ZIP		OLLIC S. EL OAT	r EO	TITON ATOMIC	
			1 1	I	PLUG & FLOAT	yaı	UIFMEN	L
		1	han K	- 5				
		/ / /	VOU	1-89 W	ooden Phue) @ -	low.	60.00
			han K Yoy H		ooden Phue	_ @ _		
To Allied Cementin	g Co., In	c.				_ @ _		
You are hereby requ						_ @ _		
and furnish cemente	er and he	lper to as	sist owner or			_ @ _		· · ·
contractor to do wor	rk as is li	isted. The	e above work was					10.05
done to satisfaction	and supe	ervision o	f owner agent or				TOTAL .	60.00
contractor. I have re	ead & un	derstand	the "TERMS AND					
CONDITIONS" list				TAX		-		
				TOTAL CHARG	GE			
3		1						
, 1		/		DISCOUNT -			- IF PAID	IN 30 DAYS
`. / ₁	•	// A		/ .	/		į.	
SIGNATURE (1574	pu 1	1 11 -C	- e	/ ann't	2 LANG	7		
1		V ,		- V. V.	PRINTE	DN	AME	
)			11		