

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: The Bill Bowman Oil Company
 Address: 2640 W Road Natoma, Kansas 67651
 Phone: (785) 885-4830 Operator License #: 33263
 Type of Well: Oil - Dry Hole, Plugged Docket #: N/A
 (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)
 The plugging proposal was approved on: September 18, 2008 (Date)
 by: KCC-District #4 Agent Marvin Mills (KCC District Agent's Name)
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
D & A Depth to Top: N/A Bottom: N/A T.D. 3723'
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API Number: 15 - 137-20490-0000
 Lease Name: Voss
 Well Number: #1
 Spot Location (QQQQ): _____ - SW - NE - SW
1516 Feet from North / South Section Line
1832 Feet from East / West Section Line
 Sec. 30 Twp. 5 S. R. 21 East West
 County: Norton County, Kansas
 Date Well Completed: September 18, 2008
 Plugging Commenced: September 18, 2008
 Plugging Completed: September 18, 2008

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface Conductor & Production)				
Formation	Content	From	To	Size	Put In	Pulled Out
D & A	N/A	Surface	265'	8 5/8"	265'	0'


Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Well was plugged according to KCC - District #4 Agent-Marvin Mills Instructions. 1st Plug @ 3700' with 25 sxs, 2nd Plug @ 1916' with 25 sxs, 3rd Plug @ 1193' with 100 sxs, 4th Plug @ 312' with 40 sxs, and the 5th Plug @ 40' with 10 sxs & Wiper Plug, Plugged Rathole with 30 sxs, A Total of 230 sxs of 60-40 Pos, 4% Gel, & 1/4# Floseal per sack.

KCC Pkt Per CP-2/3

Anderson, C. D DBA Anderson Drilling
 Name of Plugging Contractor: Allied Cementing Company, LLC License #: 33237 RECEIVE
 Address: P.O. Box 31 Russell, Kansas 67665 KANSAS CORPORATION COMMISSION
 Name of Party Responsible for Plugging Fees: The Bill Bowman Oil Company OCT 07 2008
 State of Kansas County, Rooks, ss. CONSERVATION DIVISION
 William F. Bowman WICHITA, KS
 (Employee of Operator) or (Operator) on above-described well, being first duly

sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God



(Signature) William F. Bowman
 (Address) 2640 W Road Natoma, Kansas 67651

SUBSCRIBED and SWORN TO before me this 6th day of October, 2008
Teresa M. Bowman My Commission Expires: May 28, 2010
 Notary Public

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Pkt

DRILLER'S WELL LOG

BILL BOWMAN OIL COMPANY
2640 W ROAD
NATOMA KS 67651

VOSS-1
SW/4 30-5-21
NORTON CO, KS

SPUD DATE: 09-12-08
COMPLETE DATE: 09-18-08

Ground Elevation: 2293'

DEPTH

0 - 0269 Sand & Shale
0269 - 0980 Sand & Shale
0980 - 1732 Sand & Shale
1732 - 1906 Sand & Shale
1906 - 1926 Anhydrite
1926 - 2109 Sand & Shale
2109 - 2449 Shale
2449 - 2779 Shale & Sand
2779 - 2979 Shale
2979 - 3172 Shale
3172 - 3298 Shale
3298 - 3489 Limestone & Shale
3489 - 3665 Shale & Lime
3665 - 3723 Lime
3723 R.T.D.

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 07 2008

CONSERVATION DIVISION
WICHITA, KS

Surface Pipe: Set 261' of 8 5/8" casing @ 266' with 180 sacks of COM, 3% CC,
2% Gel

ALLIED CEMENTING CO., LLC. 34567

EMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>9-13-08</u>	SEC. <u>30</u>	TWP. <u>5</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>5:00pm</u>	JOB FINISH <u>5:30pm</u>
LEASE <u>VOSS</u>		WELL # <u>1</u>		LOCATION <u>N. 1/4 N. D. R. E</u>		COUNTY <u>Norton</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>NEW</u>				to <u>330 R N to EBRD N + B into</u>			

CONTRACTOR AVA #2

TYPE OF JOB Surface Job

HOLE SIZE _____ T.D. 269

CASING SIZE 8 5/8 20# DEPTH 265

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 1680

EQUIPMENT

PUMP TRUCK CEMENTER Craig

417 HELPER Matt

BULK TRUCK

410 DRIVER Neale

BULK TRUCK

_____ DRIVER _____

REMARKS:

Cement Circulated!

OWNER _____

CEMENT

AMOUNT ORDERED 180 Com 30% CC
20% CC

COMMON	<u>180</u>	@	<u>13.50</u>	<u>2430.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 07 2008
CONSERVATION DIVISION
WICHITA, KS

HANDLING	<u>189</u>	@	<u>2.25</u>	<u>425.25</u>
MILEAGE	<u>110/5k/mile</u>			<u>1134.00</u>
TOTAL				<u>4,359.00</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>991.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>60</u>	@	<u>7.50</u>	<u>450.00</u>
MANIFOLD		@		

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 07 2008

TOTAL 1441.00

CHARGE TO Bill Bowman O-1

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

ALLIED CEMENTING CO., LLC. 32204

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <i>9-18-08</i>	SEC. <i>30</i>	TWP. <i>5</i>	RANGE <i>21</i>	CALLED OUT	ON LOCATION	JOB START <i>10:00 AM</i>	JOB FINISH <i>11:00 AM</i>
LEASE <i>Voss</i>	WELL# <i>1</i>	LOCATION <i>DENSMORE 4 S 1/2 E</i>			COUNTY <i>NORTON</i>	STATE <i>KANSAS</i>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *A & A DRG. Rig # 2* OWNER _____

TYPE OF JOB *ROTARY PLUG*

HOLE SIZE *7 7/8* T.D. *3723*

CASING SIZE *8 5/8 SURFACE* DEPTH *265*

TUBING SIZE _____ DEPTH _____

DRILL PIPE *4 1/2 X-H* DEPTH @ *3700'*

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

CEMENT AMOUNT ORDERED *230 SK 60/40 4% GEL*

1/4 # F10 Seal Per SK

COMMON	<i>138</i>	@	<i>13.50</i>	<i>1863.00</i>
POZMIX	<i>92</i>	@	<i>7.55</i>	<i>694.60</i>
GEL	<i>8</i>	@	<i>20.25</i>	<i>162.00</i>
CHLORIDE		@		
ASC		@		
<i>F10 Seal 57#</i>		@	<i>2.45</i>	<i>139.65</i>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>238</i>	@	<i>2.25</i>	<i>535.50</i>
MILEAGE	<i>110/SK/mile</i>			<i>1428.00</i>
TOTAL				<i>4822.75</i>

EQUIPMENT

PUMP TRUCK CEMENTER *GUYEN*

398 HELPER *ROBERT*

BULK TRUCK DRIVER *Neale*

378

BULK TRUCK DRIVER _____

REMARKS:

- 25 SK @ 3700*
 - 25 SK @ 1916*
 - 100 SK @ 1193*
 - 40 SK @ 312*
 - 10 SK @ 40' w Wiper Plug.*
 - 30 SK @ Rethole*
- THANK'S*

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<i>990.00</i>
EXTRA FOOTAGE		@	
MILEAGE	<i>60</i>	@	<i>7.50</i> <i>450.00</i>
MANIFOLD		@	
		@	
		@	
TOTAL			<i>1440.00</i>

CHARGE TO: *Bill Bowman Oil*

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<i>8 5/8 Dry Hole Plug</i>			<i>39.00</i>
		@	
		@	
		@	