CONFIDENTIAL

KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION

September 1999
Form Must Be Typed

KCC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5144	API No. 15 - 135-24502 - 60-00
Name: Mull Drilling Company, Inc.	County: Ness
Address: P.O. Box 2758	SW -NW - NE - SW Sec. 14 Twp. 16 S. R. 23 East V West
City/State/Zip: Wichita KS 67201-2758	2246 feet from S N (circle one) Line of Section
Purchaser: N/A , AUG 2 9 2006	1427 feet from E (W) (circle one) Line of Section
Operator Contact Person: Mark Shreve CONFIDENTIAL Phone: (316) 264-6366	Footages Calculated from Nearest Outside Section Corner: (circle one) NE SE NW SW
Contractor: Name: Duke Drilling Co., Inc.	Lease Name: Dale Well #: 1-14
License: 5929	Field Name: Wildcat
Wellsite Geologist: Kevin Kessler	Producing Formation: N/A
Designate Type of Completion:	Elevation: Ground: 2465' Kelly Bushing: 2474'
New Well Re-Entry Workover	Total Depth: 4630' Plug Back Total Depth: N/A
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 224 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	r
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) R-77-97
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 30,000 ppm Fluid volume 1100 bbls
Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No.	,
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
6/29/06 7/6/06 7/7/06	Lease Name: License No.:
Spud Date or Recompletion Date Date Reached TD Recompletion Date Completion Date or Recompletion Date	QuarterSecTwpS. REast _ West County:Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko	ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING Ils. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: President/COO Date: 8/29/06	Letter of Confidentiality Attached
Subscribed and sworn to before me this 24 day of www.	If Denied, Yes Date:
20.06	Wireline Log Received
Notary Public: Oakurs & Tannist. T	Geologist Report Received UIC Distribution RECEIVED
Date Commission Expires: 3.26.07 OFFICIAL MY COMMISSION	I EXPIRES AUG. 3.0.2006

Side Two

Operator Name: Mull E	Orilling Company, I	nc.		Lease	Name: E	Pale		Well #: 1-14	ļ	
Sec. 14 Twp. 16			✓ West	County	Ness					
NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rates	and shute if gas to	in pressures, s surface test, a	whether sh long with fi	ut-in pre	ssure reached	static level, hydro	ostatic pressur	es, bottom hole	е
Orill Stem Tests Taken		✓ Ye	es 🗌 No		√ L	og Formati	on (Top), Depth	and Datum	Samp	le
Attach Additional Si Samples Sent to Geole	,	 ✓ Ye	es 🗌 No		Name			Top Datur		1
Cores Taken Yes 🗸				•	See Attachment "A"			KCC AUG 2 9 2006 CONFIDENTIAL		
.ist All E. Logs Run:	; DIL; Micro 8	& Sonic	;					CON	FIDENTI	AL
		Reno		RECORD	✓ Ne	w Used	tion etc			
Purpose of String	Size Hole Drilled	Siz	e Casing	Weig	ght	Setting Depth	Type of Cement	# Sacjs Used	Type and Pe	
Surface	12 1/4"	8 5/8"		20#		224'	Common	160	3% cc, 2%	gel
				<u></u>	<u> </u>					
Purpose: Depth Type of Cement			·., · · · · · · · · · · · · · · · · · ·	#Sacks	s Used Type and Percent Additives					
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom									
·	1			<u> </u>	<u> </u>	Ĭ				
Shots Per Foot	PERFORATI Specify	ON RECOF	RD - Bridge Plug Each Interval Per	gs Set/Type forated	· · · · · -	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
		<u> </u>						R	ECEIVE	D-
								,	IG 3 0 200	
								KC	C WICH	TA
TUBING RECORD	Size	Set At		Packer A	At	Liner Run	Yes N	o		
Date of First, Resumerd	Production, SWD or I	Enhr.	Producing Met	hod	Flowin	g 🔲 Pump	ing Gas L	.ift Ot	her (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er I	Bbls.	Gas-Oil Ratio	Gr	avity
Disposition of Gas	METHOD OF	COMPLETION	DN NC			Production Inte	erval	,		
Vented Sold	Used on Lease		Open Hole	Perf	. 🔲 1	Dually Comp.	Commingled			

KCC
AUG 2 9 2006
CONFIDENTIAL

ATTACHMENT TO ACO-1 Well Completion Form

Mull Drilling Company, Inc.
Dale #1-14
NE/4 SW/4 Section 14-16S-23W
Ness County, Kansas
API: 15-135-24502

LOG TOPS

A .

FORMATION	DEPTH	SUBSEA
T/Stone Corral	1830	(+ 645)
B/Stone Corral	1862	(+613)
Heebner	3860	(-1385)
Toronto	3878	(-1403)
Lansing	3896	(-1421)
Stark	4122	(-1647)
Hushpuckney	4154	(-1679)
B/KC	4176	(-1701)
Pawnee	4285	(-1810)
Ft. Scott	4373	(-1898)
Cherokee	4402	(-1927)
BPL	4451	(-1976)
Miss Osage	4494	(-2019)

RECEIVED AUG 3 0 2006 KCC WICHITA

ALLIED CEMENTING CO., INC.

23615

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 AUG 2 9 2006

SERVICE POINT:

R	USSELL, KA	NSAS 6760	55 CONFIL	DENTIAL		!	Mea	ه حساس
DATE 6-29-C	SEC.	TWP	RANGE 23	CALLED OUT		CATION	JOB START	JOB FINISH
	Qe WELL#		LOCATION 442				COUNTY	STATE
OLD OF NEW			LOCATION 442	50450 -32-	7732	1		
OLD OR NEW	(Chele one)				•			
CONTRACTO	R Oce	Ke D	2 # 4	OWNER				
TYPE OF JOB		Mace						
HOLE SIZE	12/4	T.D		_ CEMENT	DDEDED	İ		•
CASING SIZE			PTH 224	_ AMOUNT O	KDEKED	3%	- 2 % lol	<u> </u>
TUBING SIZE DRILL PIPE			TH TH	760	LEYV			
TOOL			PTH					
PRES. MAX			NIMUM	COMMON_	160	Def.	_@_10.65	11040
MEAS LINE			DE JOINT	POZMIX _				10.00
CEMENT LEF	T IN CSG.	15-			<u> </u>		_@_16,15_	333.00
PERFS.		0.3/4	· · · · · · · · · · · · · · · · · · ·	_ CHLORIDE	\$	-Ox	_@ <u>4660</u>	233.00
DISPLACEME		3 3/4		ASC			@	
•	EQ	UIPMENT		-		i		EIVED
						1	@	
PUMP TRUCK			nike,			i	@ AU6 .	3 0 2006
# 224	HELPER		TELEGORON			!	-@- KCC \	N ICHITA
BULK TRUCK	C DRIVER		teve			<u> </u>		AIOUNE
# 260 BULK TRUCK			ave			-	@	-
#	DRIVER	٠ .		- HANDLING	168	<u></u> !}	$-^{@}_{@}$	310 20
				— HANDLING MILEAGE _	128		A MAN	24200
\$•	Di	EMARKS:		MIDEAGE _			TOTAL	2546.6
		_					TOTAL	
cue 8	مدهدا	3 20=	a puneso			SERV	TCE	
MUXC	THE CASE	1212	my w/13 3/4 B	8/				
Cont	مليك	Curc		DEPTH OF I	JOB	1	224	
,				PUMP TRUC		GE		BED
				EXTRA FOO	_	<u> </u>	@	
			/	MILEAGÉ _		1		<i>ES</i> 40
<u> </u>			Thanks	— MANIFOLD)	+	@ @	
.								
		4.00	Δ.		1	1		
CHARGE TO:		PRUS	24		·	 	TOTAL	90000
STREET					3.		101712	
			ZIP	•	19,1			
CITY		7 1 A J			PLUG	& FLOA	AT EQUIPMEN	IT
3					111		·	
	•			878 7	بخلائفة			60.00
-					10	1	@ <u></u> @	
To Allied Ce	menting Co.	., Inc.				<u> </u>	@	
You are here	by requested	to rent cer	nenting equipment			- 	<u> </u>	
and furnish c	ementer and	d helper to	assist owner or					
			he above work wa		•		TOTAL	60,00
done to satisf	faction and	supervision	of owner agent or	TID				
			d the "TERMS AN	TAX				
CONDITION	o Detail Cr	n me revers	ic side.	TOTAL CH	ADCE			
				DISCOUNT			IF PAI	D IN 30 DAYS
	DO	110.	0	J.		4	/A >	•

PRINTED NAME

ALLIED CEMENTING CO., INC.

2.	4	3	2	2
	•	•	_	

	Federal Tax	Dif	_ 		
REMIT TO P.O. BOX 31	K	Li C	SERV	ICE POINT:	
RUSSELL. KANSAS 67665	AUG	2 9 2006	 -	M- Ban	, \
-	CONT	- 17 - 6	-06	7-2-0	6
	NGE CUNT	BL30PM	ON LOCATION	JOB START	JOH FINISH
		CO -	b C	ICOUNTY	STATE
	CATION	ookl 5w,	134,5/5	Neu	<u>Ka</u>
OLD OF NEW (Circle one)			<u> </u>		
CONTRACTOR A CTOR					
CONTRACTOR	***	OWNER >	~~e		
HOLE SIZE 728"	201	CENTENT	•		
CASING SIZE DEPTH		CEMENT	DERED 255	(Sk1-1	0. K P
TUBING SIZE DEPTH		4 Por	DEKEL (X)		2/0/19/
	896'	7 FANO	Se / DC		
TOOL DEPTH	.010				
PRES. MAX MINIM	JM	COMMON	153	@ 10.65	1629.4
MEAS. LINE SHOE JO		POZMIX	102	@ 5.80	591.60
CEMENT LEFT IN CSG.		GEL	15	@ 16.65	249.75
PERFS.		CHLORIDE _		@	
DISPLACEMENT		ASC		@	
EQUIPMENT		Hoseal	64	@ 2.00	128.00
•		•		@	
PUMP TRUCK CEMENTER 1	V :			@	
# 181 HELPER Stave				.@	
BULK TRUCK				@	
#344 DRIVER CALL	2.			.@	
BULK TRUCK				@	
# DRIVER		HANDLING_	279	@	610 10
ť		MILEAGE.	1.8.273	@ <u>/190</u>	271 20
REMARKS:		RECEIVE	D D		371,28
11 ' 11 - 50 0 1886'				TOTAL	3488.78
30 gr 6 130,		AUG 3 0 20			
502 C 150'		KCC WICH	HTA SERVIC	E	
40 L @ 250'					
202 6 10'		DEPTH OF JO	R 1940		0100
15 Main Ratha	٩	FYTP A FOOT.	CHARGE AGE		815,00
			AUC	@ <u> </u>	05.00
	calou				02/00
	3			@	
				e	
CHARGE TO: MALL MA					
				TOTAI	900.00
STREET				IOIAL _	700,0
CITYSTATE	_ZIP				
(LUG & FLOAT I	EQUIPMENT	
	.2 fa)				
	trize .	Marana I		<u> </u>	
w			- (e -	-
To Allied Cementing Co., Inc.		•		@	
You are hereby requested to rent cementin	g equipment		(<u> </u>	
and purnish comenter and helper to assist o	wner or			<u> </u>	
contractor to do work as is listed. The abo	ve work was				
done to satisfaction and supervision of own	ner agent or			TOTAL _	
contractor. I have read & understand the "	TERMS AND				
CONDITIONS" listed on the reverse side.		TAX			
:		TOTAL CHARG	F.		
		DISCOUNT		IF PAID [N 30 DAYS
SIGNATURE X Fiel Wheeler	•	\c, \.			
SIGNATURE \ tick Wheeler		X Diah	Whee ler		
)			PRINTED	NAME	