

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

ORIGINAL

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33856  
Name: WHITE EXPLORATION, INC.  
Address: 2400 N. Woodlawn, Suite 115  
City/State/Zip: Wichita KS 67220  
Purchaser: Centennial Energy, LLC  
Operator Contact Person: Kenneth S. White  
Phone: (316) 682-6300  
Contractor: Name: Murfin Drilling Co., Inc.  
License: 30606  
Wellsite Geologist: Tim Hellman

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_  

<u>9/23/06</u>	<u>10/3/06</u>	<u>1/30/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 187-21085-0000  
County: Stanton  
C SE SE Sec. 28 Twp. 29 S. R. 41  East  West  
660 feet from (S) N (circle one) Line of Section  
660 feet from (E) W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Black Stone "D" Well #: 1  
Field Name: Arroyo  
Producing Formation: Morrow  
Elevation: Ground: 3401 Kelly Bushing: 3412  
Total Depth: 5525 Plug Back Total Depth: 5502  
Amount of Surface Pipe Set and Cemented at 1650 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 3530 Feet  
If Alternate II completion, cement circulated from 3530  
feet depth to surface w/ 500 sx cmt.

**Drilling Fluid Management Plan** *ALT KGR 12/10/07*  
(Data must be collected from the Reserve Pit)  
Chloride content 600 ppm Fluid volume 1800 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth S. White  
Title: President Date: 3/1/07  
Subscribed and sworn to before me this 1<sup>st</sup> day of March

2007  
Notary Public: Susan M. Way  
Date Commission Expires: \_\_\_\_\_  


**KCC Office Use ONLY**

N Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**MAR 02 2007**  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: WHITE EXPLORATION, INC. Lease Name: Black Stone "D" Well #: 1  
 Sec. 28 Twp. 29 S. R. 41  East  West County: Stanton

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Compensated Density/Neutron  
 Dual Induction  
 Micro Log, Sonic Log

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Atoka Shale	4832	-1420
Morrow Shale	5000	-1588
Lower Morrow Marker	5304	-1892
Keyes	5387	-1975
Mississippi	5428	-2016

**CASING RECORD**  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24#	1648			See Attachment
Production		5-1/2"	15.5#	5523			See Attachment

**ADDITIONAL CEMENTING / SQUEEZE RECORD**

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	5439	common	50	
	5378-5310	Common	190	

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	5392' - 5412'	See Attachment	

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr. 1/30/07 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	115		3		

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Sumit ACO-18.)  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Attached to ACO-1 Form for  
WHITE EXPLORATION, INC.  
#1 BLACK STONE "D"  
C SE SE Sec 28-29S-41W  
Stanton County, Kansas  
API# 15-187-21085-0000

Drill Stem Tests Taken

DST #1 5377' - 5410' (Keyes)  
Packer Failure

DST #2 5307' - 5410' (Keyes)  
30" - 60" - 60" - 120"

1<sup>st</sup> Open: 2" blow in 30 minutes, steadily building blow, no blow back  
2<sup>nd</sup> Open: 3" blow in 60 minutes, steadily building blow, no blow back

Rec: 217' of gassy mud with a skim of oil (5% gas, 95% mud)

IFP: 24# - 61#	ISIP: 944#	IHP: 2584#
FFP: 71# - 117#	FSIP: 946#	FHP: 2495#

Surface Casing Cement

Cemented with 475 Sacks Lite Cement with 3% CC and 150 sacks Common Cement with 3% CC.

Production Casing Cement

Cement lower stage with 50 sacks Lite Cement as scavenger and 150 sacks ASC Cement with 2% gel, 10% salt and 1/2# Floseal/sack. Cement upper stage with 500 sacks Lite Cement with 1/4# Floseal/sack. Circulated approx 100 sacks to pit. Plugged Mouse Hole with 10 sacks, Rat Hole with 15 sacks.

Acid, Fracture Record

Acidize with 2000 Bbls 7-1/2% NE/FE Acid with 20% Methanol.

Frac with 20,500 gallons 25% Crosslinked gel with 26,000# 16/30 Sand and 4,000# 16/30 Resin Coated Sand

RECEIVED  
KANSAS CORPORATION COMMISSION

MAR 02 2007

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 24650

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY KS

DATE <u>9-24-00</u>	SEC <u>28</u>	TWP <u>29</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>8:30 PM</u>	JOB START <u>11:00 PM</u>	JOB FINISH <u>3:00 AM</u>
LEASE <u>Blackstone</u>	WELL # <u>D-81</u>		LOCATION <u>Johnson 65.2w</u>		COUNTY <u>Stark</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			w 4w 1w				

CONTRACTOR Murphy 22

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1650

CASING SIZE 8 5/8 DEPTH 1650

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 40 3/4

CEMENT LEFT IN CSG. 40 2 1/2

PERFS.

DISPLACEMENT 102.54 Bbls

OWNER SAME

CEMENT

AMOUNT ORDERED 150 Com 390cc

470 hite 590cc, 117# fl-seal

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy

# 373 HELPER Wayne

BULK TRUCK

# 386 DRIVER Darwin

BULK TRUCK

# 218 DRIVER harry

COMMON	<u>150</u>	@ <u>12 20</u>	<u>1830 00</u>
POZMIX		@	
GEL		@	
CHLORIDE	<u>21</u>	@ <u>46 60</u>	<u>978 00</u>
ASC		@	
hite	<u>470 sks</u>	@ <u>11 30</u>	<u>5311 00</u>
		@	
fl-seal	<u>117 #</u>	@ <u>2 00</u>	<u>234 00</u>
		@	
		@	
		@	
		@	
HANDLING	<u>670</u>	@ <u>1 90</u>	<u>1273 00</u>
MILEAGE	<u>109 x 54 mile</u>		<u>4824 00</u>
TOTAL			<u>14450 00</u>

REMARKS:

Cement did circulate

---

Plug down @ 3:00 am

Insert did hold

---

Thanks Fuzzy crew

SERVICE

DEPTH OF JOB	<u>1650</u>		
PUMP TRUCK CHARGE			<u>1610 00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>80</u>	@ <u>6 00</u>	<u>480 00</u>
MANIFOLD		@	
Head Rental		@	<u>100 00</u>
		@	
TOTAL			<u>2190 00</u>

CHARGE TO: Kew White

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

8 5/8 {

1- Guide shoe	@ <u>(B)</u>	<u>235 00</u>
1- AFO Insert	@	<u>325 00</u>
1- Basket	@	<u>180 00</u>
3- Centralizers	@ <u>55 00</u>	<u>165 00</u>
1- Rubber plug	@	<u>105 00</u>
TOTAL		<u>1010 00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Kelly Wilson

PRINTED NAME \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

MAR 02 2007

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 25359

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakleys

DATE	10-4-06	SEC.	28	TWP.	29	RANGE	41W	CALLED OUT		ON LOCATION	11:30 am	JOB START	5:00 am	JOB FINISH	8:00 am
LEASE	Blackstone	WELL #	#1	LOCATION	Johnson 65-2W-			COUNTY	STANFORD	STATE	KS				
OLD OR <u>NEW</u> (Circle one)															

CONTRACTOR Murkin #22

TYPE OF JOB 2-Stage (Bottom)

HOLE SIZE 7 7/8 T.D. 5525

CASING SIZE 5" 15.5 DEPTH 5528'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 21'

CEMENT LEFT IN CSG. 21'

PERFS. DU Tool 3530' J+ #50

DISPLACEMENT 131.06 BBLs

OWNER Same

CEMENT

AMOUNT ORDERED 150 SKS ASC

200 gal 10% salt, 5% sils/sk

20 Lite 114 # R6-seal

500 gal WTR II

COMMON	_____	@	_____	_____
POZMIX	_____	@	_____	_____
GEL	_____	@	_____	_____
CHLORIDE	_____	@	_____	_____
ASC	<u>150</u>	@	<u>14.20</u>	<u>2130.00</u>
<u>Lite</u>	<u>50</u>	@	<u>10.75</u>	<u>537.50</u>
<u>R6-seal</u>	<u>12</u>	@	<u>2.00</u>	<u>24.00</u>
_____	_____	@	_____	_____
<u>Gilsonite</u>	<u>750#</u>	@	<u>.70</u>	<u>525.00</u>
_____	_____	@	_____	_____
<u>Salt</u>	<u>8 cut</u>	@	<u>19.25</u>	<u>153.80</u>
_____	_____	@	_____	_____
<u>WTR II</u>	<u>500</u>	@	<u>1.00</u>	<u>500.00</u>
HANDLING	<u>254</u>	@	<u>1.90</u>	<u>482.60</u>
MILEAGE	<u>.09 xsk mile</u>	@	_____	<u>4.41</u>

EQUIPMENT

PUMP TRUCK CEMENTER Tuzzy - Max

# 373 HELPER Wayne

BULK TRUCK

# 377 DRIVER Delly

BULK TRUCK

# 366 DRIVER \_\_\_\_\_

REMARKS:

Mix 500 gal WTR II followed  
by 500 gal Lite 114 # R6 seal followed  
by 150 SK Tail cement. Wash  
out pump lines. Displacement  
to hatchedown. 500# Lite 1000#  
hand, no circulation. Drop bomb  
wait 20 min open DU Tool @  
900# regain circulation  
plus down @ 7:40 AM

SERVICE

DEPTH OF JOB	_____	_____	<u>5528'</u>
PUMP TRUCK CHARGE	_____	_____	<u>1965.00</u>
EXTRA FOOTAGE	_____	@	_____
MILEAGE	<u>80</u>	@	<u>6.00</u> <u>480.00</u>
MANIFOLD + hand	_____	@	<u>100.00</u>
<u>5" 2 rotator</u>	_____	@	<u>100.00</u>
_____	_____	@	_____

CHARGE TO: White Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 2645.00

PLUG & FLOAT EQUIPMENT

<u>1- Latchedown Assy (Key)</u>	_____	_____	<u>325.00</u>
<u>1- float shoe</u>	@	_____	<u>263.00</u>
<u>15- 5' Scratchers</u>	@	<u>55.00</u>	<u>825.00</u>
<u>10- Turbolizers</u>	@	<u>60.00</u>	<u>600.00</u>
<u>2- Baskets - (B)</u>	@	<u>150.00</u>	<u>300.00</u>
<u>1- DU Tool</u>	@	_____	<u>3500.00</u>

TOTAL 5863.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Herb Durant

Herb Durant  
PRINTED NAME

RECEIVED  
KANSAS CORPORATION COMMISSION

MAR 02 2007

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 25360

Federal Tax I.D. #

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: OARLEY, KS

DATE <u>10-5-06</u>	SEC. <u>28</u>	TWP. <u>29</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>8:00AM</u>	JOB START <u>10:00AM</u>	JOB FINISH <u>11:30AM</u>
LEASE <u>Black Stage</u>	WELL# <u>#1</u>	LOCATION <u>Johnson 65-26W</u>			COUNTY <u>Stanton</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			N-I-N				

CONTRACTOR Morbin #22  
 TYPE OF JOB 2-stage (Top)  
 HOLE SIZE 7 7/8 T.D.  
 CASING SIZE 5" 15.5 DEPTH 3530'  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG.  
 PERFS.  
 DISPLACEMENT 800 BBL

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzie Max  
 # 373 HELPER Wayne  
 BULK TRUCK  
 # 386 DRIVER Alan  
 BULK TRUCK  
 # DRIVER

**REMARKS:**

Mit 15 gals RH  
10 gals MN  
Mit 500 gals down egg. Wash  
out pump lines. Displace plug  
to 20 Tool. high pres 900#  
hand press 1800# & seal closed  
plug down @ 11:30 AM  
Thanks Fuzzie crew  
cement did circulate

CHARGE TO: White Exploration  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Heb Durant

OWNER same

CEMENT  
 AMOUNT ORDERED 525 lhd  
1/4 # flo-seal

COMMON @ \_\_\_\_\_  
 POZMIX @ \_\_\_\_\_  
 GEL @ \_\_\_\_\_  
 CHLORIDE @ \_\_\_\_\_  
 ASC @ \_\_\_\_\_

lhd 525 @ 1025 5643.75  
Flo-seal 131 @ 2.00 262.00

HANDLING 567 @ 1.90 1077.30  
 MILEAGE 109.58 x mile @ 40.82 4082.90

TOTAL 11065.95

**SERVICE**

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE 955.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 80 @ NA  
 MANIFOLD & head NA

TOTAL 955.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Heb Durant **RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 PRINTED NAME

MAR 02 2007

CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., INC.

25189

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: DAKLEY

(C)

DATE <u>11-3-06</u>	SEC. <u>28</u>	TWP. <u>290</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>8:45 AM</u>	JOB START <u>10:00 AM</u>	JOB FINISH <u>11:45 AM</u>
BLACKSTONE LEASE		WELL # <u>0-1</u>	LOCATION <u>Johnson 6S-2E-1/4N-N 2W</u>		COUNTY <u>Stanton</u>	STATE <u>Ks</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR <u>GONZALES WELL SERVICE</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>SQUEEZE</u>	
HOLE SIZE _____ T.D. _____	CEMENT _____
CASING SIZE <u>5 1/2"</u> DEPTH _____	AMOUNT ORDERED <u>50 SKS COM</u>
TUBING SIZE <u>2 1/2"</u> DEPTH _____	
DRILL PIPE _____ DEPTH _____	
TOOL <u>PACKER</u> DEPTH <u>5411'</u>	
PRES. MAX _____ MINIMUM _____	COMMON <u>50 SKS</u> @ <u>12.20</u> <u>610.00</u>
MEAS. LINE _____ SHOE JOINT _____	POZMIX _____ @ _____
CEMENT LEFT IN CSG. _____	GEL _____ @ _____
PERFS. <u>54.39'</u>	CHLORIDE _____ @ _____
DISPLACEMENT _____	ASC _____ @ _____

### EQUIPMENT

PUMP TRUCK # <u>422</u>	CEMENTER <u>TERRY</u>	HELPER <u>WAYNE</u>
BULK TRUCK # <u>315</u>	DRIVER <u>LARRY</u>	
BULK TRUCK # _____	DRIVER _____	

### REMARKS:

PRESSURE BACKSIDE TO 500 PSEI  
TAKE RATE 1/4 BBL AT 900 PSEI  
MIX 50 SKS COM + SQUEEZE TO  
1000 PSEI. RELIEVE OUT. PULL  
3 JTS. PRESSURE TO 500 PSEI.  
SHUT IN.

THANK YOU  
WASTE EXPLORATION, INC

CHARGE TO: ~~WASTE EXPLORATION, INC~~

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

HANDLING <u>50 SKS</u>	@ <u>1.90</u>	<u>95.00</u>
MILEAGE <u>94 PER SK/ MILE</u>		<u>337.80</u>
TOTAL		<u>1042.80</u>

### SERVICE

DEPTH OF JOB <u>5411'</u>		
PUMP TRUCK CHARGE		<u>1840.00</u>
EXTRA FOOTAGE _____	@ _____	
MILEAGE <u>75 MI</u>	@ <u>6.00</u>	<u>450.00</u>
MANIFOLD <u>SQUEEZE</u>	@ _____	<u>85.00</u>
TOTAL		<u>2375.00</u>

### PLUG & FLOAT EQUIPMENT

_____	@ _____	
_____	@ _____	
_____	@ _____	
_____	@ _____	
_____	@ _____	
TOTAL		_____

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Herb D. ...

Herb D. ...  
 KANSAS CORPORATION COMMISSION  
 PRINTED NAME MAR 02 2007

CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., INC.

25191

Federal Tax I.F.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>11-4-06</u>	SEC. <u>28</u>	TWP. <u>29S</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>10:00 AM</u>	JOB START <u>12:30 PM</u>	JOB FINISH <u>1:45 PM</u>
LEASE <u>BLACKSTONE</u>		WELL # <u>D-1</u>	LOCATION <u>Johnson 65-20-1/4 N-W 1/4</u>		COUNTY <u>STANTON</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>CONZAKS WELL SERVICE</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>SQUEEZE</u>	
HOLE SIZE _____ T.D. _____	CEMENT _____
CASING SIZE <u>5 1/2"</u> DEPTH _____	AMOUNT ORDERED <u><del>100 SKS</del> 100 SKS</u>
TUBING SIZE <u>2 1/2"</u> DEPTH _____	
DRILL PIPE _____ DEPTH _____	
TOOL <u>RETAINER</u> DEPTH <u>5370'</u>	
PRES. MAX _____ MINIMUM _____	COMMON <u><del>100 SKS</del> @ 12.20 = 1220.00</u>
MEAS. LINE _____ SHOE JOINT _____	POZMIX _____ @ _____
CEMENT LEFT IN CSG. _____	GEL _____ @ _____
PERFS. <u>5378' To 5310'</u>	CHLORIDE _____ @ _____
DISPLACEMENT _____	ASC _____ @ _____

**EQUIPMENT**

PUMP TRUCK	CEMENTER <u>TERRY</u>
# <u>422</u>	HELPER <u>WAYNE</u>
BULK TRUCK	
# <u>315</u>	DRIVER <u>DARREN</u>
BULK TRUCK	
# _____	DRIVER _____

HANDLING <u>100 SKS @ 1.90 = 190.00</u>	
MILEAGE <u>94 PER SKI MILE = 1675.00</u>	
TOTAL <u>2085.00</u>	

**REMARKS:**  
RETAINER SET AT 5370'  
STING INTO RETAINER, MIX 100 SKS  
COM + DISPLACE 29 1/2 BBL. HAD 10000  
OF SQUEEZE. STING OUT OF RETAINER  
REVERSE OUT

**SERVICE**

DEPTH OF JOB <u>5370'</u>	
PUMP TRUCK CHARGE _____	<u>1840.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>75 MI @ 6.00 = 450.00</u>	
MANIFOLD <u>SQUEEZE @ 85.00</u>	
TOTAL <u>2375.00</u>	

CHARGE TO: WHITE EXPLORATION, INC  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL _____	

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Karl Durant

Herb Durant  
 PRINTED NAME

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 MAR 02 2007  
 CONSERVATION DIVISION  
 WICHITA, KS



# ALLIED CEMENTING CO., INC.

25195

Federal Tax I.D. C

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: OAKLEY

DATE <u>11-6-06</u>	SEC <u>28</u>	TWP <u>28S</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>8:15 AM</u>	JOB START <u>9:00 AM</u>	JOB FINISH <u>10:45 AM</u>
BLACKSTONE LEASE	WELL # <u>D-1</u>	LOCATION <u>Johnson 65-2W-1/4N-N 20</u>			COUNTY <u>STANTON</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR CONZALES WELL SERVICE  
TYPE OF JOB SQUEEZE

OWNER SAME

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
CASING SIZE 5 1/2" DEPTH \_\_\_\_\_  
TUBING SIZE 2 1/2" DEPTH 5284'  
DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
TOOL PACKER DEPTH 5284'  
PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
CEMENT LEFT IN CSG. \_\_\_\_\_  
PERFS. 5310'  
DISPLACEMENT \_\_\_\_\_

CEMENT AMOUNT ORDERED 100 SKS COM

**EQUIPMENT**

PUMP TRUCK CEMENTER TEARY  
# 422 HELPER WAYNE  
BULK TRUCK  
# 399 DRIVER KELLY  
BULK TRUCK  
# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>50 SKS</u>	@	<u>12.20</u>	<u>610.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>100 SKS</u>	@	<u>1.95</u>	<u>190.00</u>
MILEAGE	<u>94 PER SK/MILE</u>			<u>675.00</u>
TOTAL				<u>1475.00</u>

**REMARKS:**

SET PACKER AT 5284' PRESSURE BACKSIDE TO 500 PSI. TAKE RATE 1 BBL PER MIN AT 1350 PSI. MIX 50 SKS COM & SQUEEZE TO 1350 PSI. RELEASE PACKER REVERSE OUT. PULL 2 ITS PRESSURE TO 500 PSI. SHUT IN

THANK YOU

CHARGE TO: WHITE EXPLORATION, INC.  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB	<u>5284'</u>		
PUMP TRUCK CHARGE			<u>1840.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>75 MI</u>	@	<u>6.00</u>
MANIFOLD	<u>SQUEEZE</u>	@	<u>85.00</u>
		@	
		@	
TOTAL <u>2375.00</u>			

**PLUG & FLOAT EQUIPMENT**

	@	
	@	
	@	
	@	
	@	
TOTAL _____		

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
TOTAL CHARGE \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

[Signature]  
PRINTED NAME

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
MAR 02 2007