ORIGINAL

CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

KCC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5144	API No. 15 - 135-24496 -00 -00
Name: Mull Drilling Company, Inc.	County: Ness
Address: P.O. Box 2758	SE -NW - NW Sec. 18 Twp. 18 S. R. 22 East West
City/State/Zip: Wichita KS 67201-2758	565 feet from S (N)(circle one) Line of Section
Burghasar, N/A	feet from E (W) (circle one) Line of Section
Mark Shreve	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 264-6366 CFP LUTIAL	(circle one) NE SE (NW) SW
Contractor: Name: L. D. Drilling, Inc.	Lease Name: Frank Well #: 1-18
Phone: (316) 264-6366 Contractor: Name: L. D. Drilling, Inc. License: 6039	Field Name: Wildcat
Wellsite Geologist: Kim Shoemaker	Producing Formation: N/A
Designate Type of Completion:	Elevation: Ground: 2273' Kelly Bushing: 2278'
New Well Re-Entry Workover	Total Depth: 4425' Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 221 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 38,000 ppm Fluid volume 975 bbls
Plug BackPlug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
6/21/06 6/27/06 6/27/06 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells All requirements of the statutes, rules and regulations promulgated to regulations.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: President/COO Date: 9/26/06	Letter of Confidentiality Attached
Subscribed and sworn to before me this 26 Hd day of Statembe	, If Denied, Yes Date:
2006	Wireline Log Received
Musical Mine	Geologist Report Received RECEIVED
Notary Public: TANNIS L. TRITI	UIC Distribution
Date Commission Expires: 3.26.0 SEAL MY COMMISSION EXP	
March 26, 2007	i e

Side Two

Operator Name: Mull Drilling Company, Inc. Sec. 18 Twp. 18 S. R. 22 East West			Leas	e Name:	Frank	Well #: 1-18				
			County: Ness							
INSTRUCTIONS: Sho tested, time tool open a temperature, fluid reco Electric Wireline Logs s	and closed, flowing very, and flow rate	g and shut s if gas to	t-in pressures, surface test, a	whether stong with	shut-in pr	essure reached	static level, hydr	ostatic pressu	res, bottom	hole
Drill Stem Tests Taken (Attach Additional St	neets)	 ✓Y	es 🗌 No		∠ L	.og Formati	on (Top), Depth	and Datum	☐ Sa	ımple
Samples Sent to Geolo	•	₹ Y	′es ∏No		Nam	ne		Тор	Da	ıtum .
Cores Taken		_		See Attachment "A"		KCC				
List All E. Logs Run:	/PE; DIL; Mid	cro & S	onic				CONFIE	-	•	
			CASING	RECORD	✓ N	ew Used				
	Size Hole		rt all strings set-oze Casing		surface, inte	ermediate, product	Type of	# Sacjs	Type an	d Percent
Purpose of String	Drilled		t (In O.D.)		s. / Ft.	Depth	Cement	Used		litives
Surface	12 1/4"	8 5/8"		20#		221'	Common	160	3% cc; 2	!% gel
	·		ADDITIONAL	CEMENT	ING / SQI	JEEZE RECORD)			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	e of Cement	#Sack	s Used		Type and	Percent Additive	es	
Shots Per Foot			RD - Bridge Plug Each Interval Per		е		cture, Shot, Cemer nount and Kind of M		ord	Depth
		•								
		•			 					
. TUBING RECORD	Size	Set At		Packer	At	Liner Run				
Date of First, Resumerd F	Production, SWD or E	Enhr.	Producing Met	hod	Flowin	•	Yes No		her (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
Disposition of Gas Vented Sold	METHOD OF (COMPLETIC	ON Open Hole	☐ Pei	rf. 🔲 I	Production Inter	val Commingled _		DE/	<u> </u>
(If vented, Subn	nit ACO-18.)		Other (Speci	ify)					SED.	EIVE

KCC WICHITA

ATTACHMENT TO ACO-1 Well Completion Form

Mull Drilling Company, Inc. Frank #1-18 NW/4 NW/4 Section 18-18S-22W Ness Co., KS API: 15-135-24496

CON SOLVER

LOG TOPS

FORMATION	DEPTH	SUBSEA
T/Stone Corral	1510	(+768)
B/Stone Corral	1544	(+734)
Heebner	3660	(-1382)
Lansing	3704	(-1426)
BKC	4029	(-1751)
Pawnee	4108	(-1830)
Ft. Scott	4202	(-1924)
Cherokee	4226	(-1948)
BPLM	4273	(-1995)
Miss	4297	(-2019)
RTD	4425	(-2147)
LTD	4428	(-2150)

CONFIDENTIAL CONFIDENTIAL

ALLIED CEMENTING CO., INC. Federal Tax I.D.# SERVICE POINT:

24150

REMIT TO	P.O. BOX 31
	PUSSELL KANSAS 67665

RUSS	ELL. KAN		हिन्तु १	6 2006			21120	* Bench
DATE 6-28-06	SEC. 18	TWP	RANGE SONFIL		ON LO	CARA	JOB START	JOH EINSH
LEASE FANKS	WELL#		LOCATION BOX	na Cu	3 ± N	1010	COUNTY 55	STATE
OLD OR NEW (Ci		, , <u>, , , , , , , , , , , , , , , , , </u>	200			``_		-13-21
CONTRACTOR	L E	Dr. Dr.	Iling Rig 1	OWNER			l	
TYPE OF JOB	ROTA			OWINER				
HOLE SIZE	17	T.D	HH25#	CEMENT		250		
CASING SIZE		DEI	TH	AMOUNT OR	RDERED	295	10 66	al .
TUBING SIZE		DEI	TH		4 F	low 510	P Par 54	
DRILL PIPE	45	DE	TH 158041	۷ <u> </u>	,			
TOOL	· · · · · · · · · · · · · · · · · · ·	DEI	TH			٠ 	_ ., _	
PRES. MAX			IIMUM	COMMON	193	AN	@ <i>10.6</i> S	1629.45
MEAS. LINE		SHO	DE JOINT	POZMIX	_102		@_ <i>S.80</i>	\$91.60
CEMENT LEFT IN	CSG.			GEL		set	@ <u>16.65</u>	216,45
PERFS.		· · · · · ·	<u> </u>	CHLORIDE _	· -	<u> </u>	.@	
DISPLACEMENT				ASC		· / *		
	EQU	PMENT		Trosea	6	14	@ Z,4	128.00
							@	•
PUMP TRUCK (CEMENTE	R	ike M				. @	
	IELPER		ck H			·	. @ . — — — — — — — — — — — — — — — — — — —	
BULK TRUCK		_					· · · · · · · · · · · · · · · · · · ·	
	DRIVER	<u>Co</u>	dy X				@	· · · · · · · · · · · · · · · · · · ·
BULK TRUCK							@	
#I	DRIVER			HANDLING	27/	DRes	@ 1.90	513,00
, ,		*		MILEAGE		MO	BNO	2400
).	REM	LARKS:					TOTAL	33/AS
50 A +	158	_			į		IOIAL	
80 sk of		off				SERVIC	NE.	
410 sh at	42	o et				SERVIC	.E	
50 sh &	25	0 14		DEPTH OF JO	nr /	600	1.1	
20 of d	1 60	17		PUMPTRUCK	CHARC	3 8 0 7		85.00
15 de 10	$R \cdot I$	4		EXTRA FOOT			@	
				MILEAGE		8	@ <u>S</u>	40.00
**				MANIFOLD _	· 1		@	
1.							@	
;				-	- I		@	
CHARGE TO:	η_{μ}	ノブ	rilling		i			
•					i	•	TOTAL	255 cc
STREET								
CITY	STA	TE	ZIP		1			
		1	1/]	PLUG &	FLOAT	EQUIPMEN	ſ
		In	you .	<u> </u>				
		/ / ·	you				@	
			141		·		@	
To Allied Cementi	ng Co., În	TO TAME			<u> </u>		@	
You are hereby red	•		enting equipment		<u> </u>		@	<u> </u>
and furnish cemen	-		-				@	
contractor to do w								
done to satisfaction	n and supe	ervision o	of owner agent or		L		TOTAL	
	•		the "TERMS AND			RECEI	/ED	
CONDITIONS" li				TAX	<u> </u>	<u> </u>	ሳ ልሱ	
				TOTAL CHAR		EP 38		_
			•	IOIALCHAR	K	CC WIC	HITA	
				DISCOUNT —				IN 30 DAYS
	\ \	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	£	•	i			
SIGNATURE	- }-	15	60		<u> </u>			
			7			ירו או מונו	NAME	

ALLIED CEMENTING CO., INC. 23610 Federal Tax I.D. (1997)

REMIT TO	P.O. BOX 31 RUSSELL, KANSAS 67665
	a,

SERVICE POINT:

103.		71272 010				بمعلا	acty.
DATE 6-21-06	SEC.	TWP.	RANGE 22	CALLED OUT	ON LOCATION	JOB START	10B FINISH 9:3001
LEASE Frank		1-18	LOCATION ()	aciby 55		COUNTY	STATE
OLD OR NEW C			LOCATION /Ca	ACLDM SE	77053		155
OLD ONCE DIO	noic one)					KCC) •
CONTRACTOR	LD.	Ore	<u> </u>	OWNER		SEP 2 6 20	
TYPE OF JOB	Sw	Jace		_	^	C = 0 20	IUb
HOLE SIZE	12/4	T.D.		_ CEMENT	·	ONFIDENT	<i>SIAI</i>
CASING SIZE TUBING SIZE	87/8	<u>DEF</u> DEF		_ AMOUNT OF	DEKED		
DRILL PIPE		DEF			m 3%c	47.Jel	
TOOL			TH				
PRES. MAX		MIN	IIMUM	_ COMMON	160 w.	@ 1D.65	1704.00
MEAS. LINE		SHC	DE JOINT	_ POZMIX		@	
CEMENT LEFT IN	N CSG.	15_		_ GEL	3 44	_@ <u>_16.<i>B</i>S_</u>	4995
PERFS. DISPLACEMENT		1314		_ CHLORIDE _	5 14		233,00
DISTERCEMENT				_ ASC		_@ <i></i>	
•	EQU	UIPMENT					
PUMP TRUCK	CENTENIA		0.440	_		-@	
	CEMENT HELPER	ER	DIKE			@	
BULK TRUCK	HELFER		Elkons-			@	
A	DRIVER	C	du			@	
BULK TRUCK			7			.@	
#	DRIVER			- HANDLING	168 AU	@	319-20
				MILEAGE	168AL 0	3 8 MW	
1	RE)	MARKS:				TOTAL	2546.15
Comt de	خاطب	ap po	19/4 /	DEPTH OF JO	B 221		
				FYTRA FOOT	CHARGE AGE	@	<i>5</i> /5.00
					8		40.00
			Thanks				
	,						
arr	^ 40					@	
CHARGE TO:				-			",
STREET				_		TOTAL	<u> 855 00</u>
		1	ZIP				
			ZIF		LUG & FLOAT	EOUIPMENT	•
•			•		•		
		:		85/8 70	waso_	@ <i>b00</i> 3	60.00
	مستهدد	, agains and .	ميرس مار مدي			e	
To Allied Comenti	ng Co_L	nc.				@´	•••••
You are hereby required furnish company	juested to	rent ceme	nting equipment				
and furnish cement contractor to do we	er and ne	listed. The	ist owner or			@ -	
done to satisfaction	and sun	ervision of	above work was			TOTAL	60 00
contractor. I have	read & ur	nderstand t	he "TFRMS AND		RECEIVE	ED TOTAL -	9200
CONDITIONS" lis	sted on th	e reverse s	ide.	TAX	SEP 2-8	••	
			• •	ТОТАІ СИАВО	JEF & 6		
			1	TOTAL CHARC	" KCC WICE	- 74	
				DISCOUNT		IF PAID I	N 30 DAYS
IĞNATURE		A Not		1	, 7	111-1	:

PRINTED NAME