

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1989
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33019
Name: Rosewood Resources, Inc.
Address: 2711 N. Haskell Ave., Suite 2800, LB 22
City/State/Zip: Dallas, TX 75201
Purchaser: _____
Operator Contact Person: Tom Roelfs
Phone: (970) 324-1686
Contractor: Name: Advanced Drilling Technologies LLC
License: 33532
Wellsite Geologist: Steven VonFeldt

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

| | | |
|-----------------------------------|-----------------|---|
| 10/23/2006 | 10/25/2006 | 10/25/2006 |
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |

API No. 15 - 181-20468-0000
County: Sherman
NE SE NW NE Sec. 18 Twp. 7S S. R. 38 East West
843 feet from S / N (circle one) Line of Section
1331 feet from E / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Wright Well #: 41-08
Field Name: Goodland
Producing Formation: Niobrara
Elevation: Ground: 3537' Kelly Bushing: 3549'
Total Depth: 1210' Plug Back Total Depth: N/A
Amount of Surface Pipe Set and Cemented at 368" csg @ 381 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan P&A KGR 10/30/07
(Data must be collected from the Reserve Pit) ALT 1
Chloride content 5000 ppm Fluid volume 200 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Gannell Geved
Title: Production Asst. Date: 11-28-06
Subscribed and sworn to before me this 28 day of November
2006
Notary Public: Kathy Roelfs
Date Commission Expires: 6-3-09



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
DEC 04 2006
KCC WICHITA

Operator Name: Rosewood Resources, Inc. Lease Name: Wright Well #: 41-08
 Sec. 41 Twp. 7S S. R. 38 East West County: Sherman

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Platform Express Resistivity, Porosity, Density ML-GR | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Niobrara 1034' KB |
|--|---|

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs./ Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 9 1/2" | 7" | 17# | 381' | Neat | 100 | |
| Production | N/A | N/A | N/A | N/A | Neat | N/A | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| N/A | N/A | N/A | |
| | | | |
| | | | |
| | | | |

| | | | | |
|---------------|------|--------|-----------|---|
| TUBING RECORD | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| | | | | |

| | | | | | |
|---|-----------|---|-------------|---------------|---------|
| Date of First, Resumerd Production, SWD or Enhr. none | | Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
| | none | none | | | |

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) P & A

Production Interval _____

RECEIVED
 DEC 04 2006
 KCC WICHITA

SCHAAL DRILLING, CO.
PO BOX 416
BURLINGTON, CO: 80807
719-346-8032
FIELD REPORT
SURFACE CASING, DRILLING AND CEMENTING

DRILLING DATE 10-23-06

WELL NAME & LEASE # Wright 41-08

MOVE IN, RIG UP, DIG PITS, ETC. DATE 10-23-06 TIME 11:45 AM PM

SPUD TIME 12:30 AM PM SHALE DEPTH 290 TIME 2:00 AM PM

HOLE DIA. 9 1/2 FROM 0 TO 380 TD TIME 3:00 AM PM

CIRCULATE, T.O.O.H., SET, 368.15 FT CASING 381.15 KB FT DEPTH

9 JOINTS 7.0D #/FT 14 15.5 17 20 23

PUMP 100 SAC CEMENT 554 GAL DISP. CIRC 4 BBL TO PIT

PLUG DOWN TIME 5:15 AM PM DATE 10-23-06

CEMENT LEFT IN CSG 50
CENTRALIZER 1

TYPE: PORTLAND CEMENT I/II ASTM C 150
CEMENT COST \$ 1636.33

ELEVATION 3537
+12KB 3549

PIPE TALLY

1. 41.53
2. 40.80
3. 40.80
4. 41.14
5. 40.95
6. 40.70
7. 40.70
8. 40.58
9. 40.95
10.
11.
12.
13.
368.15

RECEIVED
DEC 04 2006
KCC WICHITA

