STATE COMPORATION CONSILSSION OF KANSAS	API NO. 15- 065-227740000 OTTOTTY/
OIL & GAS CONSERVATION DIVISION MELL COMPLETION FORM	County GRAHAM
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	-S/2 - N/2 S/2 sec. 1 Twp. 10 Rge. 25 X
Operator: License # 6037	1650 Feet from S/N (circle one) Line of Section
Name: STAAB OIL CO.	2640 Feet from E(W)(circle one) Line of Section
Address 1607 Hopewell Rd.	Footages Calculated from Nearest Outside Section Corner: NE. (SE.) NW or SW (circle one)
The state of the s	tease Hame C. HERMAN Lett # 1
City/State/Zip Havs. Ks. 67601	tease Hame C. HERMAN Wett # 1
reference . na	
Operator Contact Person: Francis C. Staab Phone (913) 625-5013	Every arion: Ground 2510' KB 2515'
Phone (913) -625-5013	Yotal Depth 4070 PATD
Contractor: Name: L. D. DRILLING, INC. License: 6039-1	E-Amount of-Surface Fine Set and Cemented at 236
License: 6039-1	Multiple Stage Cementing Collar Used? -Yes No
	If yes, Show depth set
Designate Type of Completion X New Well Re-Entry Workover	If Alternate II completion, cement circulated from
OilSUDTemp. Abd.	feet depth to w/ sx cmt.
Gas ENHR SIGN XX Dry Other (Core, WSW, Expl., Cathodic, etc.)	Drilling fluid Harmgoment Plan D&A 97 3-25-97 (Data must be collected from the Reserve Pit)
If Workover:	
Operator:	Chloride contentppm Fluid volumebbl:
Well Name:	Dewatering method used
Comp. DateOld Total Depth	Location of fluid disposal if hauled offsite:
Deepening Re-perf. Conv. to Inj/SMD	Operator Name
Plug Back PBTD Consulingled Docket No.	Lease NameLicense No.
Dual Completion Docket No	- [
9-29-96 10-6-96	Quarter Sec TwpS RnqE/U
Spud Date Date Reached TD Completion Date	County Docket No
- Room 2078, Wichita, Kansas 67202, within 120 days of t Rute 82-3-130, 82-3-106 and 82-3-107 apply. Information 12 months if requested in writing and submitted with months). Proceeds of all wireline loss and denitorist well	all be filed with the Kunsus Corporation Commission, 130 S. Hurket the spud date, recompletion, workover or conversion of a well. on side two of this form will be held confidential for a period of the form (see rule 82-3-107 for confidentiality in excess of 1 ll report shall be attached with this form. ALL COMMING TICKETS wells. Submit CP-111 form with all temporarily abundoned wells.
All requirements of the statutes, rules and regulations pro with and the statements parein are supports and correct to	mulgated to regulate the oil and que industry have been fully coupli a the best of my knowledge.
"signature Francis C Slack	K.C.C. OFFICE USE CHLYS
	10-19-96 C V Wireline Log Received
- Company to the country of action and action	The bare of the control of the contr
19 <u>96</u> .	KCC Distribution Singpa
Hotory Public	(Specity)
Date Commission Expires Deptember 2	1, 2,000
	Form A00-1 (7-91)
Myralea J. Staab	70
NOTARY RUBLIC State of Kansas	, N
MY APPT. EXPIRES 9-21-2000	i i

Tests Taken Additional Sheets.) A to Geological Survey Tes No The large formation (144), Depth and Datum Name DST_13835-75 = 30303030	•		•		C Hormon	Wel		
#P. 10 Mgc. 25 M Mest 1: Show inportant tops and base of formations penetrated. Detail all cores. Report all drill stem tests yive street, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, time tool open and closed, flowing and shut-in-pressures, whether shut-in pressure reached studic leveled, in the shut-in pressure reached studic leveled, and shut-in-pressures, whether shut-in great in terms of the shut-in-pressures, whether shut-in shut-in pressure reached studies in the shut-in-pressures, whether shut-in shut-in shut-in tests yit of sample studies in the shut-in-pressures, whether shut-in shut-in shut-in shut-in tests yit in the shut-in-pressures, whether shut-in shut-in shut-in shut-in tests yit in shut-in-pressures, whether shut-in shut-in shut-in tests yit in shut-in-pressures, whether shut-in shut-in shut-in shut-in-pressures, whether shut-in shut-in shut-in shut-in shut-in shut-in-pressures, whether shut-in shut-in shut-in shut-in-pressures, whether shut-in-pressures, whether shut-in-pressures, whether shut-in-pressures, whether shut-in-pressures, whether shut-in-pressures, but shut-in-pressures, whether shut-in-pressures, but shut-in-pressures, but shut-in-pressures, but shut-in-pressures, but shut-in-pressures, but shut-in-pressures, but shut-in-pressures, whether shut-in shut-in-pressures, whether shut-in-pressu	STAAB O	IL CO.		Lease Name	C. Herman.			
Show important tops and base of formations penetrated. Detail at Lores. Report all drift statements of time tool open and closed, flosing and shut-in-pressures, button from source freedled static few pressures, botton hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra shifte is received. Attach copy of Log. Tests Taken Yes No Yes No Top Nome DST_33835-75 = 30303030	•	LI E		Comuty	Granam			•
Pressures, bottom hale temperature, fluid recovery, and the recovery of toy. The temperature of the pressures of the recovery). <u>10</u> Ngc.	_25 🖾 u	est				acill etam	n tests giving
Supplicational Sheets.) Yes No No Note No Note No No Note No No No No No No No N	manuaci but	rou hale tello	erature, fluid recov	penetrated. De shut-in-pressur ery, and flow ra	tail all core es, whether t ites if gas to	s. Report all shut-in pressure surface during t	e resched	
Nictional Sheets.) to Geological Survey Tes No The part of the				DX 100	formation ()	(op), Depth and	Dutimoi	L. Sangite
Yes No	ists Taken oditional She	ets.)		Hame	**= 7	Top 1 A B A B B B	IH	P1896 IF
READ POPL AND TITOMAL CEMENTING/SQUEEZE RECORD READ POPL AND PENFORMED BOTTOM RECORD Type of Cement Populations Per foot Specify footage of Each Interval Perforated Per foot Per foot Specify footage of Each Interval Perforated Per foot Per foot Per footage of Each Interval Perforated Per foot Per foot Per footage of Each Interval Perforated Per footage of Each Interval Perforated Per footage Pings Set/Type (Ancount and Kind of National Parts of Per footage Pings Set/Type (Ancount and Kind of National Parts of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancount and Kind of National Per footage Pings Set/Type (Ancou		A 7/A	A Aes X Ho	DST = 383	35-75 ± 3	ARD FSIP	263 F	HP 1886
Report all strings set-consuctor, surface, intermediate, production, etc. String Size Hole Size Casing Weight User (in 0.0.) Setting User Commit User (in 0.0.) Face 12 1/4" 8 5/8" 28# 236' 60/40 Poz 150 2% Gell. ADDITIONAL CENENTING/SQUEEZE RECURD ADDITIONAL CENENTING/SQUEEZE RECURD Top Bottom Type of Cement Sucks Used Type and Percent Additives Forste String User Top Bottom Type of Cement Sucks Used Type and Percent Additives Per fuot Specify Fuotage of Each Interval Perforated (Ansount and Kind of Material Used)] Yes 🖾 No	ISIP2	13 FFF 3. 10 2015	DST= 3	884-39	727 -30 30
Report all strings set-conductor, surface, intermediate, production, etc. Report all strings set-conductor, surface, intermediate, production, etc. Size hole Size Casing Ueight User Centent Used Additive Set (in 0.0.) 2% Gel, 150 2%		. 8	1 Yes No	TUD 197	7 IFP 5/	-51 ISIP	324 FF	FP 57501
Report all strings set-conductor, surface, intermediate, production, etc. Report all strings set-conductor, surface, intermediate, production, etc. Size hole Size Casing Weight Setting Centent Used Additive Set (in 0.0.) Lbs./ft. Usepth Centent Used Additive Set (in 0.0.) 2% Gel, ADDITIONAL CEMENTING/SQUEEZE RECORD ADDITIONAL CEMENTING/SQUEEZE RECORD Type and Percent Additives Type and Percent Additives Type and Percent Additives PENFUNATION RECORD - Bridge Plugs Set/Type (Annount and Kind of Natural Used) PERFUNATION RECORD - Bridge Plugs Set/Type (Annount and Kind of Natural Used)	:opy.) A	, h 216	0 +354	EHP1967	= 30 Ft	Mud D	5/3-	3937 JA
Report all strings set-conductor, surface, intermediate, production, etc. String Size Hole Size Casing Weight Duepth Setting Cement Used Additive Set (in 0.0.) Lbs./ft. Depth Cement Used Setting Used Type and Padditive Set (in 0.0.) Lbs./ft. Depth Setting Used Type and Padditive Set (in 0.0.) Setting Used Type and Percent Additives ADDITIONAL CEMENTING/SQUEEZE RECURD ADDITIONAL CEMENTING/SQUEEZE RECURD Top Bottom Type of Cement Sucks Used Type and Percent Additives Per foot Specify Fuotage of Each Interval Perforated (Amount and Kind of Haterial Used)	ogs Run: Ba	25e 219	MC 4311	36 30 30	30 30 11	PSI FHF	1987	5 F+ 011
Report all strings set-conductor, surface, intermediate, production, etc. Report all string set-conductor, surface, intermediate, production, etc. Report all string used Report all string used. Report all string used Report all string used. Report al	3566	1052 F	170 1000 150	ST FFF DO	2068-	4008 45	45 45	745IHA ^ ESTRA
Report all strings set-conductor, surface, intermediate, production, etc. String Size Hole Size Casing Weight Depth Setting Collect Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Collect Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Used Type and Percent Additive Set (in 0.0.) Lbs./ft. Setting Used Type and Percent Additives ABBITIONAL CEMENTING/SQUEEZE NECOND Depth Top Bottom Type of Cement Wester Used Type and Percent Additives For set Casing Used Type and Percent Additives Per Foot Specify Footage of Each Interval Perforated (Anguert and Kind of Haterial Used)	ir 3784	- 1293 A	TD 4072	750 30	-30 ISI	Pata FF	p 30 30	21.7 MUX
Report all strings set-conductor, surface, intermediate, production, etc. String Size Hole Size Casing Weight Depth Setting Collect Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Collect Used Type and Padditive Set (in 0.0.) Lbs./ft. Setting Used Type and Percent Additive Set (in 0.0.) Lbs./ft. Setting Used Type and Percent Additives ABBITIONAL CEMENTING/SQUEEZE NECOND Depth Top Bottom Type of Cement Wester Used Type and Percent Additives For set Casing Used Type and Percent Additives Per Foot Specify Footage of Each Interval Perforated (Anguert and Kind of Haterial Used)	19 3826	2-1308	74.15	TP 85	=HP188	6 20 Ft	500	Lat moo
String Size Hole Size Casing Los./ft. Setting Type of Centent Used Additive Set (in 0.0.) Los./ft. Setting Depth Centent Used Additive Set (in 0.0.) Los./ft. Setting Depth Centent Used Additive Set (in 0.0.) 2% Gol., Setting Set (in 0.0.) 2% Gol., Setting Set (in 0.0.) 2% Gol., Setting Set (in 0.0.) Set (in 0.0.) 2% Gol., Setting Set (in 0.0.) Set (i	e Creek	5 3939-1	CASING RECORD	Hew A U	sed	production, etc	•	
String Size hate Drilled Set (in 0.0.) Los./ft. Depth Centent Used Additives Face 12 1/4" 8 5/8" 28# 236' 60/40 Poz 150 2% Gel, ADDITIONAL CEMENTING/SQUEEZE RECORD Depth Top Bottom Type of Centent Stacks Used Type and Percent Additives Per foot Specify Footage of Each Interval Perforated (Anount and Kind of Naterial Used)		Report all	strings set-condu	TOP, SUPTOCE, I	Serring		# Sacks	Type and Percen
forate forate tect Casing g Buck 1D y Off Zone Per Foot Per Foot	string		Size Casing	weight Lbs./ft.	1		0750	
ADDITIONAL CEMENTING/SQUEEZE RECURD Depth Top Bottom Type of Cement #Sucks Used Type and Percent Additives OF ZONE PERFORATION RECORD - Bridge Plugs Set/Type Specify Fuotage of Each Interval Perforated (Anount and Kind of Naterial Used)				28#	236'	60/40 Poz	150	2% Gel, 3%
Depth Top Bottom Type of Cement #Sucks Used Type and Percent Additives CC Casing Buck TD Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	ace	12 1/4"	8 5/8					
Depth Tup Bottom Type of Cement #Sacks Used Type and Percent Additives PERFORATION RECORD - Bridge Plugs Set/Type Per foot Specify Footage of Each Interval Perforated (Amount and Kind of Naterial Used)								
Orate ect Casing Buck TD Off Zone PERFORATION RECOND - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Canonic and Kind of Muterial Used)								
Orate ect Casing Buck TD Off Zone PERFORATION RECOND - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Coscut Squeeze Ro (Anount and Kind of Nuterial Used)		AUDITIONAL C	EHENTING/SQUEEZE RE	COKD				.mc
Per foot Specify Footage of Each Interval Perforated (Anount and Kind of Muterial Used)		Depth Top Botton	Type of Cement	Sucks Used	1	Type and Perce	nt Additiv	763
Per foot Specify Footage of Each Interval Perforated (Anount and Kind of Material Used)	orate							
PERFORATION NECOND - Bridge Plugs Set/Type Acid, Fracture, Shot, Leacht Specify Function of Each Interval Perforated (Amount and Kind of Material Used)	wack TD							
Per Fuot Specify Fuotage of Each Interval Perforated (Amount and Kild of Auto-	1 011 2014			C. a. A. T. C.	Acid	1, fracture, Sho	t Commit	d) Dept
	Per fuot	PERFURATI Specify Fuot	low Record - Bridge tage of Each Intervi	at Perforated	Trucking)	and kind of Mat	.crtat dae.	
WELLIAM SIZE SET AT PACKET AT LINET KUN THE NO		Ciza	Set At	Packer A	re Filmi.	Kun Yes	, LJ 80	
Orher (a . a	[Other (Expl
f first, Resumed Production, SuD or Inj. Producing hethod Flowing Pumping Gas Lift Other (f first, ke	isused Product	tion, sub or Inj.	broductua weem			0.011.00	io G
uble land Mater Mote.				s ncf	Hater	ubls. Ga	S-OIL KACI	10
sted Production Oil	sted Produc r 24 Nours	.,,,,,				Production	interval	
osition of Cas: MCTHOD OF COMPLETION Desirion of Cas: MCTHOD OF COMPLETION Desirion of Cas: Dualty Comp. Commingled	sition of G		HOU OF COMPLETION	J acre #01= [] perf.	Duelly Conp. L	J commingl	led
vented Sold Sold Sused on Lease Spen Hole Specify) (It vented, submit ACO-18.) Dry Abandoned		sald 🗆 use	rd on Lusse	a open note	- · ·		خيانه ويستمين	
(if vented, submit ACO-18.)	ented							
D O. ADANKONICO	ented .	Lubrait ACO-	.10.,	TOTHER (Speci	1201			

ALLIED CEMENTING CO., INC. 6793

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	ORIGINAL	SERVICE POINT	:
SEC. TWP. RANGE	CALLED OUT ON LO	OCATION JOB START	JOB FINISH
DATE 9-29-96		30 pm 12:150	
LEASE WELL# \ LOCATION	X. Poter IN 13/8 KIN	COUNTY	STATE
OLD OR (NEW (Circle one)	1. 10.00x 114 1 12 1-110	- I SUBMINEUR	
CONTRACTOR 1-D Dulg	OWNER		
TYPE OF JOB Surface.		CEMENT	ſ
HOLE SIZE 17/4 T.D. 245 CASING SIZE 8/8 DEPTH 235	AMOUNT ORDERED	1576% 3	-1- 7
CASING SIZE 8 % DEPTH 235 TUBING SIZE DEPTH	AMOUNT ORDEREL	<u>_ 190 .140 .3</u>	<u>a.C.</u>
DRILL PIPE DEPTH			
TOOL DEPTH			
PRES. MAX MINIMUM	COMMON	<u>90 @ 610</u>	549.00
MEAS. LINE SHOE JOINT	POZMIX	<u>60@ 315</u>	
CEMENT LEFT IN CSG. 10-15'	334 GEL	3 @ 950	28.50
PERFS.	CHLORIDE	<u> </u>	<u> 140.00</u>
		@	
EQUIPMENT		@	
	<u> </u>	@ @	
PUMP TRUCK CEMENTER YMOUR		@	
# 153 HELPER +2.S.	HANDLING	@ <i>105</i>	15750
BULK TRUCK	MILEAGE 60		36000
# Z18 DRIVER Dean		•	
BULK TRUCK # DRIVER		TOTA	L <u>1424,00</u>
REMARKS:		SERVICE	,
Count Circulated	DEPTH OF JOB		
Child Chilester	PUMP TRUCK CHAR	GE	445.06
	EXTRA FOOTAGE		
	MILEAGE	60 @ 235	141.00
	PLUG		45.00
		@	
<u> </u>		@	
CHARGE TO: Staal, Soil Co		TOTA	L 631.00
		OAT EQUIPMENT	
CITY Hays STATE Kan ZIP G	01601	@	135 67
•			T-15
and a second of the second	Lauren et en		- <u>10 239</u>
	The state of the s	- @ <u> </u>	
and the control of t		<u> </u>	<u>)</u>
		\	
		TOTA	AL
		*	
To Allied Cementing Co., Inc.	TAX		
You are hereby requested to rent cementing equip	oment TOTAL CHARGE —		
and furnish cementer and helper to assist owner of		IE D	AID IN 30 DAVS
contractor to do work as is listed. The above wor		II F/	MA JU DAIG
done to satisfaction and supervision of owner age			
contractor. I have read & understand the "TERM		•	
CONDITIONS" listed on the reverse side.			
SIGNATURE THU. O	·		

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- —TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- —ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.
- —PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.
- —TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.
- —PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.
- —DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- —SERVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.
- 3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
 - 2. More specifically:
- (A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.
- (C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., INC. 7330

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	5 .	ORIGINA	AL SER	VICE POINT:	
DATE 10-6-96 SEC. TWP.	RANGE 25	CALLED OUT	ON LOCATION 8:WAM	JOB START	JOB FINISH
LEASEHERMAN WELL# /	ل الرا LOCATION	F St Peter		COUNTY	STATE
OLD OR NEW (Circle one)				,	· · · · · · · · · · · · · · · · · · ·
CONTRACTOR 1 0 0 1		- OWNER	<.		
CONTRACTOR L.D. DR/g. TYPE OF JOB P/109		OWNER		CEMENT	
HOLE SIZE T.D.	·	_		CENTENT	
CASING SIZE 8-5 DEP	ГН	_ AMOUNT ORI			
TUBING SIZE 4人 DEPI	ГН	185eb 6	0)40-6 -6	# F10	
DRILL PIPE DEP		, , , , , , , ,	· ·		· · · · · · · · · · · · · · · · · · ·
TOOL DEPT			717	قلما @	477 40
	MUM E JOINT	_ COMMON POZMIX	74	_@ <u> </u> 215	233 70
CEMENT LEFT IN CSG.	E JOHNI	GEL	9	@ <u>୍ଟ୍ର</u>	85 <u>5</u>
PERFS.		CHLORIDE		_ @	
	· · · · · · · · · · · · · · · · · · ·	Thorall	46	<u>- 577</u>	52 90
EQUIPMENT			1. 1. 1.	@	
EQUI MENT					
PUMP TRUCK CEMENTER 13.11.	<u></u>		· · · · · · · · · · · · · · · · · · ·	@	
# 179 HELPER (1)				_@	194 25
BULK TRUCK		- HANDLING_	12 150 11	_@ <u>_1</u> as	<u> </u>
DRIVER		MILEAGE	44/28/	I I WAS	<u> </u>
BULK TRUCK				TOTAL	71799 82
# 160 DRIVER Paul			•	IOIAL	
•		•			
REMARKS:		SERVICE			
lot plug e 2175 u	1 35 ph	DEPTH OF JOI			
24/2/2012	1 1501	_ PUMP TRUCK			445°°
and plug e 1255 up	1 100 ssv	_ EXTRA FOOT	1	_@ @	121 20
3Rd plug C 285 w	4 DAR	_ MILEAGE _ PLUG <u> </u>		_@ <u></u> 	22 00
1000 C 110'	10mm			_	
15 sh Rathole					
				TOTAL.	/ 30 00
CHARGE TO: SHAAB O.I C	0.	_		TOTAL	639 =
STREET 1607 Uspourall	P.1.		FLOAT EQU	JIPMENT	
· · · · · · · · · · · · · · · · · · ·		_			
CITY House STATE Your	<u>222 ZIP 67661</u>			(f.: ,	
\		.		_ (<u>)</u>	
•					
and the second s				<u>)@</u>	· —
with the community of the second seco	,				
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	S. S. C.	. *
			* .	TOTAL	· · · · · · · · · · · · · · · · · · ·
•		4	,	•	•
	.	TAX			•
To Allied Cementing Co., Inc.		,			
Van and handher magnested to ment come	enting equipment	TOTAL CHAR	GE		
You are hereby requested to rent ceme				IF PAI	D IN 30 DAYS
and furnish cementer and helper to ass		DISCOUNT —	· · · · · · · · · · · · · · · · · · ·	II 17XI	
and furnish cementer and helper to ass contractor to do work as is listed. The	e above work was			II 17NI	
and furnish cementer and helper to ass contractor to do work as is listed. The done to satisfaction and supervision o	e above work was f owner agent or			II 17XI	
and furnish cementer and helper to ass contractor to do work as is listed. The done to satisfaction and supervision o contractor. I have read & understand	e above work was f owner agent or the "TERMS ANI			——— II I I I	
and furnish cementer and helper to associate contractor to do work as is listed. The done to satisfaction and supervision of contractor. I have read & understand CONDITIONS" listed on the reverse	e above work was f owner agent or the "TERMS ANI side.	D		— n m	
and furnish cementer and helper to associate contractor to do work as is listed. The done to satisfaction and supervision o contractor. I have read & understand	e above work was f owner agent or the "TERMS ANI side.	D	rvidson	— n m	

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- —TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- —ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.
- —PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.
- —TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.
- —PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.
- —DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- —SERVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.
- 3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
 - 2. More specifically:
- (A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.
- (C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.