

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

ORIGINAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33625  
Name: HERTEL OIL COMPANY  
Address: 704 E 12TH ST  
City/State/Zip: HAYS KS 67601  
Purchaser: \_\_\_\_\_  
Operator Contact Person: MIKE HERTEL  
Phone: (785) 628-2445  
Contractor: Name: ANDERSON DRILLING  
License: 33237  
Wellsite Geologist: KEVIN DAVIS

Designate Type of Completion:  
\_\_\_\_ New Well \_\_\_\_ Re-Entry \_\_\_\_ Workover  
 Oil \_\_\_\_ SWD \_\_\_\_ SIOW \_\_\_\_ Temp. Abd.  
\_\_\_\_ Gas \_\_\_\_ ENHR \_\_\_\_ SIGW  
 Dry \_\_\_\_ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_ Deepening \_\_\_\_ Re-perf. \_\_\_\_ Conv. to Enhr./SWD  
\_\_\_\_ Plug Back \_\_\_\_ Plug Back Total Depth  
\_\_\_\_ Commingled Docket No. \_\_\_\_\_  
\_\_\_\_ Dual Completion Docket No. \_\_\_\_\_  
\_\_\_\_ Other (SWD or Enhr.?) Docket No. \_\_\_\_\_  
9-5-06 9-20-06 9-20-06  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date


API No. 15 - 051-25572-00-00  
County: ELLIS  
APN2 SW SW SE Sec. 36 Twp. 13 S. R. 17  East  West  
550 feet from (S) N (circle one) Line of Section  
2310 feet from (E) W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW  
Lease Name: PETER BRAUN Well #: 1  
Field Name: WILDCAT  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 1959 Kelly Bushing: \_\_\_\_\_  
Total Depth: 3560 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 222 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan *Per All. II KJR 10/29/07*  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Managing Member Date: 11-1-2006  
Subscribed and sworn to before me this \_\_\_\_\_ day of 11-1-2006,  
20 06.  
Notary Public: Arlene M. Brungardt  
Date Commission Expires: 3-20-2009



KCC Office Use ONLY

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
NOV 09 2006  
KCC WICHITA

Operator Name: HERTEL OIL COMPANY Lease Name: PETER BRAUN Well #: 1  
 Sec. 36 Twp. 13 S. R. 17  East  West County: ELLIS

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
<b>SURFACE</b>	12 1/4"	8 5/8"		222	COM	150	3%CC; 2%GEL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas      METHOD OF COMPLETION      Production Interval

Vented    Sold    Used on Lease     
  Open Hole    Perf.    Dually Comp.    Commingled \_\_\_\_\_  
*(If vented, Submit ACO-18.)*     
  Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 26025  
*Russell*

DATE <i>9-10-06</i>	SEC. <i>36</i>	TWP. <i>13</i>	RANGE <i>17</i>	CALLED OUT	ON LOCATION <i>8:00pm</i>	JOB START <i>9:15am</i>	JOB FINISH <i>9:30pm</i>
LEASE <i>Peter Brown</i>	WELL # <i>1</i>	LOCATION <i>I-70 &amp; Victoria 25 1/2 W. 1/4</i>		COUNTY <i>Fills</i>	STATE <i>Kansas</i>		
OLD OR NEW (Circle one)							

CONTRACTOR *AGA Drilling Rig 1*

TYPE OF JOB *Surface*

HOLE SIZE *17 1/2"* T.D. *222*

CASING SIZE *8 5/8"* *24lb* DEPTH *222*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *134 Bbl*

OWNER

CEMENT

AMOUNT ORDERED *150 Com 3" KCC 2" plug*

COMMON	<i>150</i>	@	<i>1065</i>	<i>1597 50</i>
POZMIX		@		
GEL	<i>3</i>	@	<i>1665</i>	<i>49 95</i>
CHLORIDE	<i>5</i>	@	<i>4660</i>	<i>233 00</i>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>158</i>	@	<i>190</i>	<i>300 20</i>
MILEAGE	<i>9 1/2 SK / Mile</i>			<i>241 74</i>
				TOTAL <i>2422 39</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Steve*

# *409* HELPER *Craig*

BULK TRUCK

# *410* DRIVER *Bryan*

BULK TRUCK

# DRIVER

REMARKS:

*Cement did Circulate*

*Thank You*

CHARGE TO: *Hot Oil*

STREET

CITY STATE ZIP

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE *815 00*

EXTRA FOOTAGE @

MILEAGE *17* @ *6 00* *102 00*

MANIFOLD @

RECEIVED

NOV 09 2006 TOTAL *917 00*

KCC WICHITA  
PLUG & FLOAT EQUIPMENT

*1 8 3/4" Wooden Plug* @ *60 00*

@

@

@

@

TOTAL *60 00*

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *[Signature]*

PRINTED NAME

# ALLIED CEMENTING CO., INC. 21054

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>9-20-06</u>	SEC. <u>36</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT <u>3:00pm</u>	ON LOCATION <u>4:13pm</u>	JOB START	JOB FINISH <u>7:30pm</u>
LEASE <u>Power Brown</u>		WELL# <u>1</u>	LOCATION <u>Victoria 2w</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)							

CONTRACTOR AAA Rig

TYPE OF JOB Plug

HOLE SIZE 2 3/8 T.D. 3560

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER Same

CEMENT AMOUNT ORDERED 20 sacks 6 gal 6 1/2 # Flt

COMMON	<u>123</u>	@	<u>1065</u>	<u>1309.95</u>
POZMIX	<u>82</u>	@	<u>580</u>	<u>475.60</u>
GEL	<u>10</u>	@	<u>1665</u>	<u>166.50</u>
CHLORIDE		@		
ASC		@		
Flo Seal	<u>51#</u>	@	<u>2.00</u>	<u>102.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>215</u>	@	<u>190</u>	<u>408.50</u>
MILEAGE	<u>94/SK</u>	@	<u>3.48</u>	<u>348.00</u>
TOTAL				<u>2810.95</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Bill

# 366 HELPER Paul

BULK TRUCK

# 365 DRIVER Chris

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

1st plug c 3560 w/ 25sks

2nd plug c 1130 w/ 25sks

3rd plug c 600 w/ 100sks

4th plug c 260 w/ 40sks

5th plug c 40 w/ 100sks

1 sack FH

**SERVICE**

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>955.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>18</u>	@	<u>6.00</u>
MANIFOLD		@	
<b>RECEIVED</b>			
NOV 09 2006			
KCC WICHITA			
TOTAL			<u>1063.00</u>

CHARGE TO: Hertel Oil Co.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

<u>1-8# Dry Hole</u>	@	<u>35.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>35.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Elabo Sinesac

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

21054

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:                     

DATE <u>7-20-58</u>	SEC. <u>76</u>	TWP. <u>17</u>	RANGE <u>17</u>	CALLED OUT <u>                    </u>	ON LOCATION <u>                    </u>	JOB START <u>                    </u>	JOB FINISH <u>7.30pm</u>
LEASE <u>                    </u>		WELL # <u>                    </u>	LOCATION <u>                    </u>			COUNTY <u>                    </u>	STATE <u>                    </u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR                     

TYPE OF JOB                     

HOLE SIZE                      T.D.                     

CASING SIZE                      DEPTH                     

TUBING SIZE                      DEPTH                     

DRILL PIPE                      DEPTH                     

TOOL                      DEPTH                     

PRES. MAX                      MINIMUM                     

MEAS. LINE                      SHOE JOINT                     

CEMENT LEFT IN CSG.                     

PERFS.                     

DISPLACEMENT                     

OWNER                     

CEMENT AMOUNT ORDERED                     

EQUIPMENT

PUMP TRUCK CEMENTER                     

#                      HELPER                     

BULK TRUCK                     

#                      DRIVER                     

BULK TRUCK                     

#                      DRIVER                     

COMMON	<u>123</u>	@	<u>10.45</u>	<u>1309.95</u>
POZMIX	<u>32</u>	@	<u>5.80</u>	<u>475.60</u>
GEL	<u>10</u>	@	<u>16.50</u>	<u>165.00</u>
CHLORIDE		@		
ASC		@		
<u>                    </u>	<u>51#</u>	@	<u>2.00</u>	<u>102.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>215</u>	@	<u>1.90</u>	<u>408.50</u>
MILEAGE	<u>92/50/11.10</u>			<u>348.00</u>
TOTAL				<u>2310.05</u>

REMARKS:

SERVICE

DEPTH OF JOB	<u>                    </u>			
PUMP TRUCK CHARGE				<u>155.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>13</u>	@	<u>6.00</u>	<u>78.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>233.00</u>

CHARGE TO:                     

STREET                     

CITY                      STATE                      ZIP                     

PLUG & FLOAT EQUIPMENT

	@	<u>35.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>35.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX                     

TOTAL CHARGE                     

DISCOUNT                      IF PAID IN 30 DAYS

SIGNATURE Elabo Sinesac

PRINTED NAME