

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33396  
Name: Fair Oil, Ltd.  
Address: P.O. Box 689  
City/State/Zip: Tyler TX 75710  
Purchaser: NCRA  
Operator Contact Person: Rodney K Thomson  
Phone: (903) 510 6527  
Contractor: Name: Val Energy  
License: 5822  
Wellsite Geologist: Richard Saenz

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
8-20-05 9-01-05 9-19-05  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date

API No. 15 - 063-21595-00-00  
County: Gove  
N 2 - N 2 - SE Sec. 27 Twp. 15 S. R. 29  East  West  
2310 feet from (S) N (circle one) Line of Section  
1320 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: KS5C Dorothy York Well #: 27-1  
Field Name: Wildcat  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2573 Kelly Bushing: 2583  
Total Depth: 4400 Plug Back Total Depth: 4242  
Amount of Surface Pipe Set and Cemented at 333 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 2047  
feet depth to surface w/ 450 sx cmt.


Drilling Fluid Management Plan ACT II with  
(Data must be collected from the Reserve Pit) 12-7-07  
Chloride content 17,000 ppm Fluid volume 450 bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No. 052006  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ East  West   
County: \_\_\_\_\_ Docket No. \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 05 2006  
CONSERVATION DIVISION  
WICHITA, KS

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Rodney K Thomson  
Title: Production Manager Date: 6-28-06  
Subscribed and sworn to before me this 28th day of June,  
2006  
Notary Public: Kathy Hardy  
Date Commission Expires: \_\_\_\_\_



KCC Office Use ONLY  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Fair Oil, Ltd Lease Name: KS5C Dorothy York Well #: 27-1  
 Sec. 27 Twp. 15 S. R. 29  East  West County: Gove

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: Dual Induction Sonic Compensated Density/Neutron	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>Anhydrite</td> <td>1972</td> <td>+611</td> </tr> <tr> <td>Heebner</td> <td>3650</td> <td>-1067</td> </tr> <tr> <td>Lansing</td> <td>3689</td> <td>-1106</td> </tr> <tr> <td>Stark</td> <td>3936</td> <td>-1353</td> </tr> <tr> <td>Labette</td> <td>4182</td> <td>-1599</td> </tr> <tr> <td>Mississippian</td> <td>4292</td> <td>-1709</td> </tr> </tbody> </table>	Name	Top	Datum	Anhydrite	1972	+611	Heebner	3650	-1067	Lansing	3689	-1106	Stark	3936	-1353	Labette	4182	-1599	Mississippian	4292	-1709
Name	Top	Datum																				
Anhydrite	1972	+611																				
Heebner	3650	-1067																				
Lansing	3689	-1106																				
Stark	3936	-1353																				
Labette	4182	-1599																				
Mississippian	4292	-1709																				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	333	common	200	3% CaCl 2% gel
Production	7 7/8	4 1/2	10.5	4242	ASC	215	10% salt
					lite	450	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3976-3981	500 gal 15% MCA	3976
<b>RECEIVED</b> <b>KANSAS CORPORATION COMMISSION</b> <b>JUL 05 2006</b> <b>CONSERVATION DIVISION</b> <b>WICHITA, KS</b>			

TUBING RECORD	Size 2 3/8	Set At 3984	Packer At NA	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 11-15-05		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 17	Gas Mcf 0	Water Bbls. 62	Gas-Oil Ratio Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
*(If vented, Submit ACO-18.)*  Other (Specify) \_\_\_\_\_

Allied Cementing Co., Inc  
P.O. Box 31

Russell, KS 67665

\*\*\*\*\*  
\* I N V O I C E \*  
\*\*\*\*\*

Invoice Number: 098097

Invoice Date: 08/23/05

Sold Fair Oil, LTD  
To: P. O. Box 689  
Tyler, TX  
75710--689

Cust I.D.....: FairOi  
P.O. Number...: Dorothy York #27-1  
P.O. Date.....: 08/23/05

Due Date.: 09/22/05  
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	200.00	SKS	10.0000	2000.00	T
el	4.00	SKS	14.0000	56.00	T
chloride	7.00	SKS	38.0000	266.00	T
handling	211.00	SKS	1.6000	337.60	E
ileage	52.00	MILE	12.6600	658.32	E
211 sks @.06 per sk per mi					
urface	1.00	JOB	670.0000	670.00	E
xtra Footage	38.00	PER	0.5500	20.90	E
ileage pmp trk	52.00	MILE	5.0000	260.00	E

All Prices Are Net, Payable 30 Days Following  
date of Invoice. 1 1/2% Charged Thereafter.  
If Account CURRENT take Discount of \$ 426.88  
ONLY if paid within 30 days from Invoice Date

Subtotal: 4268.82  
Tax.....: 146.29  
Payments: 0.00  
Total....: 4415.11

(426.88)  
3988.23

1600.28  
IOC: Cementing Svcs  
OKGB  
lyee

RECEIVED  
SEP - 6 2005

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 05 2006  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 19724

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY, KS

DATE <u>8-23-05</u>	SEC. <u>27</u>	TWP. <u>15</u>	RANGE <u>29</u>	CALLED OUT <u>12:30am</u>	ON LOCATION <u>2:30am</u>	JOB START <u>5:00am</u>	JOB FINISH <u>6:00am</u>
Dorothy York LEASE		WELL # <u>27-1</u>	LOCATION <u>Gove S-Cityline 1W</u>		COUNTY <u>Gove</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1 1/2 w - win</u>				

CONTRACTOR VAL Dink  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12"4 T.D. 338'  
 CASING SIZE 8 7/8 24" DEPTH 338'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 20 1/2 BBLs

OWNER Jame

CEMENT  
 AMOUNT ORDERED 200 com 390cc  
200 gal

COMMON	<u>200</u>	@	<u>10<sup>00</sup></u>	<u>2000<sup>00</sup></u>
POZMIX		@		
GEL	<u>4</u>	@	<u>14<sup>00</sup></u>	<u>56<sup>00</sup></u>
CHLORIDE	<u>7</u>	@	<u>38<sup>00</sup></u>	<u>266<sup>00</sup></u>
ASC		@		

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**JUL 05 2006**  
 CONSERVATION DIVISION  
 WICHITA, KS

HANDLING	<u>211</u>	@	<u>1<sup>60</sup></u>	<u>337<sup>60</sup></u>
MILEAGE	<u>.0645K + mile</u>			<u>658<sup>32</sup></u>
TOTAL				<u>3317<sup>92</sup></u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy  
 # 191 HELPER WAYNE  
 BULK TRUCK  
 # 377 DRIVER LARRY  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Cement did circulate  
Plug down @ 5:45 am  
Thanks Fuzzy + crew

**SERVICE**

DEPTH OF JOB	<u>338'</u>			
PUMP TRUCK CHARGE			<u>670<sup>00</sup></u>	
EXTRA FOOTAGE	<u>38</u>	@	<u>.55</u> <u>20<sup>90</sup></u>	
MILEAGE	<u>52</u>	@	<u>5<sup>00</sup></u> <u>260<sup>00</sup></u>	
MANIFOLD		@		
TOTAL				<u>950<sup>90</sup></u>

CHARGE TO: FAIR OIL LTD.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rick Smith

Rick Smith  
 PRINTED NAME

Allied Cementing Co., Inc  
P.O. Box 31  
Russell, KS 67665

\*\*\*\*\*  
\* \* \* \* \*  
\* I N V O I C E \*  
\* \* \* \* \*  
\*\*\*\*\*

Invoice Number: 098297

Invoice Date: 09/08/05

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**JUL 05 2006**  
**CONSERVATION DIVISION**  
**WICHITA, KS**

Sold Fair Oil, LTD  
To: P. O. Box 689  
Tyler, TX  
75710--689

Cust I.D.....: FairOi  
P.O. Number...: Dorothy York #27-1  
P.O. Date.....: 09/08/05

Due Date.: 10/08/05  
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
SC	215.00	SKS	11.6500	2504.75	T
L-160	101.00	LBS	8.7000	878.70	T
D-31	151.00	LBS	6.2500	943.75	T
foamer	50.00	LBS	5.7500	287.50	T
alt	20.00	SKS	15.7500	315.00	T
FR-2	500.00	GAL	1.0000	500.00	T
handling	241.00	SKS	1.6000	385.60	E
ileage	51.00	MILE	14.4600	737.46	E
241 sks @.06 per sk per mi					
ottom Stage	1.00	JOB	1370.0000	1370.00	E
ileage pmp trk	51.00	MILE	5.0000	255.00	E
V Tool	1.00	EACH	3000.0000	3000.00	T
FU Insert	1.00	EACH	210.0000	210.00	T
uide Shoe	1.00	EACH	125.0000	125.00	T
askets	2.00	EACH	116.0000	232.00	T
entralizers	12.00	EACH	45.0000	540.00	T
imit Clamp	1.00	EACH	20.0000	20.00	T

All Prices Are Net, Payable 30 Days Following  
date of Invoice. 1 1/2% Charged Thereafter.  
If Account CURRENT take Discount of \$ 1230.48  
ONLY if paid within 30 days from Invoice Date

Subtotal: 12304.76  
Tax.....: 602.08  
Payments: 0.00  
Total....: 12906.84  
1230.48

**RECEIVED**  
**SEP 12 2005**

11,676.36

Code to  
what TangComp  
Costs ? Ice

OKGB  
lyll

# ALLIED CEMENTING CO., INC. 19781

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY, KS

DATE 9.2.05	SEC. 27	TWP. 15	RANGE 29	CALLED OUT 1:00pm	ON LOCATION 4:30pm	JOB START 6:45pm	JOB FINISH 8:45pm
Dorothy York LEASE		WELL# 27-1		LOCATION Gove South to City Base		COUNTY Gove	STATE KS
OLD OR <u>NEW</u> (Circle one)				1 w - 1 1/2 w - w 9 in			

CONTRACTOR UAL Digs #1 Bottom	OWNER Same
TYPE OF JOB 2-stage	
HOLE SIZE 7 7/8	T.D. 4400'
CASING SIZE 4 1/2	DEPTH 4244
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT 42 51
CEMENT LEFT IN CSG. 42 51	
PERFS.	
DISPLACEMENT 66.8 BBLs	

CEMENT			
AMOUNT ORDERED	215 SKS ASC		
10 90 salt	3/4 81 90 CD-31	1/2 90	
FL-160	1/4 81 90 deFoamer		
500 gal. WFR II			
COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC	215 @ 11.65		2504.25
FL-160	101# @ 8.70		878.70
CD-31	151# @ 6.25		943.75
DeFoamer	50# @ 5.25		262.50
SALT	20 SKS @ 15.75		315.00
WFR II	500 gal @ 1.00		500.00
	@		
HANDLING	241 @ 1.60		385.60
MILEAGE .06 x SK x mile			737.46
			<b>TOTAL 6552.96</b>

**EQUIPMENT**

PUMP TRUCK	CEMENTER	Fuzzy - Walt
#373-281	HELPER	Andrew
BULK TRUCK		
#394	DRIVER	Lonnie
BULK TRUCK		
#218	DRIVER	

**REMARKS:**

Hookup & circ the pump 500gal WFR II followed by 215 SKS cement washout pump & lines Displace plug to insert LIC press 500psi land @ 1200psi. + held. Drop bomb wait 12-14 mins open tool @ 800psi circ the Bottom stage completed @ 8:45pm

Thanks Fuzzy & crew

**SERVICE**

DEPTH OF JOB	4244'		
PUMP TRUCK CHARGE			1370.00
EXTRA FOOTAGE	@		
MILEAGE 51	@ 5.00		255.00
MANIFOLD	@		
<b>RECEIVED</b>	@		
KANSAS CORPORATION COMMISSION	@		
			<b>TOTAL 1625.00</b>

JUL 05 2006

CONSERVATION DIVISION  
WICHITA, KS

**PLUG & FLOAT EQUIPMENT**

1- DU Tool		3000.00
1- AFU Insert	@	210.00
1- Guideshoe	@	125.00
2- BASKETS	@ 116.00	232.00
12- centralizers	@ 45.00	540.00
1- Limit Clamp	@	20.00
		<b>TOTAL 4127.00</b>

CHARGE TO: Fair O.I. Co.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Jay Bynum

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

Allied Cementing Co., Inc  
P.O. Box 31  
Russell, KS 67665

\*\*\*\*\*  
\* \* \* \* \*  
\* I N V O I C E \*  
\* \* \* \* \*  
\*\*\*\*\*

Invoice Number: 098298

Invoice Date: 09/08/05

Sold Fair Oil, LTD  
To: P. O. Box 689  
Tyler, TX  
75710--689

Cust I.D.....: FairOi  
P.O. Number...: Dorothy York #27-1  
P.O. Date.....: 09/08/05

Due Date.: 10/08/05  
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
ite	475.00	SKS	8.8000	4180.00	T
loSeal	118.00	LBS	1.7000	200.60	T
handling	475.00	SKS	1.6000	760.00	E
mileage	51.00	MILE	28.5000	1453.50	E
475 sks @.06 per sk per mi					
op Stage	1.00	JOB	785.0000	785.00	E

All Prices Are Net, Payable 30 Days Following  
date of Invoice. 1 1/2% Charged Thereafter.  
if Account CURRENT take Discount of \$ 7379.10  
ONLY if paid within 30 days from Invoice Date

Subtotal: 7379.10  
Tax.....: 275.98  
Payments: 0.00  
Total....: 7655.08

7379.10  
6917.17

Code to  
what?  
prod cogent

This discount  
can't be right +  
call them

OKed  
by ll

RECEIVED  
KANSAS CORPORATION COMMISSION  
JUL 05 2006  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 19782

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley KS

DATE <u>9.20.05</u>	SEC. <u>27</u>	TWP. <u>15</u>	RANGE <u>29</u>	CALLED OUT	ON LOCATION <u>4:30 pm</u>	JOB START <u>9:45 pm</u>	JOB FINISH <u>10:20 pm</u>
Dorothy York LEASE		WELL # <u>27-1</u>		LOCATION <u>Gove s-city line</u>		COUNTY <u>Gove</u>	STATE <u>K5</u>
OLD OR <u>NEW</u> (Circle one)			<u>1w - 1 1/2 w - win</u>				

CONTRACTOR Gal Dink #1

TYPE OF JOB 2-stage Top-stage

HOLE SIZE 7 7/8 T.D. 4400'

CASING SIZE 4 1/2 10 1/2 DEPTH 2047'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER same

CEMENT

AMOUNT ORDERED 475 sk Lite

118 # Clo-seal

COMMON	_____	@	_____
POZMIX	_____	@	_____
GEL	_____	@	_____
CHLORIDE	_____	@	_____
ASC	_____	@	_____
<u>Lite</u>	<u>475</u>	@	<u>8.80</u> - <u>4180.00</u>
<u>Clo-seal</u>	<u>118 #</u>	@	<u>1.70</u> - <u>200.00</u>
HANDLING	<u>475</u>	@	<u>1.40</u> - <u>760.00</u>
MILEAGE	<u>.06 x 5K x mile</u>		<u>1453.50</u>
TOTAL			<u>6594.10</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Fozzy - Walt

# 373-281 HELPER Andrew

BULK TRUCK

# 394 DRIVER Lonnix

BULK TRUCK

# 218 DRIVER Jarrod

**REMARKS:**

mix 10 sks mtl, 15 sks in RH

mix 450 sks cement washout

pump + lines Displace plus to BU tool

Light press 200 psi

hand press 1600 psi, held

plug down @ 10:20 pm

Thanks  
Fozzy & crew

**SERVICE**

DEPTH OF JOB	_____	<u>2047'</u>
PUMP TRUCK CHARGE	_____	<u>785.00</u>
EXTRA FOOTAGE	_____	@ _____
MILEAGE	_____	@ _____
MANIFOLD	_____	@ _____
_____	_____	@ _____
_____	_____	@ _____
TOTAL		<u>785.00</u>

CHARGE TO: Fair Oil Co.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION **PLUG & FLOAT EQUIPMENT**

JUL 05 2006

CONSERVATION DIVISION  
WICHITA, KS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX	_____	@	_____
TOTAL CHARGE	_____	@	_____
DISCOUNT	_____	@	_____
TOTAL			_____
IF PAID IN 30 DAYS			_____

SIGNATURE Jay W Byrum

PRINTED NAME