

For KCC Use:		4.44.0.000					
Effective I	Date:	11/10/2008					
District #	4						
SGA?	Yes	No					

Kansas Corporation Commission Oil & Gas Conservation Division

1023762

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five	ITENT TO DRILL	Form must be Signe All blanks must be Fille				
	e (5) days prior to commencing well					
Expected Spud Date: 11/20/2008	Spot Description:					
month day year	SE NW NE SE Sec. 22	Twp. 5 S. R. 31 EX				
OPERATOR: License#		from N/X S Line of Section				
Name: Murfin Drilling Co., Inc.	880 feet	from 🔀 E / 🔲 W Line of Section				
Address 1: 250 N WATER STE 300	ls SECTION: Regular Irregular?	- -				
Address 2:	(Note: Locate well on the Sec	tion Plat on reverse side)				
City: WICHITA State: KS Zip: 67202 + 1216	County: Rawlins	ion riac on reverse side,				
Contact Person; Shauna Gunzelman		Well #: 1-22				
Phone: 316-267-3241	Field Name: Wildcat					
CONTRACTOR: License#30606	Is this a Prorated / Spaced Field?	Yes N				
lame:Murfin Drilling Co., Inc.	Target Formation(s): Lansing Kansas City					
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in foot	age): 880				
	Ground Surface Elevation: 2927 Estimated	feet MS				
⊠Oil	Water well within one-quarter mile:	☐Yes ☑N				
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes XI				
Seismic : # of Holes Other	Depth to bottom of fresh water: 170					
Other:	Depth to bottom of usable water: 170	PS. (1.1117.5.).				
	Surface Pipe by Alternate: XI III					
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300					
Operator:	Length of Conductor Pipe (if any):					
Well Name:	Projected Total Depth: 4550					
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian					
	Water Source for Drilling Operations:					
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: ha	ul				
f Yes, true vertical depth:	DWR Permit #:					
3ottom Hole Location:	(Note: Apply for Perm	it with DWR 🔲)				
CCC DKT #:	Will Cores be taken?					
	If Yes, proposed zone:					
AFF	If Yes, proposed zone:					
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:					
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:					
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et					
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et	. seq.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et I drilling rig; by circulating cement to the top; in all cases so	. seq.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et In drilling rig; by circulating cement to the top; in all cases size underlying formation.	. seq. urface pipe shall be set				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et In drilling rig; by circulating cement to the top; in all cases significantly in the complement is necessary and placement is necessary.	. seq. urface pipe shall be set				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. First office on plug length and placement is need ped or production casing is cemented in; of from below any usable water to surface with	. seq. urface pipe shall be set essary prior to plugging ; in 120 DAYS of spud date.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. First office on plug length and placement is needed or production casing is cemented in; defrom below any usable water to surface with 33,891-C, which applies to the KCC District 3	urface pipe shall be set sessary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. First office on plug length and placement is needed or production casing is cemented in; defrom below any usable water to surface with 33,891-C, which applies to the KCC District 3	urface pipe shall be set sessary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. First office on plug length and placement is needed or production casing is cemented in; defrom below any usable water to surface with 33,891-C, which applies to the KCC District 3	urface pipe shall be set sessary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. First office on plug length and placement is needed or production casing is cemented in; defrom below any usable water to surface with 33,891-C, which applies to the KCC District 3	urface pipe shall be set sessary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; by circulating cement to the top; in all cases so a underlying formation. In this proposed zone: In drilling rig; In all cases so a underlying formation. In this proposed zone is the top; in all cases so a underlying formation. In this proposed zone is the top; in all cases so a underlying formation. In this proposed zone: In all cases, NOTIFY district office is the top; in all cases, NOTIFY district office.	urface pipe shall be set sessary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing				
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; In drill cases size underlying formation. In in drill right and placement is necessed or production casing is cemented in; In drill right right and placement is necessed or production cases and placement is necessed or production cases to the KCC District 33,891-C, which applies to the KCC District office and placement is necessed. Remember to:	. seq. urface pipe shall be set essary prior to plugging ; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be appropriated Electronically For KCC Use ONLY	FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; In drill cases size underlying formation. In an in plug length and placement is necessed or production casing is cemented in; In drill right right right and placement is necessed for the second right	. seq. urface pipe shall be set essary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be JDMITTED Electronically For KCC Use ONLY API # 15 - 15-153-20867-00-00	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; by circulating cement to the top; in all cases so a underlying formation. In this proposed is cemented in; and placement is need or production casing is cemented in; deform below any usable water to surface with 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office. Remember to: File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 december 12.	. seq. urface pipe shall be set essary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing.				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - 15-153-20867-00-00 Conductor pipe required 0 feet	FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; In drilling rement to the top; in all cases so the underlying formation. In drilling rig; In drill	urface pipe shall be set sessary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing.				
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the dist of the spud date or the well shall be computed of the spud date or the well shall be shall be completed. 2. A copy of the appropriate district office production pipe shall be cemented of the spud date or the well shall be shall be completed. 3. The minimum surface pipe required of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the district plug shall be cemented. 5. The appropriate district office will be notified before well is either plug shall be cemented. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or the well shall be cemented. 7. The minimum surface pipe required of the dry hole and	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; by circulating cement to the top; in all cases so a underlying formation. In this proposed is cemented in; and placement is need or production casing is cemented in; deform below any usable water to surface with 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office. Remember to: File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 december 12.	urface pipe shall be set ressary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. Intent to Drill; ays of spud date; ield proration orders; prior to workover or re-entry;				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 4. If the well is dry hole, an agreement between the operator and the dist of the spud before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 4. If the well is dry hole, an agreement between the operator and the dist in the surface casing order #1 must be completed within 30 days of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the well shall be green the complete of the spud date or the shall be green the complete of the spud date or the spud date or	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; by circulating cement to the top; in all cases so a underlying formation. In dring rig; by circulating cement to the top; in all cases so a underlying formation. In driving formation and placement is need of production casing is cemented in; deform below any usable water to surface with 33,891-C, which applies to the KCC District 3 applies to the KCC District 3 applies. In all cases, NOTIFY district office Remember to: File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 december 1 are acreage attribution plat according to form Notify appropriate district office 48 hours in the complete service of the	urface pipe shall be set sessary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. Intent to Drill; ays of spud date; ield proration orders; prior to workover or re-entry; ing is completed (within 60 days);				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Jubmitted Electronically For KCC Use ONLY API # 15 - 15-153-20867-00-00 Conductor pipe required	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; d from below any usable water to surface with 33,891-C, which applies to the KCC District 3 plugged. In all cases, NOTIFY district office. Remember to: File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 described in the File Completion Form ACO-1 within 120 descri	urface pipe shall be set sessary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. Intent to Drill; ays of spud date; seld proration orders; brior to workover or re-entry; ing is completed (within 60 days); or injecting salt water. I expiration date) please				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be conductor pipe required Conductor pipe required Minimum surface pipe required Pick Hestermann 11/05/2008 This authorization expires: 11/05/2009	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 etc. In drilling rig; by circulating cement to the top; in all cases so a underlying formation. In increase of the complete of the top; in all cases so a underlying formation. In and placement is need in the complete of the complete of the complete of the top; in all cases so a underlying formation. In and placement is need in the complete of the top; in all cases so a underlying formation. In and placement is need to the top; in all cases so a underlying is cemented in; If I would be the top; in all cases so and placement is need to so a underlying is cemented in; If I would be the top; in all cases so and placement is need to so an	urface pipe shall be set sessary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. Intent to Drill; ays of spud date; seld proration orders; brior to workover or re-entry; ing is completed (within 60 days); or injecting salt water. I expiration date) please				
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 - 15-153-20867-00-00 Conductor pipe required	If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et a drilling rig; by circulating cement to the top; in all cases so a underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; d from below any usable water to surface with 33,891-C, which applies to the KCC District 3 plugged. In all cases, NOTIFY district office. Remember to: File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 described in the File Completion Form ACO-1 within 120 descri	urface pipe shall be set sessary prior to plugging; in 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. Intent to Drill; ays of spud date; ield proration orders; orior to workover or re-entry; ing is completed (within 60 days); or injecting salt water. I expiration date) please tress below.				



SEWARD CO.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

proposed acre	age att	ribution ur	nit for oil we		or the propos	sed acreage	aundunon um	it ioi gas wells a	11Q WILLIII 1/2	mae or trie o	oundaries or the
API No. 15 - 15-153-20867-00-00 Operator: Murfin Drilling Co., Inc. Lease: JKB				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Location of We	ell: County: Raw	County: Rawlins				
Well Number: 1-22 Field: Wildcat				880		feet from N / X S Line of Section feet from E / W Line of Section Twp. 5 S. R. 31 E X W					
				Sec. 22	Twp. 5						
Number of Act				- NW .	. NE . S	SE	Is Section:	Regular or	Irregular	,	
							If Section is It Section corner	rregular, locate r used: NE			boundary.
			(Chay la	action of the	well and aha	PLAT		prorated or space	and walla		
			(Snow lot				ase or unit bou		eu weils.)		
			:			•					
			:								
			:		:	:					
		:	:		: 	: 					
		:	:		:	:	:				
7			:								
						••••					
			:		:						
				00		:	:	EXAM	PLE	:	
			:	22	:	:	:			:	
				A decide	:		o :	- 880 ft.	· . · · · · · [
							[· ·····			0-19	980
					:	:			· · · · · · · · 10		
			:		: 		. :			2200'	
	:				i	:				3390'	
						:					
	•••••					·····				:	
	:		:		:	;			1	:	

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling location.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

2200 ft.



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1023762

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.				Number: 30606					
Operator Address: 250 N WATER S		WICHITA	KS	67202					
Contact Person: Shauna Gunzelma	n		Phone	one Number: 316-267-3241					
Lease Name & Well No.: JKB	1-2	22	Pit Loca	Pit Location (QQQQ):					
Type of Pit:	Pit is:			_ <u>NW _ NE _ SE</u>					
Emergency Pit Burn Pit	Proposed	Existing	ı	22 _{Twp.} 5 _{R.} 31 Eas	ıst 🔀 \	West			
Settling Pit	onstructed:	2,20	O Feet from North / Sou	ıth Line o	of Section				
Workover Pit Haul-Off Pit	Pit capacity:			Feet from East / West Line of Section					
(If WP Supply API No. or Year Drilled)	600	(bbls)	Rawli	awlins Cour					
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride	concentration:		mg/l			
Is the bottom below ground level?	Artificial Liner?		How is 1	(For Emergency Pits and Settling Pit the pit lined if a plastic liner is not used					
Yes No	No	ł	e and solids from drilling operation		eal pits				
Pit dimensions (all but working pits):	00 Length (fe	et)100	Widt	h (feet) N/A:	: Steel F	Pits			
Depth fro	om ground level to de	eepest point:	4	(feet) No	Pit				
If the pit is lined give a brief description of the		1		periodic maintenance and determining	ng				
material, thickness and installation procedure	•	liner integrity, ii	ncluding a	ny special monitoring.					
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh	water 121 feet.					
2866feet Depth of water well	Source of information: measured well owner electric log KDWF								
Emergency, Settling and Burn Pits ONLY:	Drilling, Workover and Haul-Off Pits ONLY:								
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: Bentonite						
Number of producing wells on lease:	1	Number of working pits to be utilized: 4							
Barrels of fluid produced daily:	Abandonment	procedure	Allow pits to evaporate until o	dry the	<u>:n</u>				
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must t	be closed	backfill when conditions allow within 365 days of spud date.						
		<u> </u>							
Outle mediate and Education and a million									
Submitted Electronically				!					
KCC OFFICE USE ON				Steel Pit RFAC R	RFAS				
Date Received: 11/04/2008 Permit Numl	15-153-2086 ber:	7-00-00 Perm	it Date:	1/05/2008 Lease Inspection:	Yes [∑No			