# For KCC Use: 12-1-08 Effective Date: 4 SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	, Doo	ombor	5	2008	Snot Donorintis	201			100'N	l of	
Expected Spud Da		ember onth	day	year	Spot Description		NILAZ A				0 E X W
	_	Onat	uu,	,	S2	SE	MAA 3			_S Rng3	
OPERATOR: Lice						210	<b>/</b>	_	- <b>⊠</b> N/		of Section
Name:	McCoy Petrole	eum Corporat	ion /		1	980		feet from	E/	<b>₩</b> Line	of Section
Address 1:	8080 E. Centr	al, Suite #300			Is SECTION:	Re		Irregu			
Address 2:						(Note: Lo	ocate w	ell on the S	ection Plat	on reverse si	de)
City:	Wichita	State: KS	Zip: 6	7206-2366	County:				ecatur		
Contact Person:	Scott Hampel				Lease Name:		В	ROWN "		Well #	#1-32
Phone:	316-636-2737	' x 104			Field Name:				Wildcat	<u> </u>	
	22222				Is this a Prorat	ed / Spac	ced Fiel	d?			Yes No
	License # 30606			-/ <b></b>	Target Informa	ition(s):			L	KC -	
Name: Murtir	n Drilling Compa	any -			Nearest Lease	or unit b	oundary	(in footage		430	
					Ground Surfac	e Elevati	on:		2849'		feet MSL
Well Drille	led For: W	Vell Class:	Type Equi	pment:	Water well with	nin one-q	uarter m	nile:			Yes No
⊠oii ∕ [	Enh Rec	Infield	Mud F	Rotary -	Public water su	upply wel	l within	one mile:			Yes X No
Gas	Storage	Pool Ext.	Air Ro	otary	Depth to botto	m of frest	h water:			160'	ny <del></del>
	Disposal	✓ Wildcat ✓	Cable		Depth to botto	m of usat	ole wate	r:		160'	
Seismic:	# of Holes	Other			Surface Pipe b	y Alterna	ate:	old old eta . L	11		
Other:					Length of Surfa	ace Pipe	Planne	d to be set:		210'	<i>+</i>
					Length of Cond	ductor Pij	ре (if an	y):		None	<del>)</del>
If OWWO	): old well informatio	on as follows:			Projected Total	I Depth:				550' -	
Operator:					Formation at T	otal Dept	th:		Missis	ssippian	
Well Name:					Water Source	for Drillin	g Opera	itions:	•		
Original Comp	pletion Date:	Origina	l Total Depti		Well [	Farm	n Pond	Othe	r:		
Directional, Devia	ited or Horizontal we	ellbore?		Yes ∑ No ←	*DWR Permit #	:					
If Yes, true vertica	al depth:					*0	Note: Ap	ply for Pen	nit with DV	VR 🔲 )	
Bottom Hole Loca	diam:				Will Cores be t	taken?					Yes No
		A -2-7***********************************									
KCC DKT #:					If Yes, propose	ed zone:					
KCC DKT #:		17				ed zone:				وسر بادر بادر از در کالت کام فس	IVI
				AFF	IDAVIT					S CORPORA	IVIU. Non commedica
	hereby affirms that t			AFF	IDAVIT						
The undersigned I		the drilling, comple	etion and eve	AFF	IDAVIT					S CORPORATION 2	
The undersigned It is agreed that the	hereby affirms that the following minimur	the drilling, comple m requirements wi	etion and evenue to the met:	AFF entual plugging of	FIDAVIT this well will compl				KANSA	NOV 2	6 2008
The undersigned It is agreed that the  1. Notify the a  2. A copy of the	hereby affirms that the following minimur appropriate district on the approved notice	the drilling, comple m requirements wi office <i>prior</i> to spuc of intent to drill <i>sh</i>	etion and evenue the second se	AFF entual plugging of ; don each drilling	FIDAVIT this well will compl	ly with K.	S.A. 55	et. seq.	KANSA	NOV 2	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the  1. Notify the a  2. A copy of the authorism through all	hereby affirms that the following minimur appropriate district on the approved notice to the approved notice th	the drilling, completed in requirements with the drilling in the drill should be pipe as specific terials plus a minit	etion and even ill be met: Iding of well; Itali be posted below sha Thum of 20 fe	AFF entual plugging of ; d on each drilling all be set by circu	FIDAVIT this well will completing; lating cement to the ving formation.	ly with K.	S.A. 55	et. seq. s surface pip	KANSA (ee shall be	NOV 2	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the  1. Notify the a  2. A copy of the authorism of the minimum through all  4. If the well is	hereby affirms that the following minimur appropriate district of the approved notice for amount of surfactions of surfactions of the formal and appreciated mains of the formal and appreciated mains of the formal and appreciated mains of the formal appreciations.	the drilling, completed in requirements with the drill shade of intent to drill shade epipe as specified the drill shade in the	etion and evo ill be met: Iding of well; all be poste ab below sha mum of 20 fe	AFF entual plugging of ; d on each drilling all be set by circu eet into the underl nd the district offic	rig; lating cement to the ying formation.	ly with K. e top, in a	S.A. 55 all cases	et. seq. s surface pip	KANSA (ee shall be	NOV 2	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the 1. Notify the a 2. A copy of the a 3. The minimum through all 4. If the well is 5. The approp	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfac unconsolidated mats dry hole, an agree priate district office versus the surface of the surface	the drilling, completed mercontrol of the prior to spuct of intent to drill shade terials plus a minimument between the will be notified befullon, production	etion and eviding of well;  all be posted below shamum of 20 fe operator are price or properated by the properate of the prop	AFF entual plugging of ed on each drilling all be set by circu eet into the under nd the district offic tiher plugged or pr e cemented from 1	rig; lating cement to the ying formation. e on plug length an oduction casing is pelow any unable w	ly with K e top, in a id placem cemented	S.A. 55 all cases nent is n d in; urface w	et. seq. s surface pip ecessary po	KANCA  oe shall be  rior to plug	NOV 2  CONSERVATION Seef WICHINGS	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEL Or pursuan	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office was a first of Appendix "B" -	the drilling, completed in requirements with the prior to spuch of intent to drill shade in the prior as specific terials plus a miniterment between the will be notified befut TION, production Eastern Kansas s	etion and eviding of well; ding of well; all be poste and below sha mum of 20 fe e operator ar ore well is ei urface casin	AFF entual plugging of  id on each drilling all be sef by circu eet into the underl and the district office ther plugged or prie e cemented from I a order #133.891	rig; lating cement to the ying formation. e on plug length an oduction casing is oclow any unable w -C, which applies to	ly with K e top, in a id placem cemented vater to si o the KCC	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary po vithin 120 do t 3 area, alt	KANCA  (ce shall be  rior to plug  gys of plug  gernate II ce	NOV 2  CONSERVATION Seef WICH!  gging;  date.  menting	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the  1. Notify the a  2. A copy of the attraction of the minimum of the appropriate of the ap	hereby affirms that the following minimure appropriate district on the approved notice of the approved notice of the approved notice of the approved manual of surfact unconsolidated materiate district office with a propriate district office with a populate of the appendix "B" - lompleted within 30 district of the appendix "B" - lompleted within 30 districts.	the drilling, completed in requirements with office prior to spuc of intent to drill shape specific terials plus a minitement between the will be notified befortion, production Eastern Kansas slays of the spud diement detection.	etion and evo ill be met: dding of well; all be poste de below sha dum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. C, which applies to d. In all cases, NO	ly with K e top, in a id placem cemented vater to si o the KCC	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary po vithin 120 do t 3 area, alt	KANCA  (ce shall be  rior to plug  gys of plug  gernate II ce	NOV 2  CONSERVATION Seef WICH!  gging;  date.  menting	6 <b>2008</b> ON DIVISION
The undersigned It is agreed that the  1. Notify the a  2. A copy of the attraction of the minimum of the appropriate of the ap	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office was a first of Appendix "B" -	the drilling, completed in requirements with office prior to spuc of intent to drill shape specific terials plus a minitement between the will be notified befortion, production Eastern Kansas slays of the spud diement detection.	etion and evo ill be met: dding of well; all be poste de below sha dum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. C, which applies to d. In all cases, NO	ly with K e top, in a id placem cemented vater to si o the KCC	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary po vithin 120 do t 3 area, alt	KANCA  (ce shall be  rior to plug  gys of plug  gernate II ce	NOV 2  CONSERVATION Seef WICH!  gging;  date.  menting	6 <b>2008</b> ON DIVISION
The undersigned I It is agreed that th  1. Notify the a 2. A copy of the second of the	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfac unconsolidated mat s dry hole, an agree priate district office was a surfaced in the statements matches and the statements matches and the statements matches and the statements matches in the statements matches and incompleted within 30 d at the statements matches in the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements and inc	the drilling, completed in requirements with the prior to spuch of intent to drill shade expected in the prior as specific terials plus a minitement between the will be notified befut TION, production Eastern Kansas slays of the spud details and element are trues and the prior to the spud details and t	etion and evidil be met: Idding of well; Iddin	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. C, which applies to d. In all cases, NO	ly with K e top, in a id placem cemented vater to si o the KCC	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary p vithin 120 d t 3 area, alt ffice prior to	KANOA pe shall be rior to plug gys of plug ernate II ce any cemen	NOV 2 CONSERVATION OF THE PROPERTY OF THE PROP	6 <b>2008</b> On division Ta, ks
The undersigned I It is agreed that th  1. Notify the a 2. A copy of the second of the	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfac unconsolidated mat s dry hole, an agree priate district office was a surfaced in the statements matches and the statements matches and the statements matches and the statements matches in the statements matches and incompleted within 30 d at the statements matches in the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements and inc	the drilling, completed in requirements with office prior to spuc of intent to drill shape specific terials plus a minitement between the will be notified befortion, production Eastern Kansas slays of the spud diement detection.	etion and evidil be met: Idding of well; Iddin	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. C., which applies to d. In all cases, NO edge and belief.	e top, in a digital placemented ater to so the KCO DTIFY dis	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary p vithin 120 d t 3 area, alt ffice prior to	KANOA pe shall be rior to plug gys of plug ernate II ce any cemen	NOV 2 CONSERVATION OF THE PROPERTY OF THE PROP	6 <b>2008</b> ON DIVISION
The undersigned I It is agreed that th  1. Notify the a 2. A copy of the second of the	hereby affirms that the following minimur appropriate district of the approved notice um amount of surfac unconsolidated mat s dry hole, an agree priate district office was a surfaced in the statements matches and the statements matches and the statements matches and the statements matches in the statements matches and incompleted within 30 d at the statements matches in the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches appropriate districts and incompleted within 30 d at the statements matches appropriate and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements matches and incompleted within 30 d at the statements and inc	the drilling, completed in requirements with the prior to spuch of intent to drill shade expected in the prior as specific terials plus a minitement between the will be notified befut TION, production Eastern Kansas slays of the spud details and element are trues and the prior to the spud details and t	etion and evidil be met: Idding of well; Iddin	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. C, which applies to d. In all cases, NO	e top, in a diplacemente vater to so the KCO DTIFY dis	S.A. 55  all cases nent is n d in; urface w	et. seq. s surface pip ecessary p vithin 120 d t 3 area, alt ffice prior to	KANOA pe shall be rior to plug gys of plug ernate II ce any cemen	NOV 2 CONSERVATION OF THE PROPERTY OF THE PROP	6 <b>2008</b> On division Ta, ks
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be cool I hereby certify the Date: 11/2	hereby affirms that the following minimural appropriate district on the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office vRNATE II COMPLE to to Appendix "B" - sompleted within 30 deat the statements modern to the statements modern to appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendi	the drilling, completed mercuirements with fice prior to spuce of intent to drill shape per as specificaterials plus a miniment between the will be notified befortION, production Eastern Kansas slays of the spud drivater of Operator	etion and eviding of well;  all be posted below shemum of 20 fe operator are prize shall be urface casin ate or the well and to the or Agent:	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w. c., which applies to d. In all cases, NO edge and belief.	e top, in a diplacem cementer to su to the KCO	S.A. 55 all cases ment is n d in; urface w D District strict of	et. seq. s surface pip ecessary p. within 120 d. t 3 area, alt fice prior to	KANCA  to shall be  tor to plug  ays of plug  ernate II ce  any cemen	NOV 2 CONSERVATION SEE WICH! Gging; date. Immenting nting.  President -	6 <b>2008</b> On division Ta, ks
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be cool I hereby certify the Date: 11/2	hereby affirms that the following minimural appropriate district on the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office vRNATE II COMPLE to to Appendix "B" - sompleted within 30 deat the statements modern to the statements modern to appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendix "B" - sompleted within 30 deat the statements modern to Appendi	the drilling, completed mercuirements with fice prior to spuce of intent to drill shape per as specificaterials plus a miniment between the will be notified befortION, production Eastern Kansas slays of the spud drivater of Operator	etion and eviding of well;  all be posted below shemum of 20 fe operator are prize shall be urface casin ate or the well and to the or Agent:	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig: lating cement to the ying formation. e on plug length an roduction casing is roellow any unable w. C, which applies to d. In all cases, NO enter and betief.  Scott Hampe Remember to:	e top, in a diplacem cemented vater to so the KCO DTIFY dis	S.A. 55 all cases ment is n d in; urface w C District strict of	et. seq. s surface pip ecessary p vithin 120 d t 3 area, alt ffice prior to  Title:	KANCA  (ee shall be  rior to plug  ernate II ce  any cemen  Vice F	NOV 2 CONSERVATION Set WICH!  gging; date. menting nting.  President -	6 <b>2008</b> On division Ta, ks
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEL Or pursuan must be cool I hereby certify the Date: 11/2  For KCC Use API # 15 - 0	hereby affirms that the following minimum appropriate district on the approved notice under a provided in the approved notice under a provided district office with a private district office with a property of the appendix "B" - 1 completed within 30 d at the statements made at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the statements made of the appendix "B" - 1 completed within 30 d at the appendix "B" - 1 completed within 30 d	the drilling, completed in requirements with office prior to spuce of intent to drill shape ce pipe as specificaterials plus a minitement between the will be notified before TION, production Eastern Kansas slays of the spud distance of Operator acture of Operator 14-00-00	etion and evi- ill be met: idding of well; iall be poste ed below she mum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we e and to the or Agent:	AFF entual plugging of  d on each drilling all be set by circu eet into the underl and the district offic ther plugged or pi e cemented from l g order #133,891 ell shall be plugge	rig: lating cement to the ying formation. e on plug length an roduction casing is below any unable w.C. which applies to d. In all cases, NO edge and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completic File acreage a	e top, in a did placer cemented vater to so the KCC DTIFY dis	S.A. 55  all cases nent is n d in; urface w C District strict of	et. seq. s surface pip ecessary po vithin 120 do 3 area, alt ffice prior to Title:  CDP-1) wit within 120 do cording to fi	KANCA  (e)  the shall be the sh	NOV 2  CONSERVATION SEED WICH Property of the content of the conte	E 2008 ON DIVISION TA, KS  Production
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEL Or pursuan must be cool I hereby certify the Date: 11/2  For KCC Use 6  API # 15 - Conductor pipe	hereby affirms that the following minimum appropriate district on the approved notice of the approved notice of the approved notice of the approved notice of the approved in the approved in the statements of the approved in the approved i	the drilling, complete me requirements with fisce prior to sput of intent to drill shape terials plus a miniment between the will be notified beformatised the spud driven to the spud driven and the properties of the spud driven and the spud dri	etion and eviding of well;  all be posted below shemum of 20 fee operator are pipe shall be urface casing ate or the well are or Agent:	AFF entual plugging of ed on each drilling all be set by circu eet into the under nd the district offic ther plugged or pi e cemented from I g order #133,891 ell shall be plugge e best of my knowle	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C., which applies to d. In all cases, NO edge and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completion File acreage a Notify appropri	e top, in a did placemented vater to subthe KCCOTIFY dis	S.A. 55  all cases nent is n d in; urface w C District strict of	et. seq. s surface pip ecessary po ithin 120 do t 3 area, alt fice prior to  Title:  CDP-1) wit within 120 d cording to fi e 48 hours p	KANCA  (ce shall be rior to plug ernate II ce any cemen  Vice F  h Intent to ays of spured proration to work  eld proration or to work  h properties of the properties of the pro-	NOV 2  CONSERVATION SET WICH SET WICH SET WICH SET WICH SET	DON DIVISION TA, KS  Production
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEL Or pursuan must be coold hereby certify the Date: 11/2  For KCC Use 6  API # 15 - Conductor pipe Minimum surface.	hereby affirms that the following minimum appropriate district on the approved notice of the approved notice of the approved notice of the approved notice of the approved of	the drilling, completed merequirements with fice prior to spuc of intent to drill show the prior of the prior	etion and evi- ill be met: idding of well; iall be poste ed below she mum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we e and to the or Agent:	AFF entual plugging of ed on each drilling all be set by circu eet into the under nd the district offic ther plugged or pi e cemented from I g order #133,891 ell shall be plugge e best of my knowle	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C. which applies to d. In all cases, NO enter and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completic - Notify approprious Submit pluggii - Obtain written	e top, in a did placem cementer vater to so the KCC DTIFY dis pplication on Form A attribution riate distring reports approva	S.A. 55  all cases ment is n d in; urface w District strict of a (form ACO-1 v o plat ac cict office t (CP-4)	et. seq. s surface pip ecessary p. within 120 d. t 3 area, alt fice prior to  Title:  CDP-1) wit within 120 d. cording to fi e 48 hours p. after plug disposing o	vice F  h Intent to ays of spure eld proratio eld province ell provinc	NOV 2  CONSERVATION SET WICH Property of the control of the contro	Production  http: 160 days);
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be co. I hereby certify the Date: 11/2  For KCC Use 1 API # 15 - Conductor pipe Minimum surfar Approved by:	hereby affirms that the following minimural appropriate district of the approved notice for a surfact unconsolidated mature of the state of the stat	the drilling, complete me requirements with fisce prior to sput of intent to drill shape terials plus a miniment between the will be notified beformatised the spud driven to the spud driven and the properties of the spud driven and the spud dri	etion and eviding of well;  all be posted below shemum of 20 fee operator are pipe shall be urface casing ate or the well are or Agent:	AFF entual plugging of ed on each drilling all be set by circu eet into the under nd the district offic ther plugged or pi e cemented from I g order #133,891 ell shall be plugge e best of my knowle	rig; lating cement to the ying formation. e on plug length an oduction casing is oblived. C, which applies to d. In all cases, NO ended and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completic - File acreage a Notify approprious Submit pluggii - Obtain written - If this permit h	e top, in a did placem cementer vater to su to the KCO DTIFY dis pplication on Form A attribution riate distring report approva has expire	S.A. 55  all cases ment is n d in; urface w C District strict of ACO-1 v o plat ac ict office it (CP-4) il before ed (See	et. seq. s surface pip ecessary p. tithin 120 d. t 3 area, alt ffice prior to  Title:  CDP-1) wit within 120 d cording to fip a 48 hours pi a feer plug disposing of a authorized	we shall be rior to plug ernate II ce any cemer Vice F h Intent to ays of spure eld proratio rior to wor or injecting if expiration	NOV 2  CONSERVATI President -  Drill; d date; on orders; kover or re-ei pleted (withir salt water. ordate) pleas	Production  http: 160 days);
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be co.  I hereby certify that Date: 11/2  For KCC Use 6. API # 15 - Conductor pipe Minimum surfar Approved by: This authoriza	hereby affirms that the following minimum appropriate district of the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office v RNATE II COMPLE to to Appendix "B" ompleted within 30 deat the statements medically and the statements of the s	the drilling, completed merequirements with fisce prior to sput of intent to drill shape pipe as specific terials plus a miniment between the will be notified before the sput of the sput	etion and eviding of well;  all be poste do below she mum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we are and to the or Agent:  feet feet per AL	AFF entual plugging of the don each drilling all be set by circulated into the underlind the district officities replugged or pre- the cemented from 1 g order #133,891- ell shall be plugge the best of my knowledges.	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C. which applies to d. In all cases, NO enter and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completic - Notify approprious Submit pluggii - Obtain written	e top, in a did placem cementer vater to su to the KCO DTIFY dis pplication on Form A attribution riate distring report approva has expire	S.A. 55  all cases ment is n d in; urface w C District strict of ACO-1 v o plat ac ict office it (CP-4) il before ed (See	et. seq. s surface pip ecessary p. tithin 120 d. t 3 area, alt ffice prior to  Title:  CDP-1) wit within 120 d cording to fip a 48 hours pi a feer plug disposing of a authorized	we shall be rior to plug ernate II ce any cemer Vice F h Intent to ays of spure eld proratio rior to wor or injecting if expiration	NOV 2  CONSERVATI President -  Drill; d date; on orders; kover or re-ei pleted (withir salt water. ordate) pleas	Production  http: 160 days);
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be co.  I hereby certify that Date: 11/2  For KCC Use 6. API # 15 - Conductor pipe Minimum surfar Approved by: This authoriza	hereby affirms that the following minimural appropriate district of the approved notice for a surfact unconsolidated mature of the state of the stat	the drilling, completed merequirements with fisce prior to sput of intent to drill shape pipe as specific terials plus a miniment between the will be notified before the sput of the sput	etion and eviding of well;  all be poste do below she mum of 20 fe e operator ar ore well is ei pipe shall be urface casin ate or the we are and to the or Agent:  feet feet per AL	AFF entual plugging of the don each drilling all be set by circulated into the underlind the district officities replugged or pre- the cemented from 1 g order #133,891- ell shall be plugge the best of my knowledges.	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C., which applies to d. In all cases, NO edge and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completion File acreage at Notify approppion Submit plugging obtain written If this permit his check the box	e top, in a did placerro comenter to so the KCCOTIFY dis pplication on Form A attribution riate distring report a approval as expire x below a	S.A. 55  all cases nent is n d in; urface w C District strict of ACO-1 w o plat ac rict office t (CP-4) Il before ed (See and retui	et. seq.  s surface pip ecessary po ithin 120 do t 3 area, alt fice prior to  Title:  CDP-1) wit within 120 de cording to fige 48 hours p after plugg disposing o ex authorized on to the add	KANCA  (e)  the shall be  the	NOV 2  CONSERVATI President -  Drill; d date; on orders; kover or re-ei pleted (withir salt water. ordate) pleas	Production  http: 160 days);
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be cool I hereby certify the Date: 11/2  For KCC Use API # 15 - Conductor pipe Minimum surfar Approved by: This authorizar (This authorizar)	hereby affirms that the following minimum appropriate district of the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office vRNATE II COMPLE to to Appendix "B" - tompleted within 30 deat the statements must be statements must be statement from the statement of the st	the drilling, completed merequirements with fisce prior to sput of intent to drill shape pipe as specific terials plus a miniment between the will be notified befortion. Fastern Kansas slays of the spud driade herein are trunature of Operator None  210  220-09  ot started within 1	etion and eviding of well; all be posted below shemum of 20 fee operator are or even below the even and to the or Agent:  feet feet per AL  2 months of	AFF entual plugging of the don each drilling all be set by circulated into the underlind the district officither plugged or precedent and the district officither plugged or precedent and the plugged of	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C., which applies to d. In all cases, NO edge and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completion File acreage a Notify appropp Submit pluggi Obtain written If this permit his check the box	e top, in a did placent comente to the KCC DTIFY dis pplication on Form Attribution riate distring report approval as expire x below a t Drilled	S.A. 55  all cases nent is n d in; urface w C District strict of a (form ACO-1 w o plat ac rict office t (CP-4) Il before ed (See and retui	et. seq.  s surface pip ecessary po ithin 120 do t 3 area, alt fice prior to  Title:  CDP-1) wit within 120 de cording to fi e 48 hours p after plug disposing o ex authorized on to the add	we shall be rior to plug ernate II ce any cemer Vice F h Intent to ays of spure eld proratio rior to wor or injecting if expiration	NOV 2  CONSERVATI President -  Drill; d date; on orders; kover or re-ei pleted (withir salt water. ordate) pleas	Production  http: 160 days);
The undersigned It is agreed that the 1. Notify the a 2. A copy of the 3. The minimum through all 4. If the well is 5. The approp 6. If an ALTEI Or pursuan must be cool I hereby certify the Date: 11/2  For KCC Use API # 15 - Conductor pipe Minimum surfar Approved by: This authorizar (This authorizar)	hereby affirms that the following minimum appropriate district of the approved notice um amount of surfact unconsolidated mats dry hole, an agree priate district office v RNATE II COMPLE to to Appendix "B" ompleted within 30 deat the statements medically and the statements of the s	the drilling, completed merequirements with fisce prior to sput of intent to drill shape pipe as specific terials plus a miniment between the will be notified befortion. Fastern Kansas slays of the spud driade herein are trunature of Operator None  210  220-09  ot started within 1	etion and eviding of well; all be posted below shemum of 20 fee operator are or even below the even and to the or Agent:  feet feet per AL  2 months of	AFF entual plugging of the don each drilling all be set by circulated into the underlind the district officither plugged or precedent and the district officither plugged or precedent and the plugged of	rig; lating cement to the ying formation. e on plug length an oduction casing is below any unable w.C., which applies to d. In all cases, NO edge and belief.  Scott Hampe Remember to: - File Drill Pit Al File Completion File acreage at Notify approppion Submit plugging obtain written If this permit his check the box	e top, in a did placent comente to the KCC DTIFY dis pplication on Form Attribution riate distring report approval as expire x below a t Drilled	S.A. 55  all cases nent is n d in; urface w C District strict of a (form ACO-1 w o plat ac rict office t (CP-4) Il before ed (See and retui	et. seq.  s surface pip ecessary po ithin 120 do t 3 area, alt fice prior to  Title:  CDP-1) wit within 120 de cording to fi e 48 hours p after plug disposing o ex authorized on to the add	KANCA  (e)  the shall be  the	NOV 2  CONSERVATI President -  Drill; d date; on orders; kover or re-ei pleted (withir salt water. ordate) pleas	Production  On Division  TA, KS  Production  http: 160 days);

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 0	39-21084-00-00	Location of Well: County: 100'N of S2 SE NW, Decatur County, KS
Operator:	McCoy Petroleum Corporation	2210 feet from N S (check one) Line of Section
Lease:	BROWN "E"	1980 feet from E W (check one) Line of Section
Well Number:	#1-32	Sec32 Twp4 S. R30
Field:	Wildcat	Mp. 1.
Number of Acres	attributable to well:	Is Section: Regular Irregular?
QTR / QTR / QTF	R of acreage: S2 SE NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells)

(Show footage to the nearest lease or unit boundary fine.)





NOTE: In all cases locate the spot of the proposed drilling location.

#### In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McCoy Petroleum Corporation			License Number: 5003				
Operator Address: 8080 E. Central, Suite	#300, Wichita, K	S 67206-2366					
Contact Person: Scott Hampel		Phone Number: 316-636-2737x104					
Lease Name & Well No.: BRO	)WN "E" #1-32	Pit Location (QQQQ):					
Type of Pit:	Pit is:	<del></del> -	100'N of S2 SE NW				
Emergency Pit Burn Pit	Proposed	Existing	Sec32_ Twp4_s R30				
Settling Pit Drilling Pit	If Existing, date cons	structed:	2210 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)					
Is the pit located in a Sensitive Ground Water Area	? Yes X	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Bentonite / Drilling Mud				
Pit dimensions (all but working pits):	Length (fee	,	Width (feet) N/A: Steel Pits 4 (feet)				
			NOV 2 6 2008  CONSERVATION DIVISION Vest fresh water NA LLL feet WICHITA, KS				
NA 4027 feet Depth of water well	it NA <sup>[식기</sup> feet	Source of inform	iation:				
Emergency, Settling and Burn Pits ONLY:			ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of material	utilized in drilling/workover: Bentonite				
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment pi					
Does the slope from the tank battery allow all spille flow into the pit? Yes No	ed fluids to	location to original condition.  Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statement 11/25/08	nts are true and correct	to the best of my kn	Scott Harpel				
Date	Signature	e of Applicant or Ag	ent Scott Hampel				
	KCC	OFFICE USE ON	LY				
Date Received: \(\lambda \lambda \lamb	per:	Permi	it Date: 11/26/08 Lease Inspection: Yes X No				