For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 1 2008 month day year	Spot Description:
•	SE NE NE SW Sec. 10 Twp. 11 S. R. 17 EXW
OPERATOR: License# 7064 ~	(0/0/0/0/0) 2,300 feet from N / X S Line of Section
Name: Cattlemans Oil Operations	2,555 feet from E / W Line of Section
Address 1: 2260 Catherine Rd	Is SECTION: Regular irregular?
	18 SECTION. Megula: Linegulai:
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Catherine State: KS Zip: 67601 +	County: Ellis
Contact Person: Leo Dorzweiler	Lease Name: Simpson Well #: 1
Phone: 785-625-5394	Field Name: Turkville
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling	is trils a Prorated / Spaced Field?
Name,	Target Formation(s): LKC, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 340'
⊠Oil ☐ Enh Rec ☑ Infield ☑ Mud Rotary	Ground Surface Elevation: 1826feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'
——————————————————————————————————————	Depth to bottom of usable water: 525'
Other:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 3500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
· · · · · · · · · · · · · · · /	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Porld Other:
If Yes, true vertical depth:	DWR Permit #:
,	DVVA remit #.
Bottom Hole Location:	
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR (
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: RECENSE
KCC DKT #:	(Note: Apply for Permit with DWR Yes No Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMUNICATION
Cl slogs Lagse Submitted (5/2)	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMUNICATION COMMUNI
Cl slogs Lagse Submitted (5/2)	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMUNICATION COMMUNI
RCC DKT #: Continue	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMUNICATION COMMUNI
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAMISCION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. NOV 2 5 2008
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONATISCION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. NOV 2 5 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAUSCIDE IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. NOV 2 5 2008 CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAISCION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. NOV 2 5 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONSENSATION DIVISION Grilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAMISCION KANSAS CORPORATION CONAMISCION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. NOV 2 5 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAMISCION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be [1].	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION Will comply with K.S.A. 55 et. seq. NOV 2 5 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the statements.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONATISCION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 13,391 to my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be [1].	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISCION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 agent Title: ANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION WICHITA, KS WICHITA, KS WICHITA, KS OFFICE OFFICE ANSAS CORPORATION COMMISSION WICHITA, KS WICHITA, KS OFFICE OFFICE ANSAS CORPORATION COMMISSION WICHITA, KS WICHITA, KS WICHITA, KS AND WICHITA, KS W
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the plugge of the spud date or the well shall be a like the statements made herein are true and correct to the beat the statements and the operator of Agent: 11/24/2008	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISCION WICHITA, KE y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; in from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each of the state of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be the plugges. I hereby certify that the statements made herein are true and correct to the best of the complete of the specific of the plugges. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISCION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 September to: 16 Title: 17 Title: 18 ANSAS CORPORATION COMMISSION WICHITA, KS WICH
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the complete of the complete of the plants. For KCC Use ONLY ACCUSE ONLY	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISCION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Between to: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the complete of the complete of the plants. For KCC Use ONLY ACCUSE ONLY	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 23,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: Rile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for the analysis of the spuddate or the well shall be proposed to the spuddate or the well shall be increased to the statements made herein are true and correct to the bear to the statements made herein are true and correct to the bear to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the statements of the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the well shall be proposed to the spuddate or the shall be proposed to th	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 23,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: Rile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAUSCONE KANSAS CORPORATION CONAUSCONE CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be ceremented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certified between the complete of the shall be 1 hereby certified between the complete of the shall be 1 hereby certified between the complete of the shall be 1 here	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION CONAUSCON KANSAS CORPORATION CONAUSCON KANSAS CORPORATION DIVISION WICHITA, KE y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is brill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface properties of the well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the plugge of the spud date or the well shall be a like the statements made herein are true and correct to the beat statements. For KCC Use ONLY API # 15 - 051 - 25850 - 000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CONAUSODE KANSAS CORPORATION CONAUSODE CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases and belief. Remember to: - Rile Drill Pit Application (form CDP-1) with Intent to Drill; - Pile Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be ceremented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certified between the complete of the shall be 1 hereby certified between the complete of the shall be 1 hereby certified between the complete of the shall be 1 here	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COLAMISCOCE KANSAS CORPORATION COLAMISCOCE CONSERVATION DIVISION WICHITA, KE y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Is to my knowledge and belief. Title: Remember to: Rile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface properties of the well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the plugge of the spud date or the well shall be a like the statements made herein are true and correct to the beat statements. For KCC Use ONLY API # 15 - 051 - 25850 - 000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISCION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 051-25850-0000	
Operator: Cattlemans Oil Operations	Location of Well: County: Ellis
Lease: Simpson	
Well Number: 1	2,555 feet from E / X W Line of Section
Field: Turkville	Sec. 10 Twp. 11 S. R. 17 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE _ NE _ NE _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	: -		_			
1	:	:	:		- :	•
	•				•	•
	•	•	•	i .	•	•
1	:	•	:			
	:	:	:			
1		;				•
	•					•
				l		
1						
	_				_	
1	:		:			
1						
			-			
			•			
	•	-	•			
	•		-			
			-			
			•			
			•			.
	•	-	•			
1	•	•	:	1		
1	:	-	:	1		
			:			
1		- '	-	,		
3		-				
1 .	•		•			•
	•	•	•			
	•	•	:	1		
		•	:			
1		:	:			
1		:				
		: .	- ,	· •		
1 .				17 .		.
				·		
, ,						
			340	;	:	
			341			
			, 4°			
			3-46	ı		
			ő			
			ó			
			ဝိ			
			ő			
			6			
			6			
			်ဝီ			
	*******		<u>'</u> 6			
			်ဝီ			
			ိဝိ			
			ဝိ			
			ဝိ			
			3 6			
			6			
			်			
			.			
						
			6			
			5			
			6			
			Ó			
			Ó			
			0			
			0			
			Ó			
			0			
			0			
			6			
			٥			
			6			
			6			
			6			
			Ď			

RECEIVE KANSAS CORPORATION COMMISSION

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cattlemans Oil Operations			License Number: 7064			
Operator Address: 2260 Catherine Rd			Catherine KS 67601			
Contact Person: Leo Dorzweiler			Phone Number: 785-625-5394			
Lease Name & Well No.: Simpson	1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE NE NE SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 Twp. 11 R. 17 East West			
Settling Pit Drilling Pit	If Existing, date c	onstructed:	2,300 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		2,555 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	3,770	(bbls)	Ellis			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	native clay & drilling mud			
Pit dimensions (all but working pits):	5 Length (fe	eet) 65	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit			
, , , , , , , , , , , , , , , , , , , ,			edures for periodic maintenance and determining			
material, thickness and installation procedure		inter integrity, in	ncluding any special monitoring. RECEIVEL KANSAS CORPORATION COMMISS			
			NOV 2 5 2008			
			CONSERVATION DIVISION West fresh water 15 feet WICHITA, KS			
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	TOOL HOOK MAKE			
2600 feet Depth of water well 75 feet		measu	redwell owner electric log KDWR			
			over and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		ıl utilized in drilling/workover: drilling mud				
			orking pits to be utilized:3			
Barrels of fluid produced daily: Abandonment		procedure: allow to dry by evaporation & backfill when dry				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must t	pe closed within 365 days of spud date. of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
11/24/08 MeHLL, I						
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 11 25/08 Permit Number: Permit Date: 12 /1 /08 Lease Inspection: Ves No						



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 1, 2008

Leo Dorzweiler Cattlemans Oil Operations 2260 Catherine Rd Catherine KS 67601

Re:

Drilling Pit Application Simpson Lease Well No. 1 SW/4 10-11S-17W Ellis County, Kansas

Dear Mr. Dorzweiler:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Raine

Department of Environmental Protection and Remediation

CC:

Case Morris

File