For KCC Use:	12-16-08
Effective Date:	72 10 00
District #	<u>, , , , , , , , , , , , , , , , , , , </u>
CCA2 Vos	V No.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed

	FENT TO DIRILL All blanks must be Filled (5) days prior to commencing well
Expected Spud Date: 09 22 2008 month day year	Spot Description:
OPERATOR: License#	feet from N / S Line of Section  2,970 feet from E / W Line of Section  Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side) County: Marion
Contact Person: Jeff Steinke or Robert Pfannenstiel  Phone: 918-438-7971 and 918-493-2880	Lease Name: Scully Well #: 2-3 Field Name: Lost Springs
CONTRACTOR: License# 33549 Name: Landmark Drilling, LLC	Is this a Prorated / Spaced Field?  Target Formation(s): Mississippian, Hunton, Viola, Simpson, Arbuckle Yes No
Well Drilled For: Well Class: Type Equipment:    Oil	Nearest Lease or unit boundary line (in footage): 330  Ground Surface Elevation: 1395  Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water:
If OWWO: old well information as follows:  Operator:	Surface Pipe by Alternate:
Well Name:Original Total Depth:	Projected Total Depth: 3500  Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:	Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR X)
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plug	
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	y circulating cement to the top; in all cases surface pipe shall be inchitation underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing
thereby certify that the statements made herein are true and correctly the be	
For KCC Use ONLY API # 15 - 115 - 21402-0000  Conductor pipe required	Title: Coclos I's  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Spud date: Agent:	Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 -//5-21402-0000	
Operator: Metro Energy Group, Inc.	Location of Well: County: Marion
Lease: Scully	990 feet from N / N S Line of Section
Well Number: 2-3	2,970 feet from E / X W Line of Section
Field: Lost Springs	Sec. 3 Twp. 19 S. R. 3 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	ff Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:				
 	: 			14		••••••
 			*********			
 					*******	
 291	0'		-0			
 			99	oʻ		



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Metro Energy Group, Inc.		License Number: 33638					
Operator Address: P.O. Box 691734			Tulsa OK 74169				
Contact Person: Jeff Steinke or Robert Pfannenstiel			Phone Number: 918-438-7971 and 918-493-2880				
Lease Name & Well No.: Scully	2-3	3	Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	Sec. 3 Twp. 19 R. 3 East West				
Settling Pit Drilling Pit	If Existing, date of	onstructed:	990 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	2,970 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	10.000	(bbls)	Marion County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: 500 mg/l				
	Additional Linear		(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Native clay soil.				
Dit dimensions (all but working pits):	20 Length (fe	120	Width (feet) N/A: Steel Pits				
Pit dimensions (all but working pits): 120 Length (feet)  Depth from ground level to deepest			4				
			Describe procedures for periodic maintenance and determining				
		liner integrity, in	ncluding any special monitoring.				
·							
Distance to popular water well within one mile	of pit	Denth to shallo	west fresh water7\u03b2feet.				
		Source of information:					
2094 feet Depth of water well 95 feet		measu					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Water Mud					
Producing Formation:		Number of working pits to be utilized: 2					
Number of producing wells on lease:  Barrels of fluid produced daily:		Abandonment procedure: Evaporation and Backfill					
Does the slope from the tank battery allow all spilled fluids to							
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVEL					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
DEC 1 1 2008							
<u>/2°09°</u> 08) □ Date	Va	ht f	CONSERVATION DIVISION Granture of Applicant or Agent WICHITA, KS				
Jaco							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: ಸಿಲ್ಗಿಬ್ಡರ್ Permit Numi	per:	Permi	t Date: 10/11/08 Lease Inspection: Yes 🔀 No				