For KCC Use:	12-23-08
Effective Date:	1, ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
District #	4.
SGA2 TVos	TVI _{NO}

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filied

NOTICE OF INTENT TO DRILL

	(5) days prior to commencing well
Expected Spud Date: 12 23 2008	Spot Description:
month day year	NW - SE NW - NE Sec. 21 Twp. 16 S. R. 11 EXW
7030	(0/0/0/0) 4,310 feet from N / S Line of Section
OPERATOR: License#	1,760 feet from X E / W Line of Section
Name: John Roy Evans Oil Company, LLC Address 1: P.O. Box 385	Is SECTION: Regular Irregular?
Address 2:	<u> </u>
City: Cleflin State: KS Zip: 67525 + 0385	(Note: Locate well on the Section Plat on reverse side) County: Barton
Contact Person: Gary Kirmer	County.
Phone: 620-793-2026	Lease Name: Laudick B Well #: 6
CONTRACTOR: License# 33905	rieu name.
ONTH Exercises	Is this a Prorated / Spaced Field?
Name: Royal Drilling, inc.	Target Formation(s): Arbuckie
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
⊠Oil ☐ Enh Rec ☑ Infield ☑ Mud Rotary	Ground Surface Elevation: 1902 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 380
Tit OMMOU old well information on fallows	Surface Pipe by Alternate: XI I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 360' 700 Min
Operator:	Length of Conductor Pipe (if any):
Well Name;	Projected Total Depth: 3400
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: KANSAS CHECKLY
	ORPORATION OF
AFF	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	iding of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	CONO.
	O'NOEDIA -
Notify the appropriate district office <i>prior</i> to spudding of well;	drilling rig;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set b 	
through all unconsolidated materials plus a minimum of 20 feet into the	
4. If the well is dry hole, an agreement between the operator and the distri	
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	
,	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	-
I hereby certify that the statements made herein are true and correct to the be	st of my knowledge and belief.
12/17/2008	()
Date: Signature of Operator or Agent:	- Agent
Organical of Operator of Agent.	ry Payne Title: Agent
Organization of Operation of Agents	Title: Agent Remember to:
For KCC Use ONLY	Title:
	Remember to:
For KCC Use ONLY API # 15 - 009-25300-0000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 009-25300-000 Conductor pipe required feet	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 009-25300-000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
For KCC Use ONLY API # 15 - 009-25300-000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15 - 009 - 25300 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. [PI] II Approved by: [Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY API # 15 - 009-25300-000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY API # 15 - 009 - 25300 - 0000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY API # 15 - 009 - 25300 - 0000 Conductor pipe required	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - OO9 - 2 S300-0000 Operator: John Roy Evans Oil Company, LLC	Location of Well: County: Barton
Lease: Laudick B	4,310 feet from N / N S Line of Section
Well Number: 6	1,760 feet from X E / W Line of Section
Field: Kraft-Prusa	Sec. 21 Twp. 16 S. R. 11 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - NW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1760 FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: John Roy Evans Oil Company, LLC		License Number: 7030			
Operator Address: P.O. Box 385		Claflin KS 67525			
Contact Person: Gary Kirmer		Phone Number: 620-793-2026			
Lease Name & Well No.: Laudick B		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW SE NW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 21 Twp. 16 R. 11 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		4,310 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,760 Feet from East / West Line of Section		
	1,200	(bbls)	Barton County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native Mud		
Pit dimensions (all but working pits):	Congth (fe	et)80	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	6 (feet) No Pit		
If the pit is lined give a brief description of the liner Describe procedures for period material, thickness and installation procedure.			edures for periodic maintenance and determining RECEIVED		
That one of the state of the st		orogtj;	CORPORATION COMMISSION		
			DEC 1 8 2008		
			CONSERVATION DIVISION		
Distance to nearest water well within one-mile	of pit		west fresh water 215 feet.		
4514 feet Depth of water well	290 feet	Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:			ired well owner electric log KDWR		
		Drilling, Work	over and Haul-Off Pits ONLY:		
		•	over and Haul-Off Pits ONLY:		
Number of producing wells on lease:		Type of material	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Mud king pits to be utilized: 3		
Number of producing wells on lease: Barrels of fluid produced daily:		Type of material	over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud king pits to be utilized:3 procedure:Allow to dry and backfill		
		Type of material Number of wor Abandonment	over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud king pits to be utilized:3 procedure:Allow to dry and backfill		
Barrels of fluid produced daily:	spilled fluids to	Type of materia Number of wor Abandonment Drill pits must l	over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud king pits to be utilized:3 procedure:Allow to dry and backfill		
Barrels of fluid produced daily:	spilled fluids to	Type of materia Number of wor Abandonment Drill pits must l	over and Haul-Off Pits ONLY: al utilized in drilling/workover: _Fresh Mud king pits to be utilized:3 procedure: _Allow to dry and backfill be closed within 365 days of spud date.		
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 12/17/2008	spilled fluids to	Type of materia Number of wor Abandonment Drill pits must l	over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud king pits to be utilized:		