

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 8 2008		
month day year	Spot Description: 1400-1 NET 2310 TWL	
<u>.</u>	NE SE NW Sec. 33 Twp. 34 S. R. 2. XE	
OPERATOR: License# 33918 ✓	1,880 feet from N / S Line of 2,310 feet from E / N W Line of	
Name: WELLSTAR CORPORATION	Is SECTION: Regular Irregular?	Section
Address 1: 11990 Grant St., Ste 550		
Address 2: City: Northglenn State: CO Zip: 80233 +	(Note: Locate well on the Section Plat on reverse side) County: Suprimer	
Contact Person: Randall Arnold	County Symma Lease Name: Wolf Well #: 8	
Phone: 303-991-0647	Field Name: Padgett	
CONTRACTOR: License# 32854	Is this a Prorated / Spaced Field?	No
Name: GULICK DRILLING INC	Target Formation(s): LAYTON	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
	Ground Surface Elevation: 1170 female from the first female femal	eet MSL
	Water well within one-quarter mile:	X No /
Disposal Wildcat Cable	Public water supply well within one mile. Yes	X No
Seismic : # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water, 230	
If OWWO: old well information as follows:	Surface Pipe by Alternate: II East 250 Length of Surface Pipe Planned to be set.	
	Length of Conductor Pipe (if any): None	
Operator:	Projected Total Depth: 2850	
Well Name: Original Total Depth	Formation at Total Depth LAYTON	
Chighed Completion Education	Water Source for Drilling Operations:	
Directional. Deviated or Horizontal wellbore?	Well Farm Fond Other:	
If Yes, true vertical depth:	DWR Permit #:	<i>-</i>
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR 🛂)	No
The contraction of the contracti	Will Cores be taken?Yes If Yes, proposed zone:	∠ 140
	KALL RECEILL	
AFF	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. segre	SION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seDEC 1 8 2008	SION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DEC 1 8 2008	SION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DEC 1 8 2008	SION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> b 	drilling rig: we circulating cement to the top: in all cases surface protitions in the control of the control	SION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. 	drilling rig: drilling rig: by circulating cement to the top: in all cases surface problems be set underlying formation. ict office on plug length and placement is necessary prior to plugging;	SION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 	drilling rig: Onservation Division or circulating cement to the top: in all cases surface protizings be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in:	SION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig: ONSERVATION DIVISION OF CONSERVATION OF CONSERVA	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig: OCONSERVATION DIVISION OF CONSERVATION DIVISION OCONSERVATION OCONSERVATION DIVISION OCONSERVATION OCONSERVATION DIVISION OCONSERVATION OCONSE	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig: by circulating cement to the top: in all cases surface in the interpretation of the interpretat	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. 	drilling rig; by circulating cement to the top: in all cases surface profitance be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.	g
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top: in all cases surface profitance be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.	g 1 T
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best appropriate to the surface of the specific plants. Signature of Operator or Agent: 2. Signature of Operator or Agent: 2. Signature of Operator or Agent: 3. Operator or Agent: 3. Operator or Agent: 3. Operator or Agent: 3. Operator or Agent: 4. Operator or Agent: 4. Operator or Agent:	drilling rig: by circulating cement to the top: in all cases surface protitaines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. ENGINEER/AGEN Title:	g
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best and the statements of Operator or Agent: 	drilling rig: by circulating cement to the top: in all cases surface protitaines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and better. ENGINEER/AGEN Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	g 1 T
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the complete of the part of the	drilling rig: by circulating cement to the top: in all cases surface protitaines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and better. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date:	g IT ≅
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best appropriate to the position of the complete of the complete of the position of the complete of the	drilling rig: by circulating cement to the top: in all cases surface protitaines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and better. ENGINEER/AGEN Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	g 1 T
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the conductor pipe required. For KCC Use ONLY API # 15 - 191- 22 561-0000 Conductor pipe required feet per ALT III III	drilling rig: by circulating cement to the top: in all cases surface protitanes be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).	9 1T 33 34
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the specific to the specific state. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 9/- 22 56/-0000 Conductor pipe required Minimum surface pipe required Approved by: Mark 2 18-08	drilling rig: by circulating cement to the top: in all cases surface protitains be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and better. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 di-	g IT 33 34
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete that the statements of Operator or Agent: Date: 12/15/08 Signature of Operator or Agent: Date: Date: 12/15/08 Signature of Operator or Agent: Date: Date: 12/15/08 Signature of Operator or Agent: Date: Signature of Operator or Agent: Signature of Oper	drilling rig: by circulating cement to the top: in all cases surface protraines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and better. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authonzed expiration date) please	g IT 33 34
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better than the statements of Operator or Agent: Por KCC Use ONLY	drilling rig: by circulating cement to the top: in all cases surface protitanes be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and better. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 did.) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authonzed expiration date) please check the box below and return to the address below.	9 IT 33 34 2
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection of the distrection of the properties of the pro	drilling rig: by circulating cement to the top: in all cases surface protraines be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and better. File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authonzed expiration date) please	g IT 33 34


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 191-22561-0000 Operator: WELLSTAR CORPORATION	Landing of Math. County S	iummner	
Lease: Wolf	Location of Well: County: S 1,880	feet from N / S Line of Section	
Well Number. 8 Field: Padgett	2,310 Sec. 33 Twp. 34	feet from E / X W Line of Section S. R. 2 X E W	
lumber of Acres attributable to well: 10 http://ork/QTR/QTR of acreage: NE SE NW	Is Section: Regular o	or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).




BOX 8604 - PRATT, KS 67124 (620) 672-6491


OIL FIELD SURVEYORS

Staked 11/29/08

1,126082 INVOICE NO.

WELLSTAR CORPORATION Wolf OPERATOR 1880' FNL & 2310' FWL Sunner COUNTY ELEVATION: 1170' GR WELLSTAR CORPORATION 11990 Grant St Ste. 550 Northglenn, CO 80233





Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WELLSTAR CORPORATION		License Number: 33918			
Operator Address: 11990 Grant St	., Ste 550		Northglenn	CO 80233	
Contact Person: Randall Arnold		Phone Number: 303-991-0647			
Lease Name & Well No.: Wolf 8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		_ NE _ SE _ NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 _{Twp.} 34 _{R.} 2	East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		1,880 Feet from North /	South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		2,310 Feet from East /	West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Summner	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: (For Emergency Pits and Sett	ilina Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not Coated w/Bentonite		
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet)	N/A: Steel Pits	
Depth f	rom ground level to de	eepest point:	5 (feet)	NO RECEIVED SAS CORPORATION COMMISSIO	
material, thickness and installation procedure	e.	liner integrity, i	ncluding any special monitoring.	DEC 1 8 2008 CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Source of information:					
feet Depth of water well	7.5 feet	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Fresh Water Gol Mud			or Gol Mud		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Gel Mud Number of working pits to be utilized:			
Number of producing wells on lease:		Number of working pits to be utilized: Abandonment procedure: Allow to dry and restore to original			
Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	l spilled fluids to	elevation Drill pits must be closed within 365 days of spud date.		2561-000	
I hereby certify that the above stat	ements are true and	correct to the bes	of my knowledge and belief.	8	
12/15/08 Date Amull Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 16/11/02 Permit Nur	nber:	Perm	nit Date: 🕫 / 👍 / o 🖇 Lease Inspectio	on: Yes XNo	