# For KCC Use: 1-3-09 Effective Date: 4 District # SGA? Ves No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:01/12/2009	Shot Description
month day year	Spot Description:
7076	- NW - NE - NE Sec. 27 Twp. 8 S. R. 19 EXW
OPERATOR: License#	feet from N / S Line of Section
Name: Black Diamond Oil, Inc.	990 feet from E / W Line of Section
Address 1: P.O. Box 641	is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Hays State: KS Zip: 67601 +	County: Rooks
Contact Person: Kenneth Vehige	Lease Name: Green A Well #: 3
Phone: 785-625-5891	Field Name: Webster
CONTRACTOR: License# 33575	
Name: WW Drilling, LLC	Is this a Prorated / Spaced Field?
	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: 1930 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 130
Other:	Depth to bottom of usable water: 800
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 +
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 3450
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Moto: Apply for Dormit with DMD   1)
KCC DKT #:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken?
	Will Cores be taken?
AFF	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSIGN  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall well sea. KS
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall be set. KS  underlying formation.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri-	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  CONSERVATION COMMISSING  CONSERVATION DIVISION  Proper conservation division  Property circulating cement to the top; in all cases surface pipe shall be set. KS  underlying formation.  Ict office on plug length and placement is necessary prior to plugging:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  RECEIVED  CONSERVATION COMMISSING  CONSERVATION DIVISION  Propropries on plug length and placement is necessary prior to plugging;  and or production casing is cemented in:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet not the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  CONSERVATION COMMISSING  CONSERVATION DIVISION  Propriet of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shal
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  CONSERVATION COMMISSING  CONSERVATION DIVISION  Propriet of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shall Wighter Its Association of the top; in all cases surface pipe shal
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall we set. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  Ifrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the statements.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall we set. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  Ifrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall we set. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  Ifrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the statements.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  RECEIVED  KANSAS CORPORATION COMMISSING  CONSERVATION DIVISION  RECEIVED  KANSAS CORPORATION COMMISSING  CONSERVATION DIVISION  Received to the top; in all cases surface pipe shall be set. KS  underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Bast of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri- 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall be set. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Signature of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  Regging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  CONSERVATION DIVISION  Provide on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the spud date of the spud date of the spud date of the shall be placed.  Signature of Operator or Agent:  **Double Hereby Certify that the statements made herein are true and correct to the best of the spud date of the spud d	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  Regging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  CONSERVATION DIVISION  Provide on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Bay,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Signature of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  Regging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  CONSERVATION DIVISION  Provide on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Bay,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the spud date of the spud date of the spud date of the shall be placed.  Signature of Operator or Agent:  **Double Hereby Certify that the statements made herein are true and correct to the best of the spud date of the spud d	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  Regging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  CONSERVATION DIVISION  Provide on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the beat signature of Operator or Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  conservation division  or circulating cement to the top; in all cases surface pipe shall we fire. Ks  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  et or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because of the conductor pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 16 3 - 23 791-0000  Conductor pipe required feet  Minimum surface pipe required feet feet per ALT. I File Approved by:  MA 12-29-08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  Or circulating cement to the top; in all cases surface pipe shall Wight KS  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best paternaments. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 16 3 - 23 7 9 / - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  conservation division  or circulating cement to the top; in all cases surface pipe shall we fire. Ks  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  et or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because of the conductor pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 16 3 - 23 791-0000  Conductor pipe required feet  Minimum surface pipe required feet feet per ALT. I File Approved by:  MA 12-29-08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  Reging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  Project of the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases and placement is necessary prior to plugging; ed or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the beat energy that the statements made herein are true and correct to the beat energy that the statements of Operator or Agent:  For KCC Use ONLY  API # 15 - 16 3 - 23 7 9 / - 0000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by: 12 29 - 9  (This authorization expires: 12 29 - 9  (This authorization void if drilling not started within 12 months of approval date.)	Will Cores be taken?  If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSIN agging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be store to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely be completed. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 16 3 - 23 7 9 / - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSING  Reging of this well will comply with K.S.A. 55 et. seq.  DEC 2 4 2008  drilling rig;  CONSERVATION DIVISION  Project of the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases surface pipe shall well to the top; in all cases and placement is necessary prior to plugging; ed or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23791-000	
Operator: Black Diamond Oil, Inc.	Location of Well: County: Rooks
Lease: Green A	feet from N / S Line of Section
Well Number: 3	990 feet from E / W Line of Section
Field: Webster	Sec. <u>27</u> Twp. <u>8</u> S. R. <u>19</u> E 🔀 W
Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage:NWNENE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

					330		-
						<del>\                                    </del>	990
:		;			········ ·· ·		*********
:	*******	:			• • •		
;		:	••••••	:		:	
						į	
				' :			
:	:	:			:	:	
					:		
:				:		······	********
							İ
:		:					•••••
:	:	:		:	· · · · · · · · · · · · · · · · · · ·		
		:		:		÷	
		:	ļ				

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 2 4 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Black Diamond Oil, Inc.		License Number: 7076			
Operator Address: P.O. Box 641 Hays, KS 67601					
Contact Person: Kenneth Vehige			Phone Number: ( 785 ) 625 - 5891		
Lease Name & Well No.: Green A #3		Pit Location (QQQQ):			
Type of Pit:	Pit is:  ✓ Proposed  Existing		CNWNENE		
Emergency Pit Burn Pit			Sec. 27 Twp. 8 R. 19 ☐ East		
Settling Pit		onstructed:	Feet from 🗹 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		990 Feet from 🗹 East / 🗌 West Line of Section		
	800 (bbls)		Rooks County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	] No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes   ✓	No	Native Soil		
Pit dimensions (all but working pits):	30 Length (fe	et) 80	Width (feet) N/A: Steel Pits		
Depth fi	rom ground level to de	epest point: 3	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	owest fresh water 15 feet.		
१३३८ feet Depth of water well ਤੇ  feet		,	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease:			king pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment	procedure: Haul off free fluids, air dry & backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. RECEIVEU KANSAS CORPORATION COMMISS		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  DEC 2 4 2008					
12/32/08 Dates		and o	CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 12/34/92 Permit Nun	nber:	Perm	it Date: 13/31/08 Lease Inspection: [] Yes No		