

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 9860
Name: Castle Resources Inc.
Address: PO Box 87
City/State/Zip: Schoenchen, KS 67667
Purchaser: _____
Operator Contact Person: Jerry Green
Phone: (785) 625-5155
Contractor: Name: Anderson Drilling
License: 33237
Wellsite Geologist: Jerry Green

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>10/22/07</u>	<u>10/31/07</u>	<u>10/31/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 167-23467-0000
County: Russell
SE NW NW Sec. 19 Twp. 14 S. R. 15 East West
990 feet from S N (circle one) Line of Section
990 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Janne Well #: 1
Field Name: wildcat


Producing Formation: dryhole
Elevation: Ground: 1873 Kelly Bushing: 1878
Total Depth: 3443 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 8 5/8" @ 212 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) *ALT II Witham*
12-13-07
Chloride content 10,000 ppm Fluid volume 300 bbls
Dewatering method used allowed to dry & backfill
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 11/13/07
Subscribed and sworn to before me this 13th day of November
2007
Notary Public: Katherine Bray
Date Commission Expires: 7-3-08



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 15 2007
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Castle Resources Inc. Lease Name: Janne Well #: 1
 Sec. 19 Twp. 14 S. R. 15 East West County: Russell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Topeka</td> <td>2836</td> <td>-958</td> </tr> <tr> <td>Heebner</td> <td>3060</td> <td>-1182</td> </tr> <tr> <td>Lansing-KC</td> <td>3111</td> <td>-1233</td> </tr> <tr> <td>Base-KC</td> <td>3340</td> <td>-1462</td> </tr> <tr> <td>Arbuckle</td> <td>3400</td> <td>-1522</td> </tr> <tr> <td>RTD</td> <td>3443</td> <td>-1565</td> </tr> </table>	Name	Top	Datum	Topeka	2836	-958	Heebner	3060	-1182	Lansing-KC	3111	-1233	Base-KC	3340	-1462	Arbuckle	3400	-1522	RTD	3443	-1565
Name	Top	Datum																				
Topeka	2836	-958																				
Heebner	3060	-1182																				
Lansing-KC	3111	-1233																				
Base-KC	3340	-1462																				
Arbuckle	3400	-1522																				
RTD	3443	-1565																				

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4	8 5/8"		212	common	150	3% CC 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	ns/A		

RECEIVED
 KANSAS CORPORATION COMMISSION
NOV 15 2007
 CONSERVATION DIVISION
 WICHITA, KS

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D. [REDACTED]

Phone 785-483-2025
Cell 785-324-1041


Home Office P.O. Box 32 Russell, KS 67665

No. 1878

Date	10/31/07	Sec.	19	Twp.	14	Range	15	Called Out		On Location	1:00 PM	Job Start	1:15 PM	Finish	4:30 PM
Lease	JANNE	Well No.	1	Location	Walker 25d 4E	County	Ellis	State	KS						
Contractor	AAA Rig 1				Owner	S.S.									
Type Job	plug				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	7 7/8				T.D.	3450									
Csg.					Depth	Charge To Castle Resources Inc									
Tbg. Size					Depth	Street									
Drill Pipe					Depth	City State									
Tool					Depth	The above was done to satisfaction and supervision of owner agent or contractor.									
Cement Left in Csg.					Shoe Joint										
Press Max.					Minimum										
Meas Line					Displace										
Perf.	CEMENT														

EQUIPMENT				Amount Ordered	140 @ 49 gal of Flowseal per sk										
Pumptrk	1	No.	Cement	Consisting of											
			Helper	Down											
Bulktrk	2	No.	Driver	Common											
			Driver	Down											
Bulktrk	pu	No.	Driver	Poz. Mix											
			Driver	Down											

JOB SERVICES & REMARKS				Gel.											
Pumptrk Charge	plug (A15)			Chloride											
Mileage				Hulls											
Footage				Salt											
Total				Flowseal											

Remarks:															
25 sk @ 30															
25 sk @ 175															
65 sk @ 450															
10 sk @ 40 of plug															
15 Port hole															
				Handling											
				Mileage											
				Sub Total											
				Total											
				Floating Equipment & Plugs	Dy 10 @ 68										
				Squeeze Manifold											
				Rotating Head											
				Tax											
				Discount											
X Signature <i>[Signature]</i>				Total Charge											

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 15 2007
CONSERVATION DIVISION
WICHITA, KS

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

– **TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

– **ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.

– **PRICES AND TAXES:** All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.

– **TOWING CHARGES:** QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.

– **PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.

– **DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

– **SERVICE CONDITIONS AND LIABILITIES:** 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.

2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.

3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., INC.

25403

Federal Tax I.D. [REDACTED]

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>10-23-07</u>	SEC. <u>19</u>	TWP. <u>14</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START <u>6:30am</u>	JOB FINISH <u>7:00am</u>
LEASE <u>Janne</u>	WELL # <u>1</u>	LOCATION <u>Walker 3 S 24 E 4 S 10</u>			COUNTY <u>Russell</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR A & A DRLG. Rig # 1

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 212

CASING SIZE 8 5/8 New DEPTH 212

TUBING SIZE 23 # DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 12 1/2 BBL

OWNER

CEMENT

AMOUNT ORDERED 150 SK Com.

3% CC
22 gal

COMMON	<u>150</u>	@	<u>11.40</u>	<u>1665.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>46.60</u>	<u>233.00</u>
ASC		@		

EQUIPMENT

PUMP TRUCK CEMENTER Glenn

398 HELPER GARY

BULK TRUCK

378 DRIVER Doug

BULK TRUCK

DRIVER

HANDLING	<u>158 TOTAL SK</u>	@	<u>1.92</u>	<u>305.20</u>
MILEAGE	<u>16 Ton Mile</u>	@		<u>250.00</u>
TOTAL				<u>2498.15</u>

REMARKS:

Cement Circulated

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>876.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>16</u>	@	<u>6.00</u>	<u>96.00</u>
MANIFOLD	<u>10</u>	@		
TOTAL				<u>911.00</u>

CHARGE TO: CASTLE Resources Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8 Plug</u>	@			<u>60.00</u>
	@			
	@			
	@			
TOTAL				<u>60.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Eldo Senesac
PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 15 2007
CONSERVATION DIVISION
WICHITA, KS