KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710	API No. 15 - 207-27290 -60.00
Name: Laymon Oil II, LLC	County: Woodson
Address: 1998 Squirrel Road	ne_ne_ne_ne_sec. 2 Twp. 24 S. R. 16 V East West
City/State/Zip: Neosho Falls, KS 66758	5115 feet from S / N (circle one) Line of Section
Purchaser: Coffeyville Resources	165 feet from (E) / W (circle one) Line of Section
Operator Contact Person: Kenneth Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	(circle one) NE SE NW SW
Contractor: Name: <u>Company tools</u>	Lease Name: Alexander Well #: 92-07
License: 32710	Field Name: Vernon
Wellsite Geologist: none	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: n/a Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1080 Plug Back Total Depth: 1072
✓ OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 40' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 40'
Operator:	feet depth to surface w/ 10 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 12-13-07
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.: Licens
10/13/07 10/16/07 10/26/07 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	140 A 1 4 5 5001
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature Levent Deapor	KCC Office Use ONLY
Title Curu Date: 11/14/07	Letter of Confidentiality Attached
Subscribed and sworn to before me this 14 day of Dovember	If Denied, Yes Date:
187 <u>2007</u> .	Wireline Log Received
A NOTARY PUBLIC SI	Geologist Report Received
Date Commission Expires: Notary Public: Yegustu o Yegustu o REGINA LA Notary Public: Yegustu o	ATMON

Side Two

	mon Oil II, LLC		Lease Name	Alexander		Well #: _92-0	07		
Sec. 2 Twp. 2	24_s. R. 16	✓ East ☐ West	County: Wo	odson					
ested, time tool oper emperature, fluid red	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressures is if gas to surface test, final geological well site	s, whether shut-in p along with final ch	ressure reached	static level, hydr	ostatic pressure	es, bottom hole		
orill Stem Tests Take		☐ Yes 📝 No	V	Log Formati	and Datum	Sample			
Samples Sent to Geo	•	Na	me	Тор	Datum				
Cores Taken	•	U Yes ✓ No U Yes ✓ No							
Electric Log Run (Submit Copy)		✓ Yes No	į						
ist All E. Logs Run:									
							,		
			G RECORD	New Used ntermediate, produc	tion, etc.	· · ·			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	10 1/4"	8 5/8"	24#	40'	common	10			
Production	6 1/8"	2 7/8"	6.7#	1072'	portland	160			
Tubing		1"	1.8#	1015'					
		ADDITIONA	L CEMENTING / S	QUEEZE RECORE)				
Purpose: Dept Top Bot — Perforate Top Bot — Protect Casing Plug Back TD		Type of Cement	#Sacks Used		Type and I	Type and Percent Additives			
Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge Pli Footage of Each Interval P				, Shot, Cement Squeeze Record t and Kind of Material Used)			
3	1012-1022			200 gal 30%	6 HCL acid; fr	ac w/50 sks	sand 1012-103		
3	1024-1032					-			
TUBING RECORD	Size	Set At	Packer At	Liner Run [Yes No)			
	Production, SWD or E	nhr. Producing Me	thod Flow	ing	ng Gas Li	ift Othe	r (Explain)		
Date of First, Resumed 10/27/07									
	Qil .5	Bbls. Gas	Mcf W	ater B	bls.	Gas-Oil Ratio	Gravity		
10/27/07 Estimated Production			Mcf W	Production Inter		Gas-Oil Ratio	RECEN		

KCC WICHITA

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

> Alexander #92-07 API: 15-207-27290 Spud Date10/13/07 Comp Date: 10/16/07 02/24/16 WO CO

Formation	From	То		
Soil & Clay	0	23		
Shale	23	149		
Lime	149	160		
Lime & Shale	160	500		
Lime	500	520		
Big Shale	520	780		
Lime & Shale	780	970		
Lime 5'	970	975		
Shale	975	1006		
Cap Rock 1 st	1006	1007		
Shale	1007	1008.5		
Cap Rock 2 nd	1008.5	1010		
Sand Lower	1010	1022		
Shale	1022	1080		
Total Depth		1080		

Set 40'of 8 5/8" surface, cemented w/10 sks. Ran 1072' of 2 7/8" pipe. Seating nipple @ 1010'.

RECEIVED NOV 1.9 2007 KCC WICHITA THE HEW KLEIN LUMBER COMPANY 201 W. MADISON P.U. BOX 805 10LA, KS 66749

PHONE: (620) 365-2201

PLAYMON TOTE TT 1938 SATURWELLAD NEOSAO FALLS (KS 66758			I MAK P. SOM T.	H CHILL MINE SU HE CHIM I MAKE SURE THERE IS P SOMESODY THERE TO UNLOAD T					OF NONTH SE. 9.				DOCH 86213 *********** * INVOICE * **********			
QUANTIT SHIPPED	Y ORDERED	ŮM	· s	ΚU		The DE	SCRIPTION	, NC		Stier:		UNITS	PRICE	/PER	EXTEN	SION
120 1	EA EA		.IVERY		OKTLAND VELIVERY				À		120		8.99 /EA 10.00 /EA		978.69 18.69	
									ののでは (1995年)の (1995年)							
	RECEIVE	D BY			\$# A	JOUNT, CH	4KGE) 10	STORE 4	NCCOUNT	養養	1,169.2	NON- SURT TAX	TAXABLE	. \ 108	7. 48	

RECEIVED NOV 1,9 2007 KCC WICHITA

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages. In any manner, to sidewalks, readways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract. 802 N. Industrial Rd. P.O. Box 664 Payless Concrete Products, Inc. lola, Kansas 66749 Phone: (620) 365-5588 SHIP TO: LAZY-MAYMON OIL, L.C.C. LAYMON OIL 1998 SQUIRREL RD. 54 W TO WILLOW N TO 200TH RD 4 MI TO SQUIRREL RD 5 1 MI _NEOSHO-FALLS KS TO 190TH E TO CATTLE GARD S SD NEOSHO FALLS,KS 66758 PLANT/TRANSACTION # **FORMULA** LOAD SIZE YARDS ORDERED TIME X AIR Ó. ØØ 35 0.00 MELL 8.00 vd 16.00 vd 04:13:37p LOAD # ¿ BATCH# WATER TRIM SLUMP TICKET NUMBER YARDS DEL o Date 4.00 in 19542 10-16-07 Today 2 16.00 vd Excessive Water is Detrimental to Concrete Performance **WARNING** TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) 3. TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CLIRB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly custed damage to the premises and/or adjacent property it. It places the material in this fload where you cleare it. It is our wish no help you in every way, that we can, but in order to do this buffer, its requising that you, sight this RELEASE relieving him and this supplier from any isosportsplittly from any damage that may occur to the premises; and/or adapted property. buddings, sidewalks, driveways, curbs, sets, by the delivery of this material, and that you sate agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the understanded agrees to indemnity and hold harmless the driver. H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
Contains Portland Cament. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persiss. Get Medical
Attention. KEEP CHILDREN AWAY. WEIGHMASTER CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allow Material is Delivered. A \$25 Service Charge and Loss of the Cast Excess Delay Time Charged @ \$50/HR. CODE UNIT PRICE **EXTENDED PRICE** QUANTITY DESCRIPTION 41 8.00 WELL (10 SACKS PER UNIT) 66.00 16.00 528.00 DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED RETURNED TO PLANT **LEFT JOB** FINISH UNLOADING SubTotal \$ 528.00 JOB NOT READY Tax % 7 6.300 33.26 SLOW POUR OR PUMP & 7. ACCIDENT 561, 26 TRUCK AHEAD ON JOB : CONTRACTOR BROKE DOWN B CITATION Ibtal \$ START UNLOADING ARRIVED JOB TIME DUE LEFT PLANT ∵Order \$ 1-06-24 ADDED WATER ADDITIONAL CHARGE TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME ADDITIONAL CHARGE 2**

RECEIVED
NOV 1.9 2007
KCC WICHITA

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Payless Concrete Products, Inc. 🕯 Iola, Kansas 66749 Phone: (620) 365-5588 SHIP TO: SOLD TO: UA2/-LA005 LAYMON GIL LAYMON OIL, L.L.C. 54 W TO WILLOW N TO 200TH RD 1998 SQUIRREL RD. W 4 MI TO SQUIRREL RD S 1 MI NEOSHO FALLS KS TO 190TH E TO CATTLE GARD 5 SD 66758 NEOSHO FALLS, KS 66758 DRIVER/TRUCK PLANT/TRANSACTION # LOAD SIZE YARDS ORDERED TIME FORMULA" CAL 04:06:32p MELL 8.00 yd 16.00 yd 0.00 35 0.00 LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER - DATE 10-16-07 1 8.00 yd 3531 4:00 in. 19539 Today **Excessive Water is Detrimental to Concrete Performance** PROPERTY DAMAGE RELEASE WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE): TO GE SIGNED IF DELIVERY TO BE MADE INSIDE CURB UNE).

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load vivere you desire it. It is our wish to help you if every way that we can; but it notes to do this direct in requesting that your sign this RELEASE reliabiling him and this supplier from any responsibility from any damage that may occur, to the "premises and/of" adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheeler of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indeminify and hold harmless the direct of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be callemed by anyone to the permises and/or adjacent property which may be callemed by anyone to the premises. H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
rdand Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS: Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes; Fush Throughly With Water, if Irritation Persists. Get Medical Attention. KEER CHILDREN AWAY. WEIGHMASTER -CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per a Not Responsible for Reactive Aggregate or Cotor Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Return Excess Delay Time Charged @ \$50/HR. UNIT PRICE **EXTENDED PRICE** QUANTITY CODE WELL WELL (10 SACKS PER UNIT) 8.00 66.00 528.00 8.00

DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED RETURNED TO PLANT LEFT JOB FINISH UNLOADING SubTotal \$ 606.75 6. TRUCK BROKE DOWN 38.23 Tax % 6.300 SLOW POUR OR PUMP 7. ACCIDENT 8. CITATION 9. OTHER 0 TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN Total * 644.98 ARRIVED JOB START UNLOADING TIME DUE LEFT PLANT 5. ADDED WATER der \$ 644.98 ADDITIONAL CHARGE ADDITIONAL CHARGE 2 DELAY TIME YUU TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME GRAND TOTAL

1.75

TRUCKING

TRUCKING

TRUCKING CHARGE

RECEIVED
NOV 1.9 2007
KCC WICHITA

78, 75

45,00

1.75