

RECEIVED ORIGINAL

Operator Name: R.P. Nixon Oper., Inc

Lease Name: Neely

Well #: 3

Sec. 16 Twp. 14 S. R. 20 East West

County: Ellis

NOV 29 2005

KCC WICHITA

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:

Radiation Guard (Log-Tech)

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhydrite	1516'	+718
Heebner	3476'	-1242
L/KC	3516'	-1282
B/KC	3763'	-1529
Reagan Sand	3860'	-1626
RTD	3863'	-1629

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	20#	225'	common	160	2% gel, 3% CaCl
production	7 7/8"	5 1/2"	14#	3861'	ASC	100	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1518'	60/40 Pozmix	400	6% gel, 1/4# Flo

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8"	3855'	none	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
9.3.05			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	16	none	154		

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) 3861'-63' open hole

Production Interval

ALLIED CEMENTING CO., INC.

21466

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

NOV 29 2005
KCC WICHITA

SERVICE POINT:
Russell

DATE <u>8/4/05</u>	SEC. <u>16</u>	TWP. <u>14</u>	RANGE <u>20</u>	CALLED OUT <u>3:30 am</u>	ON LOCATION <u>6:00 am</u>	JOB START <u>12:00 pm</u>	JOB FINISH <u>12:45 pm</u>
LEASE <u>Neely</u>	WELL # <u>3</u>	LOCATION <u>Ellis 6 S 1/2 E Sint</u>			COUNTY <u>Ellis</u>	STATE <u>Ks.</u>	
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)							

CONTRACTOR South Wind Drilling Rig #1 OWNER _____

TYPE OF JOB 2-Stage Pipe Job

HOLE SIZE 7 7/8 T.D. 3863

CASING SIZE 5 1/2 14# DEPTH 3861

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL D.V Tool DEPTH 1518

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 16.3

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 93 3/4

EQUIPMENT

PUMP TRUCK CEMENTER Shane

366 HELPER Fred

BULK TRUCK _____

282 DRIVER Brian

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

D.V Tool 1518

Loaded Plug @ 1200 psi

Float Held

CHARGE TO: R. D. Nixon Operations, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks

SIGNATURE [Signature]

CEMENT
AMOUNT ORDERED 100 ASC 28 Gal
500 Gal WFR-2

COMMON	@		
POZMIX	@		
GEL		<u>2</u>	@ <u>14.00</u> <u>28.00</u>
CHLORIDE	@		
ASC		<u>100</u>	@ <u>10.75</u> <u>1,075.00</u>
		<u>500 GAL WFR-2</u>	@ <u>1.00</u> <u>500.00</u>

HANDLING		<u>102</u>	@ <u>1.60</u> <u>163.20</u>
MILEAGE		<u>6 E/Sk/mile</u>	<u>293.76</u>
TOTAL			<u>2,059.96</u>

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1,320.00</u>
EXTRA FOOTAGE	@		
MILEAGE		<u>48</u>	@ <u>5.00</u> <u>240.00</u>
MANIFOLD	@		

TOTAL 1,560.00

PLUG & FLOAT EQUIPMENT

<u>5 1/2 D.V Tool</u>	@		<u>3,300.00</u>
<u>5 1/2-2 Baskets</u>	@	<u>140.00</u>	<u>280.00</u>
<u>5 1/2 4X Turbo Cent</u>	@	<u>60.00</u>	<u>240.00</u>
<u>5 1/2-1 Insert</u>	@		<u>235.00</u>
<u>5 1/2-1 Guid-Shoe</u>	@		<u>160.00</u>
<u>5 1/2-1 Cent</u>			<u>50.00</u>
TOTAL			<u>4,265.00</u>

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

21467

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

NOV 29 2005
KCC WICHITA

SERVICE POINT: Russell

DATE <u>8/4/05</u>	SEC <u>16</u>	TWP. <u>14</u>	RANGE <u>20</u>	CALLED OUT <u>3:20</u>	ON LOCATION <u>6:00</u>	JOB START <u>1:30pm</u>	JOB FINISH <u>2:30pm</u>
LEASE <u>Deeply</u>	WELL # <u>3</u>	LOCATION <u>Ellis 6 S 6 E Sinto</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Southwind Drilling Rig #1

TYPE OF JOB 2-Stage Pipe Job

HOLE SIZE 7 7/8 T.D. 3863

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL DV Tool DEPTH 1518

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

OWNER _____

CEMENT AMOUNT ORDERED 400 6 1/4 6 1/2 Gel

1/4" Flo

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 37 bbl

COMMON	<u>240</u>	@	<u>8.70</u>	<u>2,088.00</u>
POZMIX	<u>160</u>	@	<u>4.70</u>	<u>752.00</u>
GEL	<u>24</u>	@	<u>14.00</u>	<u>336.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>100</u>	@	<u>1.70</u>	<u>170.00</u>
HANDLING	<u>424</u>	@	<u>1.60</u>	<u>678.40</u>
MILEAGE	<u>68/sk/mile</u>			<u>1,221.12</u>
TOTAL				<u>5,245.52</u>

EQUIPMENT

PUMP TRUCK CEMENTER Shane

366 HELPER Fred

BULK TRUCK DRIVER Keith

396 DRIVER _____

BULK TRUCK DRIVER _____

REMARKS:

10 sks Mouse Hole

15 sks Rat Hole

Loaded Plug @ 1500 psi

At Float Head

Cement Cure!

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>785.00</u>
EXTRA FOOTAGE	@		
MILEAGE	@		
MANIFOLD	@		
TOTAL			<u>785.00</u>

CHARGE TO: R.P. Nixon Operator, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5 1/2 Plug</u>	@		
	@		
	@		
	@		
TOTAL			

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

21554

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

NOV 29 2005

SERVICE POINT: K

KCC WICHITA

DATE <u>7-28-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>2:30AM</u>	JOB START <u>7:15am</u>	JOB FINISH <u>7:30AM</u>
LEASE <u>NEELY</u>	WELL # <u>3</u>	LOCATION <u>ELLIS 6S 14 E STD</u>			COUNTY <u>ELLIS</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR SOUTHWIND

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 225

CASING SIZE 8 5/8 DEPTH 224

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 10-15'

PERFS.

DISPLACEMENT 13 1/4 BBL

OWNER

CEMENT

AMOUNT ORDERED 160 COM 390CC
290 GEL

COMMON	<u>160</u>	@	<u>8.70</u>	<u>1,392.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE	<u>5</u>	@	<u>38.00</u>	<u>190.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>1.60</u>	<u>268.80</u>
MILEAGE	<u>6 4/51/mile</u>			<u>483.84</u>
TOTAL				<u>2,376.64</u>

EQUIPMENT

PUMP TRUCK CEMENTER MARK

345 HELPER GLEN

BULK TRUCK

722 DRIVER DOUG

BULK TRUCK

DRIVER BRIAN

REMARKS:

CEMENT CORR.

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>670.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>48</u>	@	<u>5.00</u>	<u>240.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>910.00</u>

CHARGE TO: R.P. NIXON

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>	<u>wood</u>	@		<u>55.00</u>
		@		
		@		
		@		
		@		
TOTAL				<u>55.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Doug Roberts

Doug Roberts
PRINTED NAME