### RECEIVED OCT 1 2 2005


### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

KCC WICHITA WELL COMPLETION 1 C.....
WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL

Operator: License # 4767	API No. 15 - 065-23095 - 00 - 00
Name: Ritchie Exploration, Inc.	County: Graham
Address: P.O. Box 783188	N/2 _S/2 _ SE Sec. 5 Twp. 6 S. R. 23 ☐ East 🗸 West
City/State/Zip: Wichita, KS 67278-3188	1110 feet from S N (circle one) Line of Section
Purchaser:	1420 feet from E // W (circle one) Line of Section
Operator Contact Person: Craig Caulk	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 691-9500	(circle one) NE SE NW SW
Contractor: Name: Murfin Drilling Co., Inc. OCT 1 1 2005	Lease Name: Circle 3 Ranch 5D Well #: 1
00000	A Field Name:
Wellsite Geologist: Jeff Christian	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2434' Kelly Bushing: 2439'
New Well Re-Entry Workover	Total Depth: 3860' Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at 311 Feet
Oil SWD SIOW Temp. Abd Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Ory Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	Not dopartion of the control of the
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)  Chloride content 43,000 ppm Fluid volume 975 bbls
Plug Back Plug Back Total Depth	
Commingled Docket No	Dewatering method used evaporation
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
	Lease Name: License No.:
9/8/05         9/14/05         9/14/05           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1. 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.  2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	to the oil and gas industry have been fully complied with and the statements
Signature: MM MWZ	KCC Office Use ONLY
Title: Geologist Date: 10/11/05	Letter of Confidentiality Received
Subscribed and sworn to before me this day of	If Denied, Yes Date:
20 05 DEBRA	Wireline Log Received  Contact Paner Received
Notani Dith	K. PHILLIPS Geologist Report Received
Notary Public: # Vella X. / Lucy 5/4/07	167
Date Commission Expires: 5/4/07	

X



## CONFIDENTIAL

Side Two

n	Q	l	G		N	A	
U)	1	Į	V	ŀ	IV	$I = \emptyset$	-

Operator Name: Ritch	ie Exploration,	Inc.		Leas	e Name:	ircle 3 Ran	ch 5D	Well #:		
Sec5 Twp6			✓ West	Count	ty: Graha	m				
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rate	g and shut s if gas to	in pressures, surface test, a	whether s along with	shut-in pre	ssure reached	l static level, hydr	ostatic pressur	es, bottom h	role
Drill Stern Tests Taken (Attach Additional S		<b>✓</b> Ye	es 🗌 No			-	tion (Top), Depth		<b>√</b> Sar	·
Samples Sent to Geole	ogical Survey	✓ Ye	es 🗌 No		Nam	9		RECE	WED Dat	um
Cores Taken		Ye	es 📝 No							
Electric Log Run (Submit Copy)		<b>√</b> Ye	es 🗌 No	•		SEE	ATTACHED	OCT 1		ı.
List All E. Logs Run:			KCC	<b>)</b>	-			KCC W	ICHII!	).
Radiation Guai	rd Log	_	ICT 1 1 2 UFIDEN							
			CASING	RECORD	<b>✓</b> Ne	w Used	ction, etc.			
Purpose of String	Size Hole	Siz	e Casing	We	eight	Setting	Type of	# Sacks	Type and	
Surface	12-1/4	8-5/8	(In O.D.)	23#	s. / Ft.	Depth 311'	Common	165	3%cc, 2	
			ADDITIONAL	CEMENT	INC / COL	EEZE RECOP	20			
Purpose:	Depth	Type	of Cement		ks Used	EEZE RECOP		Percent Additive	s	
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom								i anni in the control of the control	
Shots Per Foot	0	C	ID - Bridge Plu Each Interval Pe		е		racture, Shot, Ceme Amount and Kind of M		ord	Depth
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes N	0		
Date of First, Resumerd	Production, SWD or	Enhr.	Producing Me	thod	Flowing	g Pum	ping 🔲 Gas L	.ift 🔲 Oth	ner (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	or	Bbls.	Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF	COMPLETIC	DN .			Production Int	erval	- Lunium		
Vented Sold	Used on Lease mit ACO-18.)		Open Hole	_	erf. 🔲 C	Dually Comp.	Commingled			



#1 Circle 3 Ranch 5D

1110' FSL & 1420' FEL Section 5-6S-23W Graham County, Kansas API# 15-065-23095-00-00

Elevation: 2434' GL: 2439' KB

RECEIVED 0CT 1 2 2005 KCC WICHITA

			Ret.
Sample Tops			Well
Anhydrite	2079'	+360	-8
B/Anhydrite	2109'	+330	-7
Topeka	3404'	-965	-5
Heebner	3601'	-1162	<b>-</b> 5
Toronto	3625'	-1186	-3
Lansing	3641'	-1202	-4
Muncie Sh.	3744'	-1305	-4
Stark Sh.	3798'	-1359	-6
B/KC	3832'	-1393	-5
RTD	3860'	-1421	

## ALLIED CEMENTING CO., INC. 21878

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:	
CEC COUNTY DAYOR	LLED OUT ONLOCATION JOB START JOB FINIS	и <b>«</b> Д
DATE 9-14-05 5 6 23°	8 45 4 9:15 4 11:3	$\mathcal{D}^{t'}$
LEASE KOND SOWELL# LOCATION HILL	34 12N-2U-2N COUNTY STATE	
OLD ORNEW (Circle one) 12 W - 1N-12	1-13/4 5	<u>*                                      </u>
CONTRACTOR MUFFIL DAG CO#8	OWNER Score	
TYPE OF JOB P.7. A. HOLE SIZE 7% T.D. 3860'	and and are the state of the st	
CASING SIZE DEPTH	CEMENT AMOUNT ORDERED 200 & 5%	
TUBING SIZE DEPTH	6% (m) /4# F/2-50-1	<del>@</del> -
DRILL PIPE 4% XA DEPTH 21151	The state of the s	,
TOOL DEPTH	The state of the s	<i></i>
PRES. MAX MINIMUM MEAS. LINE SHOE JOINT	COMMON 120 5/5@ 10 5/200	7
MEAS, LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX 80 5/4 @ 44/20 37/	5
PERFS.	GEL <u>/6_5/s</u> @ <u>/40</u>	-
DISPLACEMENT	ASC @	
EQUIPMEN'T	F/o-Sec 50# @ 172 85	-00
PUMPTRUCK CEMENTER 1/6/17	RECEIVED	
# 15/ HELPER F122-1	OCT 1 2 2005 @	
BULK TRUCK	BANK CO CAMANDA OF STREET AND A CAMANDA OF STREET AND	
# 218 DRIVER 14000	— KCC WICHITA @	
BULK TRUCK	@	
# DRIVER	HANDLING 2/2 5/3 @ /5º 339	<u> </u>
		7.0
REMARKS:	TOTAL 3.15	77
25 5K3 D 2115'	SERVICE	
100 3kg 72 1284	A/	
10 5K5 2 40'	DEPTH OF JOB	
10 3/6 in M. H	PUMP TRUCK CHARGE 750	<u>) ×</u>
15 " " R, H	EXTRA FOOTAGE @ 500 HOC	. 0
Thank You	MANIFOLD@	)
		··· · · · · · · · · · · · · · · · · ·
CHARGE TO: R. talie Typloretions		
STREET	TOTAL 1,157	95
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT	
	8 %	J453005
and the control of th	1- D.H. Plus @ 35.	-
To Allied Cementing Co., Inc.		<del></del>
You are hereby requested to rent cementing equipment	(0)	<u> </u>
and furnish cementer and helper to assist owner or	@	
contractor to do work as is listed. The above work was	,	מאח
done to satisfaction and supervision of owner agent or	TOTAL _35=	162-47-eq.
contractor. I have read & understand the "TERMS AND	774 37	
CONDITIONS" listed on the reverse side.	TAX	
	TOTAL CHARGE	*********
A	DISCOUNT IF PAID IN 30 DA	AYS
Q ( ) 1 ,		

# ALLIED CEMENTING CO., INC. 21857

REMIT TO P.O. BOX 31

SERVICE POINT:

						Ogkle	· <del>/ · · · · · · · · · · · · · · · · · ·</del>
DATE	SEC.	TWP.	RANGE 23 m	CALLED OUT	ONLOCATION	JOB START	JOB FINISH
Circle 3 Rancy LEASE 50	WELL#	1	LOCATION ///	City 12N;	11.19.14	COUNTY	STATE
OLD OR NEW (Cir		<i>l</i>	LOCATION////		31 21	Glayan.	KS
OLD OR NEW (CII	cie one)		L	11/w/	14 5 IN		
CONTRACTOR /	Murt	in Ric	2 8	OWNER	Same		
TYPE OF JOB	.5.	in face		OWNER	:24 H) E		
HOLE SIZE /	214	T.D.	3/1/	CEMENT			
CASING SIZE	83/8	DEP	TH 3//	AMOUNT O	RDERED		
TUBING SIZE		DEP	TH		Com 39000	22 Gel	
DRILL PIPE		DEP	TH				
TOOL		DEP	TH				
PRES. MAX	·	MIN	IIMUM	COMMON_	235 5Ks	@ 10,00	2350.00
MEAS. LINE	•	SHC	DE JOINT	POZMIX _		@	
CEMENT LEFT IN	CSG.	15-1		GEL	4 8Ks	@14.00	56.00
PERFS.		2		CHLORIDE	8 5K5	@38,00	304.00
DISPLACEMENT		%Bb [ s		ASC		@	
	EOU	IPMENT					
	240	AL IVALAL ( R			RECEIVED	@	
PUMP TRUCK (	CEMENT	ED 1)	can		11202.1	@	
$\mathcal{D} \sim$	JEMENT HELPER	1	en		OCT 1 2 2005		
BULK TRUCK	IELPEK	11/10/1	-eu		···	<b>N</b> @	
_	ORIVER	ALO			<b>KCC MICHII</b>	<u>r</u> @	
BULK TRUCK	JKI V LIK	17 1-0	17				
	ORIVER					_ @	
	JKI V LIK			— HANDLING	247 sks	_@ <i>[160</i>	395.20
				MILEAGE _			1/85.60
	RE	MARKS:				TOTAL	4290,80
Cement 3	In Ce	llar			SERVI	CE	
	····			DEPTH OF J	OB		
				PUMP TRUC	CK CHARGE		670,00
				PUMP TRUC	CK CHARGE	@	
		<del>]</del>		PUMP TRUC	CK CHARGE	@	
	7,	Trank	You	PUMP TRUC EXTRA FOC MILEAGE	CK CHARGE	_@ _@ <i>G,OO</i> _@	
	7,	g hgyk	Yau	PUMP TRUC EXTRA FOC MILEAGE	CK CHARGE DTAGE 80 Aniles	_@ _@ <i>G,OO</i>	400,00
		honk	Yôu	PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE DTAGE 80 Aniles	_@ _@ <i>G,OO</i> _@	400,00
CHARGE TO: R	This	g nguk e Exp	Your Tion F	PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	_@ _@ <i>',OO</i> _@	400,00
CHARGE TO: A				PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	@ @ <i></i> ,;;;;; @ @	400,00
CHARGE TO: R				PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	@ @ <i></i> ,;;;;; @ @	400,00
				PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	@	1070,00
STREET				PUMP TRUC EXTRA FOC MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	@	1070,00
STREET				PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD	PLUG & FLOAT	— @	400,00 1070,00
STREET				PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD	CK CHARGE OTAGE 80 Aniles	@	400,00 1070,00 T
STREET				PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD	PLUG & FLOAT	@	400,00 1070,00 T
STREET	ST	ATE		PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD	PLUG & FLOAT	@	400,00 1070,00 T
STREET	ST.	ATE	ZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  System  838 50	PLUG & FLOAT	@	400,00 1070,00 T
STREET CITY To Allied Cement	ing Co., I	ATEInc.	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  System  838 50	PLUG & FLOAT	@	400,00 1070,00 T
STREET CITY To Allied Cement You are hereby re	ing Co., I	ATEInc. o rent cem	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  838 50	PLUG & FLOAT	@	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemen	ing Co., I quested to the and how ork as is	ATEInc. o rent cem nelper to as listed. Th	ZIPZIP	PUMP TRUCE EXTRA FOO MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE M	PLUG & FLOAT	@	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w	ing Co., I quested t nter and I york as is on and su	Inc. o rent cem nelper to as listed. The	ZIPZIP	PUMP TRUCE EXTRA FOO MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MANIFOLD  STATE MILEAGE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MILEA	PLUG & FLOAT	### TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfaction	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOO MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MANIFOLD  STATE OF THE PUMP TRUCE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MANIFOLD  STATE MILEAGE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MILEAGE MILEAGE MILEAGE MANIFOLD  STATE MILEAGE MILEA	PLUG & FLOAT	### TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfactic contractor. I have	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  838 STATE  TAX	PLUG & FLOAT	### TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfactic contractor. I have	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  838 STATE  TAX	PLUG & FLOAT	### TOTAL  TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfactic contractor. I have	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  838 STATE  TAX	PLUG & FLOAT	TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfactic contractor. I have	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  EXTRA FOOM MILEAGE MANIFOLD  TAX TOTAL CHA	PLUG & FLOAT	TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T  55.00
To Allied Cement You are hereby re and furnish cemer contractor to do w done to satisfactic contractor. I have	ing Co., I quested to the and he york as is on and superead & to	Inc. o rent cem nelper to as listed. Th pervision of	ZIPZIP	PUMP TRUCE EXTRA FOOM MILEAGE MANIFOLD  EXTRA FOOM MILEAGE MANIFOLD  TAX TOTAL CHA	PLUG & FLOAT	TOTAL  TOTAL  TOTAL  TOTAL	400,00 1070,00 T  55.00