ORIGINAL

Date Commission Expires:

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION FORM ACO-1 OIL & GAS CONSERVATION DIVISION

RECEIVED

September 1999

WELL COMPLETION FORM

NOV 0 2 2004 Form Must Be Typed

WELL HISTORY - DESCRIP	PTION OF WELL & LEASE CONSERVATION DIVISION WICHITA, KS				
Operator: License # 30606	API No. 15 - 023-20599 - 00 - 00				
Name: Murfin Drilling Company, Inc.	County: Cheyenne County, KS				
Address: 250 N. Water, Suite 300	<u>-S/2 - SW - SE Sec. 34 Twp. 2 S. R. 41 </u> East \(\overline{Y} \) West				
City/State/Zip: Wichita, Kansas 67202	360 S feet from S / N (circle one) Line of Section				
Purchaser:	1980 E feet from E / W (circle one) Line of Section				
Operator Contact Person: Tom W. Nichols	Footages Calculated from Nearest Outside Section Corner:				
Phone: (316) 267-3241	(circle one) NE SE NW SW				
Contractor: Name: Murfin Drilling Company, Inc. UCT 2 9 200	Lease Name: Harvey Well #: 1-34				
License: 30606 CONFIDENTI	A Field Name: Wildcat				
Wellsite Geologist: Paul Gunzelman	Producing Formation: Lansing Kansas City				
Designate Type of Completion:	Elevation: Ground: 3585 Kelly Bushing: 3590				
New Well Re-Entry Workover	Total Depth: 4907 Plug Back Total Depth:				
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 365' Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ✓ No				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from				
Operator:	feet depth to sx cmt.				
Well Name:	11.00				
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) AUT Plan With a Structure of the Plan (Data must be collected from the Reserve Pit)				
Deepening Re-perf Conv. to Enhr./SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content ppm Fluid Volume bbls				
Plug Back Plug Back Total Depth	Dewatering method used				
Commingled Docket No					
Dual Completion Docket No	Location of fluid disposal if hauled offsite:				
Other (SWD or Enhr.) Docket No	Operator Name:				
10.19.04	Lease Name: License No.:				
10/09/04	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Docket No.:				
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs of TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING				
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements				
Signature: W. Mahal	KCC Office Use ONLY				
Title: Tom Nichols, Production Manager Date:	2004 Letter of Confidentiality Received				
Subscribed and sworn to before me this 29th day of	If Denied, Yes Date:				
UI	Wireline Log Received				
hrighin Candil	Geologist Report Received				
Notary Public:	UIC Distribution				

Side Two

Operator Name: Murfin Drilling Company, Inc.				Lease Name: Harvey				Well #: 1-34		
Sec. 34 Twp2				Count	ty: Chey	enne County,	KS			
NSTRUCTIONS: Show ested, time tool open a emperature, fluid recov flectric Wireline Logs s	and closed, flowing ery, and flow rate	g and shut s if gas to	in pressures, v surface test, al	whether s long with	shut-in pre	ssure reached	static level, hydro	ostatic pressu	res, bottom	hole
rill Stem Tests Taken (Attach Additional Sh	aats)	✓ Ye	es No			og Format	ion (Top), Depth	and Datum	Sa	mple
amples Sent to Geolo	·	 ✓ Ye	es 🗌 No		Nam	е		Тор	Da	ıtum
ores Taken lectric Log Run		Ye	es 🔽 No					Kansas C	RECEIVI ORPORATION	ED Y COMMISS
(Submit Copy)					KCC	SEE AT	TACHED LIST	· N	OV 02.	2004
ist All E. Logs Run: Dual Compensa Microresistivity		y, Dual	Induction,		T 2 9	2004		CONS	ERVATION D WICHITA, KS	ivision S
		Reno	CASING ort all strings set-c		Ne		ction etc			
Purpose of String	Size Hole Drilled	Siz	e Casing	We	eight / Ft.	Setting Depth	Type of Cement	# Sacks Used		d Percent litives
Surface	Dilled	8 5/8	((11 0.0.)			365'	Common	265	3%CC,	
Production		N/A								·
A4 - 12 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			ADDITIONAL	CEMENT	ING / SQL	JEEZE RECOR	D			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sack	s Used		Type and	Percent Additive	es	
Shots Per Foot	PERFORAT Specify	ION RECOF	RD - Bridge Plug Each Interval Per	s Set/Typ	е		acture, Shot, Cemer Amount and Kind of M		ord	Depth
N/A										a di
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No	D		
Date of First, Resumerd F	Production, SWD or I	Enhr.	Producing Met	hod	Flowin	g Dump	ping Gas L	ift 📋 Otl	her (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate			Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF	COMPLETIC	DN	1		Production Inte	erval			
Vented Sold	Used on Lease		Open Hole	☐ Pe	rf. [[Dually Comp.	Commingled .			

Murfin Drilling Co. 250 N. Water, St. #300 Wichita, KS

ALLIED CEMENTING CO., INC. PO. BOX 31 RUSSELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566 FEDERAL TAX ID

0614 To:

KCC

OCT 2 9 2004

CONFIDENTIAL

INVOICE

Invoice Date: 10/12/04

Invoice Number: 094760

RECEIVED KANSAS CORPORATION COMMISSION

NOV 0 2 2004

11-11-04

CONSERVATION DIVISION WICHITA, KS.

Cust I.D..... Murfin YG P.O. Number..: Harvey 1-34 P.O. Date...: 10/12/04

Due Date.: 11/11/04 Terms...: Net 30

67202

Item I.D./Desc. Q	lty.Used	<u> ∵ Unit</u>	- Price	<u>Net</u>	TX
Common.		SKS	9.1000	2411.50	T
Gel	5.00	SKS	11.0000	-55.00	T
Chloride	9.00	····SKS ····	33.0000	297.00	T
Handling	279.00	SKS	1.3500	376.65	E
Mileage (80)	80.00	MILE	13.9500	1116.00	E
279 sks @\$.05 per	sk per mi			7 - 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1 전 1	
Surface	1.00	JOB	570.0000	570.00	E
Mileage pmp trk	80.00	MILE	4.0000	320.00	E
Surface Plug	1.00	EACH	55.0000	55.00	T
All Prices Are Net, Date of Invoice. 1 If Account CURRENT ONLY 15 paid within	1/2% Charged There take Discount of \$	after. Tax 5201/ Payı		5201.15 205.75 0.00 5406.90	
				524.11 4886.7	19
	Unit I W I T			1	

Account	Unit Rin	W	No	Amount Description
03600	D03 8	W	2013	
		1100		(520.11)
				0/
				DK .
	7			6

ED CEMENTING CO., INC.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

ANGES ORPORATION COMMISSION

RUSS	ELL, KAN	SAS 6766	55			OAK	LENY .
10-9-04	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINANIA RE
DAIE	34	25	RANGE	C.E.E.E.E.	7:30Pm	10.0011	10.3019
<i>HARUEY</i> LEASE	WELL#	-34	LOCATION <7	FRANKES 1/2W	-3/415-3W-IN	COUNTY	STATE
OLD OR (VEW)(Ci	rcle one)	<u>-</u>	1/2W-N		<u> </u>		
CONTRACTOR	mule	N	16. RI6#3	OWNER 5	M M =		
TYPE OF JOB	SURFI	occ	26, 1126 5	OWNER 32	77718		
HOLE SIZE	121/4		365	CEMENT			
CASING SIZE	85%	" DEI	PTH 365	AMOUNT OR	DERED 265	SKSCOM.	360CIBGEL
TUBING SIZE		DEI	PTH				37:00
DRILL PIPE		DEI	PTH.				
TOOL	· .	DEI	PTH			0/0	50
PRES. MAX		MIN	NIMUM	COMMON	265 sks	@ 9 E	24116
MEAS. LINE			DE JOINT	POZMIX		@	
CEMENT LEFT IN	1 CSG.	/	151	GEL	5 5/5	@ // E	55 8
PERFS.			11. 401	CHLORIDE _	9.55	@ <i>33 😴</i>	297 €
DISPLACEMENT		_22	14 BBL,	ASC		_@	
	EQU	IPMENT		· · <u>· · · · · · · · · · · · · · · · · </u>		_@	-
·						_@	- <u> </u>
PUMP TRUCK	CEMENTE	R _ 72	CRRY	·		_@	<u> </u>
# 191	HELPER	W	AYNE			_@ @	<u>r grade getypik kalanda.</u> Alijin kijin glada
BULK TRUCK						_	14 <u>114 814</u>
	DRIVER	AL	AN	·		_	
BULK TRUCK							
#	DRIVER		-	HANDLING	279 3Ks	@ 135	37/65
					54 PERSK	IMILS	1116
	DEA	1ARKS:				TOTAL	وا برسم دراد
CIRCU/A		- OO K	70 PFT	DEPTH OF JO		365'	
			- Water - 1	PUMP TRUCI			5700
				EXTRA FOOT		-@ 	7300
				MILEAGE	80 MI		320 4
			THANK YO	MANIFOLD_		_ @ · @	
			137777				
au . n an ma	سيوري		11 -			_ @	
CHARGE TO:			~	<u> </u>		50.5.	990 F
STREET	****			·		TOTAL	870 .
CITY	CT.	VTE	710				
CII I	317	11E	ZIP	<u> </u>	PLUG & FLOAT	r equipmen	VT
				85/8 SUN	RFACE	@	55 6
			•			- [©]	· -
To Allied Cemen	ting Co. Is	nc	را ما دور را دور در دارد	has sur it sur <u>a sur it north a c</u> arec	er terre e engalestra. V. 201000	@	tillandische Statister
You are hereby re			nentino equinme	nt	in an electrical property in the control of the con	@	Markage and All Sales and the College
and furnish ceme	-					_@	
contractor to do v				/8\$			· Mo
done to satisfaction					.*	TOTAL	55 4
contractor. I have							
CONDITIONS"				TAX			are a first of
COMBITIONS	nsteu OII (I	ie ieveise	o siuc.	momes or	o GE		and a small and a second
				TOTAL CHAP	RGE		
				DISCOUNT -		IF PAI	D IN 30 DAYS
r	,		O_{-1}	20 10 20 10	,		Alettania
signature _	/ 15A 1	1/2 7	KIX	ta dista			
JIOIVALUKE	Leus	Jun	1400	<u> </u>	וידואוממ	ED NAME	
				y 14	PKINII	ED NAME	

ALLIED CEMENTING CO., INC.

PO. BOX 31 RUSSELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566 FEDERAL TAX ID#

KCC

OCT 2 9 2004

CONFIDENTIAL

INVOICE

Invoice Number: 094867

Invoice Date: 10/25/04 RECEIVED KANSAS CORPORATION COMMISSION

NOV 0 2 2004

CONSERVATION DIVISION WICHITA, KS

Murfin Drilling Co.

Sold 250 N. Water, St. #300 To: Wichita, KS

67202

Cust I.D....: Murfin

P.O. Number..: Harvey 1-34

P.O. Date...: 10/25/04

Due Date.: 11/24/04 Terms...: Net 30

- 1		the state of the s			
tem I.D./Desc.	Qty. Used	Unit	Price	Net	TX
ommon	60.00	SKS	9.1000	546.00	Т
'ozmix	40.00	SKS	4.1000	164.00	${f T}$
iel	5.00	SKS	11.0000	55.00	T
'loSeal	25.00	LBS	1.4000	35.00	${f T}$
iandling	105.00	SKS	1.3500	141.75	T
fileage (80)	80.00	MILE	5.2500	420.00	T
105 sks @\$.05	per sk per mi				
'lug	1.00	JOB	700.0000	700.00	${f T}$
fileage pmp trk	80.00	MILE	4.0000	320.00	${f T}$
ryhole Plug	1.00	EACH	23.0000	23.00	T

11 Prices Are Net, Payable 30 Days Following Subtotal: 2404.75 Date of Invoice. 1 1/2% Charged Thereafter. 175.55 Tax...: f Account CURRENT take Discount of \$240.47 Payments: 0.00 NLY if paid within 30 days from Invoice Date Total...: 2580.30

LIED CEMENTING CO., INC. Federal Tax I.D.#

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: OAKLEY

10-19-04 SEC 4 TWP. RANGE 4/W	CALLED OUT ON LOCATION JOB START JOB FINISH 2:30 Pm 3:15 Pm
	FRANCIS 1/2 W-3/2N-3W-INChexenue KS
OLD ORNEW (Circle one) /2 w- w =	
CONTRACTOR MURETN DRIG. RECTS	KANSAS CORPORATION COMMISSION
TYPE OF JOB PTA	NOV 0 2 2004
HOLE SIZE 7781 T.D. 4900	CEMENT CONSERVATION DIVISION
CASING SIZE DEPTH	AMOUNT ORDERED WICHITA, KS
TUBING SIZE DEPTH	1005KS 60/40 poz 6268L /4#F/055AL
DRILL PIPE 4/2 DEPTH 2450	CO
TOOL DEPTH	- 10 mil 20
PRES. MAX MINIMUM	COMMON 60 5Ks @ 9 2 546 8
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX 40 SK5 @ 44 6 164
PERFS.	GEL
DISPLACEMENT	ASC @
	A3C
EQUIPMENT	Flo-SEAL 25 @ 149 35 2
PUMPTRUCK CEMENTER TERRY	
# 177 HELPER WAYNE	
BULK TRUCK	——————————————————————————————————————
# 315 DRIVER LARRY	
BULK TRUCK	
# DRIVER	HANDLING 105 Cm @ 135 141 75
	HANDLING <u> 05 Sks</u> @ 35
REMARKS:	
^	TOTAL _/36/
25 SKs At 2450' 40 SKs AT 425'	CEDAYACE
40 SKS AT 425'	SERVICE
10 SKS MOUSE HOLE	DEPTH OF JOB 2450
15 St RAT Hola	
	EVER A FOOTA CE
	MILEAGE <u>86 mr</u> @ 4 # 320 **
	MANIFOLD @
THANK YE	94
CHARGE TO: MURFIN DRLG, CO.	
	TOTAL 10 70 T
STREET	
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT
	8-7/8 DRY HOLE @ 23 =
	@
To Allied Cementing Co., Inc.	@
You are hereby requested to rent cementing equipment	nt
and furnish cementer and helper to assist owner or	<u> </u>
contractor to do work as is listed. The above work w	as 🛫
done to satisfaction and supervision of owner agent of	
contractor. I have read & understand the "TERMS A	ND TAY
CONDITIONS" listed on the reverse side.	TAX
	TOTAL CHARGE
	DISCOUNT IF PAID IN 30 DAYS
	DISCOUNT — IF PAID IN 30 DAYS
CICHATURE (M. I. III WILL	· ·
SIGNATURE SIGNATURE	PRINTED NAME
· **	E PRINTHLING MI