

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32754
Name: Elysium Energy, L.L.C.
Address: 1625 Broadway, Suite 2000
City/State/Zip: Denver, CO 80202
Purchaser: NCRA
Operator Contact Person: Chris Gottschalk
Phone: (785) 434-4638
Contractor: Name: Gaschler Well Service
License: 33137
Wellsite Geologist: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: Elysium Energy, LLC
Well Name: Ondrasek #10
Original Comp. Date: 11/13/03 Original Total Depth: 3539'
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. CO 090403
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>7/22/04</u>	<u>7/28/04</u>
Spud Date or Recompletion Date	Date Reached TD Completion Date or Recompletion Date

API No. 15 - 163-23382-0000
County: Rooks
SW SE NW Sec. 32 Twp. 8 S. R. 19 East West
2310 feet from S / (circle one) Line of Section
1650 feet from E / (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Ondrasek Well #: 10
Field Name: Hayden

Producing Formation: Arbuckle/LKC
Elevation: Ground: 2042' Kelly Bushing: 2050'
Total Depth: 3539' Plug Back Total Depth: 3520'
Amount of Surface Pipe Set and Cemented at 222.59' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 3538'
feet depth to surface w/ 500 sx cmt.

Drilling Fluid Management Plan Air II NCR 8-11-08
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Regulatory Engineer Date: 7/20/05

Subscribed and sworn to before me this 20th day of July
2005

Notary Public: [Signature]
Date Commission Expires: 8/26/06



KCC Office Use ONLY

NO Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
JUL 22 2005
KCC WICHITA

Operator Name: Elysium Energy, L.L.C. Lease Name: Ondrasek Well #: 10
 Sec. 32 Twp. 8 S. R. 19 East West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Sonic, Micro, CDL/CNL, Induction	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Base Anhydrite</td> <td>1542'</td> <td>+508</td> </tr> <tr> <td>Topeka</td> <td>3010'</td> <td>-960</td> </tr> <tr> <td>Toronto</td> <td>3238'</td> <td>-1188</td> </tr> <tr> <td>LKC</td> <td>3253'</td> <td>-1203</td> </tr> <tr> <td>Arbuckle</td> <td>3494'</td> <td>-1444</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Base Anhydrite	1542'	+508	Topeka	3010'	-960	Toronto	3238'	-1188	LKC	3253'	-1203	Arbuckle	3494'	-1444
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																				
Name	Top	Datum																				
Base Anhydrite	1542'	+508																				
Topeka	3010'	-960																				
Toronto	3238'	-1188																				
LKC	3253'	-1203																				
Arbuckle	3494'	-1444																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23	222.59'	Common	150	2%gel,3%CC
Production	7-7/8"	5-1/2"	15.5	3538'	SMDC	350	11.2 ppg
						150	14 ppg

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose: <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
				RECEIVED JUL 22 2005 KCC WICHITA

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3496-3502'	250 gal 15% NE, 500 gal 15% NE	3496-3502'
2	3508-12'	250 gal 15% NE Acid w/rock salt then 500g	3508-12'
2 (add 7/22/04)	3312-14', 3424-27', 3404-09', 3386-90'	2500 gal 15% NE	3312-3512'

TUBING RECORD		Size <u>2-7/8"</u>	Set At <u>3475'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>3.5</u>	Gas Mcf	Water Bbls. <u>38</u>	Gas-Oil Ratio	Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled 3312'-3512' (LKC/Arbuckle)
(If vented, Sumit ACO-18.) Other (Specify) _____