NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date		87	API Number 15— 167-22, 768	6-00-00
Address 435 F. City/State/Zip Contact Person Phone	& Williamson (Page Court, 220 Vichita, Kansas (uanita Green (316) 265-9686	Dil Co., Inc. West Douglas 67202	SW NE NW Sec. 29 Twp. 11 S, 1 4290 Ft. fro 3630 Ft. fro (Note: Locate well on Section Plat on re Nearest lease or unit boundary line	Rg. 14. East West m South Line of Section om East Line of Section everse side)
CONTRACTOR: 1	icense #5146		Lease Name. STRECKER "A" v	/ell # 4
Name Same as Above			Ground surface elevation	
City/State			Domestic well within 330 feet:	yesno
Well Drilled For:	Well Cla	s: Type Equipment:	Municipal well within one mile:	yesno
X Oil	SWD Infiel	<u>X</u> Mud Rotary	Depth to bottom of fresh water	******
X Gas	InjX_ Pool 1	Ext Air Rotary	Depth to bottom of usable water52.5	
owwo _	Expl Wildo	at Cable		1 2 <u>_X</u>
If OWWO: old well info as follows:			Surface pipe planned to be set25.5	
Operator			Conductor pipe required	
Well Name	• • • • • • • • • • • • • • • • • • • •	•••••	Projected Total Depth	
Comp Date	Old Total Dep	th	, Formation Lansing	/KC
			ally plugging hole to KCC specifications. WILSON GRAINS Title PRESIDE	NT
For KCC Uses		,	pe Required	

Must be filed with the K.C.C. five (5) days prior to commencing well This card void if drilling not started within six (6) months of date received by K.C.C.




Important procedures to follow:

Wichita Kansas

JAN 26 1987 2. Set surface casing by circulating cement to the top.

A Regular Section of Land 1 Mile = 5.280 Ft.

CONSERVATION DIVISION



- 3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- 5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
- 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
- 7. Obtain an approved injection docket number before disposing of salt water.
- 8. Notify K.C.C. within 10 days when injection commences or terminates.
- 9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238

CONSERVATION DIVISION Wichita, Kansas

State of Kansas

NOTICE OF INTENTION TO DRILL

			n reverse side)
Starting Date	2 1 month day		API Number 15— 167-22, 766-00-00
OPERATOR: License #	5146	,	SW. NE NW. sec. 29. Twp. 11. s, Rg. 14. X
Name Rains & W	illiamson Oil	Co., Inc.	4290 Ft. from South Line of So
Address 435 Page	Court, 220 We	est Douglas	3630 Ft. from East Line of So
City/State/Zip Wichi	ta, Kansas (7202	(Note: Locate well on Section Plat on reverse side)
Contact Person. Juani	ta Green		Nearest lease or unit boundary line990
Phone (316)			County. Russell
CONTRACTOR: License			Lease Name STRECKER "A" Well # 4
Name Same as A			Ground surface elevation feet
City/State			Domestic well within 330 feet:yes _
Well Drilled For:	Well Class:	Type Equipment:	Municipal well within one mile:yes
X Oil SWI	D Infield	X Mud Rotary	Depth to bottom of fresh water7.5
X Gas Inj	X Pool Ext.	Air Rotary	Depth to bottom of usable water525
OWWO Exp	l Wildcat	Cable	Surface pipe by Alternate:
If OWWO: old well info as	follows:		Surface pipe planned to be set(25.5
Operator			Conductor pipe required
Well Name			Projected Total Depth
Comp Date	•		Formation Lansing/KC
I certify that well will con	nply with K.S.A. 55-	101, et seq., plus events	nally plugging hole to KCC specifications.
Date12.387	Signature of Opera	tor or Agent	WILSON GRAINS Title PRESIDENT
E VCC II		• •	
Conductor Pipe Required	fee	et; Minimum Surface P	Pipe Required
This Authorization Expire	es	96.7.6.6	Approved By
l 2/6/87		hauling we	ater sur fulker
		Marchang we	ares - The
- Lucianos - Jan	اران در	- many many and some and	4 Alexander
368' 4//	75 69	n menero	700 NW NW Sec. 29 Twp. 11 S, Rg. 14 x
	149	<i>y</i> ,	1. 1. 1. 1. Sec
	PLU	JGGING PROPOS	AL IF ABOVE IS D & A
gri.ttt			Aires Ales district of General Reduction to action assertion and Joseph 7 a
			time the district office is called prior to setting surface casing (call 7 a
5 p.m. workdays).		- call b	ach _
300	10 700	feet depth with	25 sxs of 60-40 poz., 6% gel, 3%
os	0 897-978	. // 121	25 , sxs of 60-40 poz., 6% gel, 3%
		feet depth with	25 sxs of 60-40 poz., 6% gel, 3%, 00 Wohulls sxs of 60-40 poz., 6% gel, 3%
ara piug @	0	reet depth with a second	10 sxs of 60-40 poz., 6% gel, 3%
4th plug @		-/-	
5th plug @		feet-depth with	
(2) Rathole with	۶s	XS	(b) Mousehole with
NOTE A		!	
_	-		ment and the amount of cement to be used is necessary prior to plug
in Addition: Call district	omice after well is e		action casing is cemented in.
		(Call / a.m. to	5 p.m. workdays)
District office use only:			
API #15—	167-117	66-00-00	
			over the house 10
•			sxs at hours,, 19.
Alternate 1 or 2			fe don'th with
			ft. depth with, 19.
note plugged	· · · · · · · · · · · · · · · · · · ·	13, agent	fant o p
			STATE CORPORATION COMMISSION
			Z-25-1987
(Oor Thus		Z-25-1987 FEB 25 1987

(wed or Thurs