

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 5 21 86 month day year

API Number 15- 167-22,744-00-00

OPERATOR: License # 5146 Name Rains & Williamson Oil Co., Inc. Address 435 Page Court, 220 West Douglas City/State/Zip Wichita, Kansas 67202 Contact Person Juanita Green Phone (316) 265-9686

S/2 NW NW Sec. 29 Twp. 11 S, Rg. 14 X West 4290 Ft. from South Line of Section 4620 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 5146 Name Same as Above City/State

Nearest lease or unit boundary line 660 feet County Russell Lease Name STRECKER "A" Well # 3

Well Drilled For: Well Class: Type Equipment: X Oil SWD X Infield X Mud Rotary X Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

Ground surface elevation feet MSL Domestic well within 330 feet: yes no Municipal well within one mile: yes no Depth to bottom of fresh water 75 Depth to bottom of usable water 525 Surface pipe by Alternate: 1 2 X Surface pipe planned to be set 255 Conductor pipe required -0- Projected Total Depth 3400

If OWWO: old well info as follows:

Operator Well Name Comp Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 5-14-86 Signature of Operator or Agent Wilson Rains Title PRESIDENT

For KCC Use:


Conductor Pipe Required feet; Minimum Surface Pipe Required 200 feet per Alt. 4 2 This Authorization Expires 11-15-86 Approved By 5-15-86 [Signature]

Must be filed with the K.C.C. five (5) days prior to commencing well
This card void if drilling not started within six (6) months of date received by K.C.C.

Important procedures to follow:

1. Notify District office before setting surface casing.
2. Set surface casing by circulating cement to the top.
3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
4. Notify District office 48 hours prior to old well workover or re-entry.
5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
7. Obtain an approved injection docket number before disposing of salt water.
8. Notify K.C.C. within 10 days when injection commences or terminates.
9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

A Regular Section of Land 1 Mile = 5,280 Ft.



RECEIVED
STATE CORPORATION COMMISSION

MAY 15 1986
5-15-1986
CONSERVATION DIVISION
Wichita, Kansas

State Corporation Commission of Kansas
Conservation Division
200 Colorado Derby Building
Wichita, Kansas 67202
(316) 263-3238

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 5 month 21 day 86 year

API Number 15-167-22,744-00-00

OPERATOR: License # 5146

S/2 NW NW Sec. 29 Twp. 11 S, Rg. 14 X West

Name Rains & Williamson Oil Co., Inc.

4290 Ft. from South Line of Section

Address 435 Page Court, 220 West Douglas

4620 Ft. from East Line of Section

City/State/Zip Wichita, Kansas 67202

(Note: Locate well on Section Plat on reverse side)

Contact Person Juanita Green

Nearest lease or unit boundary line 660 feet

Phone (316) 265-9686

County Russell

CONTRACTOR: License # 5146

Lease Name STRECKER "A" Well # 3

Name Same as Above

Ground surface elevation feet MSL

City/State

Domestic well within 330 feet: yes no

Well Drilled For: Well Class: Type Equipment:

Municipal well within one mile: yes no

X Oil SWD X Infield X Mud Rotary

Depth to bottom of fresh water 75

X Gas Inj Pool Ext Air Rotary

Depth to bottom of usable water 525

OWWO Expl Wildcat Cable

Surface pipe by Alternate: 1 2 X

If OWWO: old well info as follows:

Surface pipe planned to be set 255

Operator

Conductor pipe required -0-

Well Name

Projected Total Depth 3400 feet

Comp Date Old Total Depth

Formation

I certify that well will comply with K.S.A. 55-101, et seq., plus essentially plugging hole to KCC specifications.

Date 5-14-86 Signature of Operator or Agent

WILSON RACKETT DIST #6 HAYS, KS 1986 PRESIDENT

For KCC Use: Conductor Pipe Required feet; Minimum Surface Pipe Required 200 feet per Alt. 40

This Authorization Expires 11-15-86 Approved By Pond water - 5-27-86

Mito Gaby

Pond water - 5-27-86

Signature of Wilson Rackett

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

Table with columns for plug depth, feet depth with, and sxs of. Includes handwritten annotations like '3000', '950', '550', '40' and '6 3/4'.

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in. (Call 7 a.m. to 5 p.m. workdays)

District office use only: API #15-167-22,744 6:30AM 6-4-86 Surface casing of... feet set with... sxs at... hours... 19 Alternate 1... or 2... surface pipe was used. Alternate 2 cementing was completed @... ft. depth with... sxs on... 19 Hole plugged... 19... agent

260' w/165sv 6% por

CONSERVATION DIVISION Wichita, Kansas

ANHY - 931-962

EL - 188'2 550 1575

300