

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33019
Name: Rosewood Resources, Inc.
Address: 2711 N. Haskell Ave., Suite 2800, LB 22
City/State/Zip: Dallas, TX 75201
Purchaser: _____
Operator Contact Person: Tom Roelfs
Phone: (970) 324-1686
Contractor: Name: Advanced Drilling Technologies LLC
License: 33532
Wellsite Geologist: Steven VonFeldt

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

10/20/2006	10/21/2006	10/22/2006
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 181-20407-0000
County: Sherman
NE SW NE NW Sec. 24 Twp. 7N S. R. 39 East West
908 feet from S (N) (circle one) Line of Section
1978 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Briney Well #: 21-24


Field Name: Goodland
Producing Formation: Niobrara
Elevation: Ground: 3582' Kelly Bushing: 3594'
Total Depth: 1200' Plug Back Total Depth: 1193'
Amount of Surface Pipe Set and Cemented at 419' csg @ 432' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AKI NH 6-24-08
(Data must be collected from the Reserve Pit)
Chloride content 5000 ppm Fluid volume 220 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jannell Geewen
Title: Production Asst. Date: 2-1-07
Subscribed and sworn to before me this 1 day of February
07
Notary Public: Kathy Roelfs
Date Commission Expires: 6-30-09



KCC Office Use ONLY

N Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 02 2007
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Rosewood Resources, Inc. Lease Name: Briney Well #: 21-24
 Sec. 24 Twp. 7N S. R. 39 East West County: Sherman

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Niobrara 996' KB

List All E. Logs Run:

Platform Express Resistivity, Porosity, Density ML-GR

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 1/2"	7"	17#	432'	Neat	110	
Production	6 1/4"	4 1/2"	10.5#	1192.83'	Neat	65	2% Cal.

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1000' to 1034'	Frac w/48,284 of Mavfoam & 101,420#	
		16/30 Badger sand scf N2	

TUBING RECORD	Size	Set At	Packer At	Liner Run
none				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
1/11/2007	<input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	n/a	18	n/a		

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 02 2007
CONSERVATION DIVISION
WICHITA, KS

SCHAAL DRILLING, CO.
PO BOX 416
BURLINGTON, CO. 80807
719-346-8032
FIELD REPORT

SURFACE CASING, DRILLING AND CEMENTING

DRILLING DATE 10-20-06

WELL NAME & LEASE # Briney 21-24

MOVE IN, RIG UP, DIG PITS ETC: DATE 10-19-06 TIME 5:30 AM PM

SPUD TIME 6:30 AM PM SHALE DEPTH 295 TIME 8:00 AM PM

HOLE DIA. 9 1/2 FROM 0 TO 423 TD TIME 9:00 AM PM

CIRCULATE, T.O.O.H., SET 419.05 FT CASING 432.05 KB FT DEPTH

10 JOINTS 7 0D #/FT 14 15.5 17 20 23

PUMP 110 SAC CEMENT 643 GAL.DISP. CIRC. 3 BBL TO PIT

PLUG DOWN TIME 11:00 AM PM DATE 10-20-06

CEMENT LEFT IN CSG. 50 FT
CENTRALIZER 1


TYPE: PORTLAND CEMENT I/II ASTM C 150
CEMENT COST \$ 1713.58

ELEVATION 3581
+12KB 3593

PIPE TALLY

1. 41.75
2. 41.95
3. 42.33
4. 39.45
5. 42.47
6. 42.30
7. 42.35
8. 41.95
9. 42.25
10. 42.25
11.
12.
13.
14.
TOTAL 419.05

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 02 2007
CONSERVATION DIVISION
WICHITA, KS



A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

LONGHORN CEMENTING CO.

P.O. BOX 203 YUMA, COLORADO 80759
Phone: 970-848-0799 Fax: 970-848-0798

FIELD SERVICE TICKET
AND INVOICE

DATE 10-22-06 TICKET NO. 0863

DATE OF JOB	DISTRICT	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.	
CUSTOMER <u>RRI</u>		LEASE <u>Briney 21-24</u>					WELL NO.	
ADDRESS		COUNTY					STATE	
CITY	STATE	SERVICE CREW <u>MIKE - VAN - Jorge</u>						
AUTHORIZED BY		EQUIPMENT <u>UNIT #111</u>						
TYPE JOB: <u>Logging</u>	DEPTH FT.	CEMENT DATA: BULK <input type="checkbox"/>	SAND DATA: SACKS <input type="checkbox"/>	TRUCK CALLED		DATE	AM	TIME
		SACKS	BRAND	TYPE	% GEL	ADMIXES		
SIZE HOLE: <u>6 1/2</u>	DEPTH FT. <u>44</u>	<u>65</u>	<u>A</u>	<u>F11</u>				
SIZE & WT. CASTING	DEPTH FT.							
SIZE & WT. D PIPE OR TUBING	DEPTH FT.							
TOP PLUGS	TYPE	WEIGHT OF SLURRY <u>19.0</u>	LBS. / GAL.					
		VOLUME OF SLURRY <u>6.32</u>	CU FT.					
		<u>65</u> SACKS CEMENT TREATED WITH <u>2</u> % OF <u>Calcium</u>						
<u>1850 112</u>	MAX DEPTH FT.	MAX PRESSURE	PSI	MILES FROM STATION TO WELL				

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only these terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without written consent of an officer of Advanced Drilling Technologies, LLC.

SIGNED:

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM / PRICE REF. NUMBER	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
0012	Depth charge - Cement - Mileage As per Contract				4000 <u>80</u>
300-2	4 1/4 Accuseal Hardice	2			267 <u>07</u>
300-4	4 1/2 Lute L down Bump supply	2			506 <u>00</u>
300-6	4 1/2 Centralizers	7			230 <u>88</u>
300-8	4 1/2 Scratches	10			398 <u>00</u>
300-12	7 1/2 Centralizers	2			36 <u>90</u>
400-2	CLAYSTA	25 gal			112 <u>12</u>
400-4	KCC	100			40 <u>38</u>
0120	FRESHWATER 10.1				5026 <u>87</u>
0135	Cement 16.6				
0145	Displacement 19.0				
0200	Bump supply @ 2.00				

ACID DATA:			
	GALLONS	%	ADDITIVES
HCL			
HCL			

SERVICE & EQUIPMENT	% TAX ON \$
MATERIALS	% TAX ON \$

SUB TOTAL

TOTAL

SERVICE REPRESENTATIVE
FIELD SERVICE ORDER NO.

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY:

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 02 2007

CONSERVATION DIVISION
WICHITA, KS