

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33365
Name: Layne Energy Operating, LLC
Address: 1900 Shawnee Mission Parkway
City/State/Zip: Mission Woods, KS 66205
Purchaser: _____
Operator Contact Person: Timothy H. Wright
Phone: (913) 748-3960
Contractor: Name: MOKAT Drilling
License: 5831
Wellsite Geologist: _____

Designate Type of Completion:
____ New Well ____ Re-Entry Workover
____ Oil ____ SWD ____ SLOW ____ Temp. Abd.
 Gas ____ ENHR ____ SIGW
____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Well Name: _____
Original Comp. Date: 2/23/2006 Original Total Depth: 1552'
____ Deepening Re-perf. ____ Conv. to Enhr./SWD
____ Plug Back ____ Plug Back Total Depth
 Commingled Docket No. _____
____ Dual Completion Docket No. _____
____ Other (SWD or Enhr.?) Docket No. _____

<u>5/01/2006</u>	<u>5/8/2006</u>
Spud Date or Recompletion Date	Date Reached TD Completion Date or Recompletion Date

API No. 15 - 125-30950-00-01
County: Montgomery
____ NE SW Sec. 4 Twp. 32 S. R. 14 East West
1980 feet from N (circle one) Line of Section
1980 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Bomac Farms Well #: 11-4

Field Name: Cherokee Basin Coal
Producing Formation: Cherokee Coals
Elevation: Ground: 878' Kelly Bushing: _____
Total Depth: 1552' Plug Back Total Depth: 1544'
Amount of Surface Pipe Set and Cemented at 21 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1551'
feet depth to Surface w/ 150 sx cmt.

DD - Dlg - 6/26/08
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content N/A ppm Fluid volume _____ bbls
Dewatering method used N/A - Air Drilled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 4/1/08
Subscribed and sworn to before me this 1 day of April,
20 08.
Notary Public: MacLaughlin Darling
Date Commission Expires: 1-4-2009



KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
APR 02 2008
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Layne Energy Operating, LLC Lease Name: Bomac Farms Well #: 11-4
 Sec. 4 Twp. 32 S. R. 14 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>933 GL</td> <td>-55</td> </tr> <tr> <td>Excello Shale</td> <td>1081 GL</td> <td>-203</td> </tr> <tr> <td>V-Shale</td> <td>1131 GL</td> <td>-253</td> </tr> <tr> <td>Mineral Coal</td> <td>1178 GL</td> <td>-300</td> </tr> <tr> <td>Mississippian</td> <td>1471 GL</td> <td>-593</td> </tr> </table>	Name	Top	Datum	Pawnee Lime	933 GL	-55	Excello Shale	1081 GL	-203	V-Shale	1131 GL	-253	Mineral Coal	1178 GL	-300	Mississippian	1471 GL	-593
Name	Top	Datum																	
Pawnee Lime	933 GL	-55																	
Excello Shale	1081 GL	-203																	
V-Shale	1131 GL	-253																	
Mineral Coal	1178 GL	-300																	
Mississippian	1471 GL	-593																	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11"	8.625"	24	21'	Class A	4	Type 1 cement
Casing	6.75"	4.5"	10.5	1551'	Thick Set	150	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached Page		

TUBING RECORD	Size 2-3/8"	Set At 1065'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 5/10/2006		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 0	Gas Mcf 45	Water Bbls. 76	Gas-Oil Ratio Gravity

RECEIVED

KANSAS CORPORATION COMMISSION

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION

Production Interval

Open Hole Perf. Dually Comp. Commingled
 Other (Specify) _____

APR 02 2008

Operator Name:	Layne Energy Operating, LLC.		
Lease Name:	BoMac Farms 11-4		
	Sec. 4 Twp. 32S Rng. 14E, Montgomery County		
API:	15-125-30950-00-01		
Shots per Foot	Perforation Record (February 2006)	Acid, Fracture, Shot, Cement Squeeze Record	Depth
4	1177.5-1179, 1131.5-1136, 1110.5-1111.5	Mineral, Croweberg, Bevier-4300# 20/40 sand, 1500 gal 15% HCl acid, 390 bbls	1110.5-1179
Shots per Foot	Recompletion Perfs (May 2006)		
4	1081.5-1088, 1059-1062.5	Mulky, Summit-5500# 20/40 sand, 1500 gal 15% HCl acid, 516 bbls wtr	1059-1088
4	794-795, 742.5-743.5, 701-705	Laredo, Dawson, Hushpuckney-4600# 20/40 sand, 800 gal 15% HCl acid, 384 bbls wtr	701-795

RECEIVED
KANSAS CORPORATION COMMISSION

APR 02 2008

CONSERVATION DIVISION
WICHITA, KS