KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5144	API No. 15 - 101-21913 - 00-0	
Name: Mull Drilling Company, Inc.	•	
Address: P.O. Box 2758		
City/State/Zip: Wichita, KS 67201		
Purchaser: Plains Marketing, LLC	4445	
Operator Contact Person: Nancy I. Stiner		
Contractor: Name:		
	Field Name: Cartmill West	
Wellsite Geologist:		
	Flevetion: Ground: 2888' Kelly Rushing: 2897'	
	•	
	Delling Company, Inc. D. Box 2759 W. Mchite, KS 67201 Plains Marketing, LLC Intact Person, Nancy L Stere 5	
Operator: Mull Drilling Company, Inc.		
Well Name: Muffitt #1-29		
Original Comp. Date: 4/28/06 Original Total Depth: 4575'	Drilling Fluid Management Plan	
and the second s		
	Dewatering method used	
	Location of fluid disposal if hauled offsite:	
	Operator Name:	
,	·	
	Quarter Sec TwpS. R East West	
Kansas 67202, within 120 days of the spud date, recompletion, workor information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log	ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING	
All requirements of the statutes, rules and regulations promulgated to regunderein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements	
Signature: Laucy Stiner	KCC Office Use ONLY	
Sr Eng & Prod Technican 4/8/08	1	
4		
Subscribed and sworn to before me this Sth day of April	DEOC!!!	
20 08 .	KANSAS CORPORATION COMMISS	
Notary Public: Janes K. Mobley		
Date Commission Expires: 9-4-2011		
OFFICIAL	JANIS K. MOBLEY VICON SERVATION DIVISION WICHITA, KS	

JANIS K. MOBLEY MY COMMISSION EXPIRES September 4, 2011

Side Two

TRUCTIONS: Show important foop and base of formations penetrated. Defail all crores. Report all final copies of drill siems tests giving interval text, fine foot loop and closed, flowing and shall-in pressure reached static level. Pydrostatic pressures, bottom hole apperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all critic Wireline Logs surveyed. Attach final goological wall size report. It is term Tests staken	Doorstor Namo, Mul	Il Drilling Company,	nc.		Lon	eo Nama:	Muffitt		Mall #. 1-29	1	
STRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval ted, time tool open and closed, flowing and shuf-in pressures, whether shuf-in pressure reached static lovel, hydrostatic pressures, bottom hole prestrate, fluid revolvers, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all other Writina Logs surveyed. Attach final geological well site report. If Stem Tests Taken				r √ West	Сош	ntv. Lane			vveii #		
Marine Additional Sheets) Name	NSTRUCTIONS: S ested, time tool ope emperature, fluid re	how important tops a in and closed, flowing covery, and flow rate	and base o g and shut s if gas to	of formations pressures surface test,	penetrated , whether along with	d. Detail a shut-in pre	essure reached	static level, hydro	ostatic pressur	es, bottom hole	
mples Sent to Geological Survey							og Formati	ion (Top), Depth	Sample	•	
Tes Taken Yes No	_					e		Top Datum			
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Additives ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Dapth Type of Cement #Sacks Used Type and Percent Additives Perforate	ores Taken lectric Log Run	· ,	= :	=							
Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Additives	ist All E. Logs Run:										
Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Weight Setting Type of # Sacks Type and Percent Additives	ب عبد هنده من المن	The second secon	. · · · · · · · · · · · · · · · · · · ·				en e	i ang mangangang	y was a second		r
ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Prolect Casing Plug Back TD Plug Grace Plug Grace Plug Grace Specify Footage of Each Interval Perforated CIBP @ 4240' 4200 - 4204', 4168 - 4174', 4143 - 4148' BING RECORD Size Set At Packer At Liner Run 2 3/8" 4208' Liner Run Production Production Production Production Per 24 Hours 92 METHOD OF COMPLETION Production Per 24 Hours 92 METHOD OF COMPLETION Production Production Interval Production Interval Production Interval RECEIVED KANSAS CORPORATION COM Commingled KANSAS CORPORATION COM Commingled			Repo				_	tion, etc.			
ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated CIBP @ 4240' 4200 - 4204', 4168 - 4174', 4143 - 4148' SBING RECORD Size Set At 23/8' 4208' Production, SWD or Enhr. Production Per 24 Hours Per 24 Hours Per 24 Hours Per 25 Mc Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Shots Per Foot Size Set At 4208' Producing Method 3/13/08 Itimated Production Per 24 Hours Production Production Per 24 Hours Per 25 Mc San Mcf Water Bbls. Gas-Oil Ratio Gravity 35.2' Sposition of Gas METHOD OF COMPLETION Production Interval KANSAS CORPORATION COM	Purpose of String										ıt
ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated CIBP @ 4240' 4200 - 4204', 4168 - 4174', 4143 - 4148' SBING RECORD Size Set At 23/8' 4208' Production, SWD or Enhr. Production Per 24 Hours Per 24 Hours Per 24 Hours Per 25 Mc Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Shots Per Foot Size Set At 4208' Producing Method 3/13/08 Itimated Production Per 24 Hours Production Production Per 24 Hours Per 25 Mc San Mcf Water Bbls. Gas-Oil Ratio Gravity 35.2' Sposition of Gas METHOD OF COMPLETION Production Interval KANSAS CORPORATION COM											
ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated CIBP @ 4240' 4200 - 4204', 4168 - 4174', 4143 - 4148' SBING RECORD Size Set At 23/8' 4208' Production, SWD or Enhr. Production Per 24 Hours Per 24 Hours Per 24 Hours Per 25 Mc Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Shots Per Foot Size Set At 4208' Producing Method 3/13/08 Itimated Production Per 24 Hours Production Production Per 24 Hours Per 25 Mc San Mcf Water Bbls. Gas-Oil Ratio Gravity 35.2' Sposition of Gas METHOD OF COMPLETION Production Interval KANSAS CORPORATION COM											
Purpose: Perforate Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Sel/Type Specify Footage of Each Interval Perforated CIBP @ 4240' 4200 - 4204'; 4168 - 4174'; 4143 - 4148' Packer At Liner Run 2 3/8" 4208' Perfoucing Method Itinated Production Per 24 Hours 92 Specifion of Gas METHOD OF COMPLETION Type of Cement #Sacks Used Type and Percent Additives Popeth Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth Pop (Amount and Kind of Material Used) Depth Depth Pop (Amount and Kind of Material Used) Depth Pop (Amount and Kind of Material Used) Depth Depth Pop (Amount and Kind of Material Used) Depth Depth Pop (Amount and Kind of Material Used) Depth Pop (Amount and Kind of Material Used) Depth Pop (Amount and Kind of Material Used) Depth Depth Pop (Amount and Kind of Material Used) Depth Pop (Amount and Kind of Material				.es*							
Perforate Protect Casing Plug Back TD Plug Off Zone Plug Set Type Plug Off Zone Protect Casing Plug Back TD Plug Off Zone Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Plug Off Zone Plug Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth CIBP @ 4240'				ADDITIONA	L CEMEN	TING / SQL	JEEZE RECORD)			
Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth CIBP @ 4240' 4200 - 4204'; 4168 - 4174'; 4143 - 4148' 900 gal 15% MCA BING RECORD Size Set At Packer At Liner Run Yes No te of First, Resumerd Production, SWD or Enhr. 3/13/08 Itimated Production Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours 92 Sposition of Gas METHOD OF COMPLETION Production Interval RECEIVED KANSAS CORPORATION COMPANSAS CORPORATION COMPANS	Purpose:		Type of Cement		#Sac	ks Used	Type and Percent Additives				
Specify Footage of Each Interval Perforated	Protect Casing Plug Back TD										
Specify Footage of Each Interval Perforated]
A200 - A204'; A168 - A174'; A143 - A148' 900 gal 15% MCA						oe					
JBING RECORD Size Set At Packer At Liner Run 2 3/8" 4208'	CIBP @ 4240'										
2 3/8" 4208'	4 4200 - 4204'; 4168 - 417			143 - 4148'		,	900 gal 15% MCA				
2 3/8" 4208'											
2 3/8" 4208'											\neg
2 3/8" 4208'								· · · · · · · · · · · · · · · · · · ·			
te of First, Resumerd Production, SWD or Enhr. Producing Method Flowing Pumping Gas Lift Other (Explain)								Yes No			
timated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity 67 Sposition of Gas METHOD OF COMPLETION Production Interval RECEIVED KANSAS CORPORATION COM Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled	Date of First, Resumer	<u> </u>		Producing Me	thod		<u> </u>				\dashv
Per 24 Hours 92 67 35.2° sposition of Gas METHOD OF COMPLETION Production Interval RECEIVED KANSAS CORPORATION COM Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled	3/13/08 Estimated Production	Oil	Bbls.	Gas	Mcf						_
Vented Sold Used on Lease Open Hole ✓ Perf. Dually Comp. Commingled		j					B			35.2°	
Vented Sold Used on Lease Open Hole 📝 Perf. Dually Comp. Commingled	Disposition of Gas	METHOD OF C	OMPLETIC)N			Production Inter	val	КОР		
(If vented, Submit ACO-18.) Other (Specify) APR 0 9 2008				= '		erf. 🔲 C	Dually Comp.	Commingled _	1441	•	