RECEIVED

OCT 0 8 2001

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORICIMAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

KCC WICHITA

WELL HISTORY - DESCRIPTION OF WELL & LEASE

	-00-01
Operator: License # 5208	API No. 15 - 189-22210 -00-01
Name: Exxon Mobil Oil Corporation *	County: Stevens
Address: P. O. Box 4358	NE_NE_NW _{Sec.} 2 Twp. 35 S. R. 36 ☐ East ✓ West
City/State/Zip: Houston, TX 77210-4358	feet from S / N (circle one) Line of Section
Purchaser: Duke Energy Trading & Marketing	2,310 feet from E / W (circle one) Line of Section
Operator Contact Person: Evelyn Boutte'	Footages Calculated from Nearest Outside Section Corner:
Phone: (713) 431-1446	(circle one) NE SE NW SW
Contractor: Name: DOWELL	Lease Name: Salley #1 Ut. Well #: 2
License: N. A.	Field Name: Hugoton
Wellsite Geologist: N. A.	Producing Formation: Chase
Designate Type of Completion:	Elevation: Ground: 3,039 Kelly Bushing: 3,048
New Well Re-Entry Workover	Total Depth: 2,999 Plug Back Total Depth: 2,952
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set N. A. Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Mobil Oil Corporation	feet depth to N. A. w/ N. A. sx cmt.
Well Name: Salley #1 Ut., well #2	
Original Comp. Date: 10/02/97 Original Total Depth: 2,999	Drilling Fluid Management Plan OWW O (Data must be collected from the Reserve Pil) Amended 5
Deepening Re-perf Conv. to Enhr./SWD	Chloride content N. A. ppm Fluid volume N. A. bbls
Plug Back 2,952 Plug Back Total Depth	ppin Traid Volume
	Dewatering method used
•	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
07/27/00 08/18/97 08/08/00	
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp S. R East West County: Docket No.:
, tessingiciles pare	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
	ate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature: Wlyn 130ths	KCC Office Use ONLY
Title: Staff Admin. Asst. Date: 10/05/01	Letter of Confidentiality Attached
Subscribed and sworn to before me this 5th day of October	If Denied, Yes Date:
•	Wireline Log Received
headol. King Day of	Geologist Report Received
Notary Public: 1/m / / / / / / / / / / / / / / / / / /	UIC Distribution
Date Commission Expires: Aug. 26, 2002	**************************************
S OFFE PARE	KIM LYNCH NOTARY PUBLIC, STATE OF TEXAS MY COMMISSION EXPIRES AUG. 26, 2002

Operator Name: Exxon Mobil Oil Corporation *					se Name:_	Salley #1	Ut.		Well #: 2		
Sec2 Twp	35 S. R. 36	Eas	t 🕜 West	Cou	_{nty:} Stev	ens					
tested, time tool ope temperature, fluid re-	how important tops a in and closed, flowing covery, and flow rates is surveyed. Attach f	and shut if gas to	in pressures, surface test, a	whether long wit	shut-in pre	ssure read	hed static	level, hydro	ostatic pressur	es, bottom ho	ole
Drill Stem Tests Taken [(Attach Additional Sheets)		Y	☐ Yes No			Log Formation (Top), Depth at				☐ Sam	mple
Samples Sent to Geological Survey		Yes No			Nam	Name			Тор	Datu	m
Cores Taken Electric Log Run (Submit Copy)		Yes No			No	No change					
List All E. Logs Run:											
		Repo	CASING		_	_		c.			
Purpose of String	Size Hole Drilled		re Casing t (In O.D.)		Veight os. / Ft.	Setting Depth		Type of Cement	# Sacks Used	Type and F	
Surface	12.250	8.625		24		727	CI		400 50:50 C/PC		
Production	7.875	5.5		14		2,986	CI	С	325	3%D79,2%B2	
			ADDITIONAL	251151	T. 10 / 001	15535 054					
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	ADDITIONAL CEME Type of Cement #S			cks Used	Type and Percent Additives					
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
2 spf 2,746 - 2,817											
TUBING RECORD	Size	Set At		Packe	er At	Liner Run	Yes	₽ No)		
Date of First, Resumed (See G-2)	d Production, SWD or E	nhr.	Producing Meth	od	✓ Flowin	g	umping	Gas L	ift 🔲 Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbls.	(Gas-Oil Ratio	G	ravity
Disposition of Gas	METHOD OF C	OMPLETIO	ON			Production				•	
Vented ✓ Sold (If vented, S	Used on Lease Sumit ACO-18.)		Open Hole Other (Speci	ℯ	erf. [][Dually Comp	c	ommingled _	2,746 - 2,81	17	

÷ ...