

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

TA WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

200150	ORIGINAL			
Operator: License # 33453	API No. 15 - 031-22095-00-00 UNIVAL			
Name: Stephen C. Jones	County: Coffey			
Address: 12 North Armstrong	NW SW NE Sec. 29 Twp. 22 S. R. 14 ▼ East West			
City/State/Zip: Bixby, Ok 74008	1650 feet from S / (N) (circle one) Line of Section			
Purchaser:	2310 feet from E/ W (circle one) Line of Section			
Operator Contact Person: Steve Jones	Footages Calculated from Nearest Outside Section Corner:			
Phone: (<u>918</u>) <u>366-3710</u>	(circle one) (NE) SE NW SW			
Contractor: Name: Kan Drill	Lease Name: Beyer Well #: 1A			
License: 32548	Field Name: Wildcat			
Wellsite Geologist: George Peterson	Producing Formation: Coal Seam			
Designate Type of Completion:	Elevation: Ground: 1190 Kelly Bushing: 1192			
✓ New Well Re-Entry Workover	Total Depth: 1841 Plug Back Total Depth:			
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 40 Feet			
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?			
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet			
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from			
Operator:	feet depth tow/sx cmt.			
Well Name:	A.I. W. 100 C.W.A.			
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AJ+ II N(L 8-14-0)			
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls			
Plug Back Plug Back Total Depth	Dewatering method used			
Commingled Docket No				
Dual Completion Docket No	Location of fluid disposal if hauled offsite:			
Other (SWD or Enhr.?) Docket No.	Operator Name:			
	Lease Name: License No.:			
4-17-05 4-22-05 5-05-05 Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West			
Recompletion Date Propulation Pate Recompletion Date	County: Docket No.:			
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING			
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements			
Signature: Stephen C. Jones	KCC Office Use ONLY			
Dania 4	NO			
Title: Date: Of State:	Letter of Confidentiality Received			
Subscribed and sworn to before me this Dr. day of flacant	If Denied, Yes Date:			
2005	Geologist Report Received			
Notary Public: 1000114	UIC Distribution			
Date Commission Evnires:	Old Distribution			

).			Sia	e Two			1	
A STATE	3				_	Beyer ORIGINAL			
Operator Name: Ste					Name: Beyer		_ Well #:		
Sec Twp	22 S. R. 14	_ ✓ East	West	County	/: Coffey				
tested, time tool ope temperature, fluid re	en and closed, flowin	g and shutes s if gas to	in pressures surface test,	, whether sh along with f	Detail all cores. Rep nut-in pressure reache inal chart(s). Attach e	ed static level, hydr	ostatic pressu	res, botto	m hole
Drill Stem Tests Tak		Ye	es 📝 No		✓ Log Form	ation (Top), Depth	and Datum		Sample
Samples Sent to Ge	ological Survey	☐ Ye	es 🗹 No		Name Top Datu Mississippian 1776			Datum	
Cores Taken Electric Log Run (Submit Copy)		∑ Ye					ECEIVE	D	
List All E. Logs Run						AL	IG 19200	k	
				·		KC	CWICH	ITA	
<u></u>		Repor		RECORD	New Used	uction, etc.			
Purpose of String	Size Hole Drilled	Size	e Casing (In O.D.)	Weig	ght Setting	Type of Cement	# Sacks Used	Type a	and Percent
Surface	12 1/2"	8 5/8"		24"	40 ft	REGULAR	25	70# Ca	aCl 2
Production	6 3/4"	4 1/2"		10.5#	1846'	Thickset	215	17 sks	Kol-Sea
N-4070011HIIIIIIIIIIIIIII			ADDITIONA	CENTENTIA	NO / CONTEST DECO				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sacks	NG / SQUEEZE RECO		Percent Additives	s	
/ log on zono									
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
2	1761-1763	1761-1763				Acid- 15% 1761			
2	1750-1751				Acid - 15% 1750				1750
2	1743-1744				Acid- 15%				1743
					500 gal tot	al treatment			
TUBING RECORD	Size Set At Packer At 2 3/8" 1720				t Liner Run				
Date of First, Resumer Pending	d Production, SWD or E	Enhr.	Producing Me	thod	☐ Flowing	ping Gas Li	it 🔲 Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas 50	Mcf.	Water 200 barrels	Bbls. C	as-Oil Ratio		Gravity
	METHOD OF (.



REMIT TO

Consolidated Oil Well Services, Inc. P.O. Box 493 Chanute, KS 66720

MAIN OFFICE 1530 S. Santa Fe • P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE

Invoice #

04/30/2005

Terms: 0/30, n/30

Page

JONES, STEPHEN C. 2733 E. 51ST STREET, # 200 TULSA, OK 74105

BEYER 1A 3656 04-17-05

Part 1104 1102	Number	Description CLASS "A" CEMENT CALCIUM CHLORIDE (50#)	Qty 25.00 1.40		Total 237.50 42.00		
441 444 444	Description MIN. BULK DELI CEMENT PUMP (S EQUIPMENT MILE	URFACE)	Hours 1.00 1.00 30.00	Unit Price 100.00 580.00 2.45	Total 100.00 580.00 73.50		

RECEIVED KANSAS CORPORATION COMMISSION

DEC 10 2007

CONSERVATION DIVISION WICHITA, KS

Ktharhyon 1R

Parts:

279.50 Freight:

.00 Tax:

14.82 AR

Date

Labor:

.00 Misc:

.00 Total:

1047.82

1047.82

.00 Supplies:

.00 Change:

.00

Signed.

BARTLESVILLE, OK P.O. Box 1453 74005

EUREKA, KS 820 E. 7th 67045

OTTAWA, KS 2631 So. Eisenhower Ave. 66067 785/242-4044

GILLETTE, WY 300 Enterprise Avenue 82716 THAYER, KS

8655 Dorn Road 66776 620/839-5269



REMIT TO

Consolidated Oil Well Services, Inc. P.O. Box 493 Chanute, KS 66720

MAIN OFFICE 1530 S. Santa Fe • P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE

Invoice #

196879

Invoice Date:

04/30/2005

Terms: 0/30, n/30

Page

JONES, STEPHEN C. 2733 E. 51ST STREET, # 200 TULSA, OK 74105

BEYER 1A 3685 04-225-05

====					=======
Part 1126A 1110A 1123 4161 4129 4103 4404		Description THICK SET CEMENT KOL SEAL (50# BAG) CITY WATER FLOAT SHOE 4 1/2" AFU CENTRALIZER 4 1/2" CEMENT BASKET 4 1/2" 4 1/2" RUBBER PLUG	Qty 215.00 17.00 3000.00 1.00 2.00 4.00 1.00	Unit Price 12.7000 16.5500 .0121 136.0000 27.0000 126.0000 37.0000	Total 2730.50 281.35 36.30 136.00 54.00 504.00 37.00
436 440 446 446	Description 80 BBL VACUUM TON MILEAGE DE CEMENT PUMP EQUIPMENT MILE		Hours 4.00 1.00 1.00 40.00	Unit Price 80.00 425.88 750.00 2.45	Total 320.00 425.88 750.00 98.00

KANSAS CORPORATION COMMISSION DEC 10 2007

> CONSERVATION DIVISION WICHITA, KS

3779.15 Freight:

.00 Tax:

200.29 AR

5573.32

.00 Misci

.00 Total:

5573.32

.00 Supplies:

.00 Change:

Signed_

BARTLESVILLE, OK P.O. Box 1453 74005 918/338-0808

EUREKA, KS 820 E. 7th 67045 620/583-7664 OTTAWA, KS

2631 So. Eisenhower Ave. 66067 785/242-4044

GILLETTE, WY

300 Enterprise Avenue 82716 307/686-4914

Date_

THAYER, KS 8655 Dorn Road 66776 620/839-5269