

RECEIVED  
OCT 17 2005  
KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

ORIGINAL

Operator: License # 4058  
Name: American Warrior Inc.  
Address: P.O. Box 399  
City/State/Zip: Garden City Ks. 67846  
Purchaser: Oneoke  
Operator Contact Person: Jody Smith  
Phone: (620) 272-1923  
Contractor: Name: Cheyenne Drilling LP.  
License: 33375  
Wellsite Geologist: Steve Murphy

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

<u>5/9/05</u>	<u>5/11/05</u>	<u>8/6/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 055-21870 - 00-00  
County: Finney  
SW SW NE SW Sec. 2 Twp. 24 S. R. 33  East  West  
1388' feet from S N (circle one) Line of Section  
3933' feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: D-J Well #: #1  
Field Name: Panoma

Producing Formation: Council Grove  
Elevation: Ground: 2851' Kelly Bushing: 2857'  
Total Depth: 3200' Plug Back Total Depth: 3176  
Amount of Surface Pipe Set and Cemented at 437' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan *ACT I within 12-7-07*  
(Data must be collected from the Reserve Pit)  
Chloride content 11,000 ppm Fluid volume 80 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Foreman Jody L. Smith Date: 10/13/05

Subscribed and sworn to before me this 13<sup>th</sup> day of October

20 05

Notary Public: [Signature]



Date Commission Expires: 09-12-09

**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: American Warrior Inc. Lease Name: D-J Well #: #1  
 Sec. 2 Twp. 24 S. R. 33  East  West County: Finney

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Gamma Ray/Neutron and Cement bond,</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Herrington</td> <td>2480'</td> <td>+377</td> </tr> <tr> <td>Krider</td> <td>2512'</td> <td>+345</td> </tr> <tr> <td>Winfeild</td> <td>2556'</td> <td>+301</td> </tr> <tr> <td>Council Grove</td> <td>2784'</td> <td>+73</td> </tr> </table>	Name	Top	Datum	Herrington	2480'	+377	Krider	2512'	+345	Winfeild	2556'	+301	Council Grove	2784'	+73
Name	Top	Datum														
Herrington	2480'	+377														
Krider	2512'	+345														
Winfeild	2556'	+301														
Council Grove	2784'	+73														

RECEIVED  
 OCT 17 2010  
 KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	85/8	23#	437'	Comm	275	3%CC,2%gel
Production	77/8	51/2	15.5	3199'	SMD	400	1/4# flocele

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	2826' to 2860'	3000 gal 20% FE.	
		43000# 16/30 brady sand,33000 gal Profrac 25	

TUBING RECORD		Size <u>23/8</u>	Set At <u>2910'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enh. <u>NA</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_



CHARGE TO: **AMERICAN WARRIOR LLC**  
 ADDRESS: \_\_\_\_\_  
 CITY, STATE, ZIP CODE: \_\_\_\_\_  
**RECEIVED**  
**OCT 17 2005**  
**KCC WICHITA**

TICKET No 8310


PAGE 1 OF 1

SERVICE LOCATIONS 1. <b>NESS CITY, KS</b>	WELL/PROJECT NO. # <b>1</b>	LEASE <b>DJ</b>	COUNTY/PARISH <b>FINNEY</b>	STATE <b>KS</b>	CITY	DATE <b>5-11-05</b>	OWNER <b>SAME</b>
2.	TICKET TYPE <input checked="" type="checkbox"/> SERVICE <input type="checkbox"/> SALES	CONTRACTOR <b>CHEYUJE DRLO</b>	RIG NAME/NO.	SHIPPED VIA <b>CT</b>	DELIVERED TO <b>LOCATION</b>	ORDER NO.	
3.	WELL TYPE <b>GAS</b>	WELL CATEGORY <b>DEVELOPMENT</b>	JOB PURPOSE <b>5 1/2" LONGSTRAWG</b>	WELL PERMIT NO.	WELL LOCATION <b>GARDNER CITY, KS</b>		
4. REFERRAL LOCATION	INVOICE INSTRUCTIONS						

PRICE REFERENCE	SECONDARY REFERENCE/ PART NUMBER	ACCOUNTING			DESCRIPTION	QTY.		UNIT PRICE		AMOUNT
		LOC	ACCT	DF			U/M			
575		1			MILEAGE # 104	90	MI	4.00		360.00
578		1			PUMP SERVICE	1	SQB	3199	FT	1250.00
281		1			MUDFLUSH	500	GAL	.75		375.00
221		1			LIQUID KCL	2	GAL	25.00		50.00
402		1			CONTRACTORS	10	SA	57.2	"	550.00
403		1			CEMENT BASKETS	4	CA	155.00		620.00
406		1			LATCH DOWN PLUG - BAFFLE	1	CA	200.00		200.00
407		1			INSIDE FLOAT SHOE W/AUTO FOL	1	CA	230.00		230.00
330		1			SWIFT MUD - DOWSIEY STANDARD	400	SBS	10.50		4200.00
276		1			FLOPPY	100	BS	1.00		100.00
581		1			SERVICE CHARGE COMAT	400	SBS	1.10		440.00
583		1			DRAYAGE	39890	BS	1795.05	TM	1795.05

**LEGAL TERMS:** Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, **PAYMENT, RELEASE, INDEMNITY, and LIMITED WARRANTY** provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS

X   
 DATE SIGNED: **5-11-05** TIME SIGNED: **0900**  A.M.  P.M.

**REMIT PAYMENT TO:**  
**SWIFT SERVICES, INC.**  
**P.O. BOX 466**  
**NESS CITY, KS 67560**  
**785-798-2300**

<b>SURVEY</b>	AGREE	UN-DECIDED	DIS-AGREE	<b>PAGE TOTAL</b>	
OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN?					
WE UNDERSTOOD AND MET YOUR NEEDS?					
OUR SERVICE WAS PERFORMED WITHOUT DELAY?					
WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY?				<b>Finney TAX 6.37%</b>	<b>398 48</b>
ARE YOU SATISFIED WITH OUR SERVICE?	<input type="checkbox"/> YES <input type="checkbox"/> NO			<b>TOTAL</b>	<b>10,568.53</b>
<input type="checkbox"/> CUSTOMER DID NOT WISH TO RESPOND					

**CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES** The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR: **Wade Wilson** APPROVAL: \_\_\_\_\_

Thank You!

JOB LOG

SWIFT Services, Inc.

DATE 5-11-05 PAGE NO. 1

CUSTOMER AMERICAN WARRIOR TX WELL NO. #1 LEASE DJ JOB TYPE 5 1/2" Casing  
TICKET NO. 8310

CHART NO.	TIME	RATE (BPM)	VOLUME (BB/GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
	0900							ON LOCATION
	0920							START 5 1/2" CASING ON WELL
								TD- 3200' SET c 3199
								TD- 3211 5 1/2" H/PT 14
								ST- 32.65
								CENTRALIZERS- 1, 3, 5, 7, 10, 14, 17, 20, 47, 56
								OUT BSETS- 4, 21, 48, 57
	1145							DROP BALL - CALCULATE
	1245	6	12		✓		500	PUMP 500 GAL MUD FLUSH
	1247	6	20		✓		500	PUMP 20 BBLs KEL-FLUSH
	1252	6 1/2	150		✓		350	MUD COUNT - 270 SLS SMD = 11.2 PPG
		6	40		✓		300	130 SLS SMD = 13.5 PPG
	1330							WASH OUT PUMP. LOWER RECEIVED OCT 17 2005
	1332							RELEASE LATCH DOWN PLUG KCC WICHITA
	1334	6 1/2	0		✓			RELEASE PLUG
		6 1/2	75				1200	
	1342	6	77.5				1750	PLUG DOWN - PSI UP LATCH ON PLUG
	1345						OK	RELEASE PSI- HCU
								CIRCULATES 35 SLS COUNT TO POT
								WASH UP
	1430							JOB COMPLETE
								THANK YOU WAYNE, DUSTY, BRETT

\*REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley KS

DATE <u>5-9-05</u>	SEC. <u>2</u>	TWP. <u>24S</u>	RANGE <u>33W</u>	CALLED OUT <u>2:30pm</u>	ON LOCATION <u>4:45pm</u>	JOB START <u>7:15pm</u>	JOB FINISH <u>7:45pm</u>
LEASE <u>DJ</u>	WELL # <u>#1</u>	LOCATION <u>Garden City 2w - 1/2S</u>			COUNTY <u>Finney</u>	STATE <u>KS</u>	
OLD OR <u>(NEW)</u> (Circle one)		<u>1/2 E + south 1/2 W</u>					

CONTRACTOR Cheyenne #8  
TYPE OF JOB Surface  
HOLE SIZE 12 1/4 T.D. 433'  
CASING SIZE 8 5/8 23# DEPTH 437'  
TUBING SIZE DEPTH  
DRILL PIPE DEPTH  
TOOL DEPTH  
PRES. MAX MINIMUM  
MEAS. LINE SHOE JOINT  
CEMENT LEFT IN CSG. 15'  
PERFS.  
DISPLACEMENT 26 3/4

OWNER same  
CEMENT  
AMOUNT ORDERED 275 com  
390 cc 290 gel  
COMMON 275 @ 10<sup>00</sup> 2750<sup>00</sup>  
POZMIX @  
GEL 5 @ 14<sup>00</sup> 70<sup>00</sup>  
CHLORIDE 10 @ 38<sup>00</sup> 380<sup>00</sup>  
ASC @

EQUIPMENT  
PUMP TRUCK CEMENTER FuzzY  
# 373-281 HELPER Andrew  
BULK TRUCK  
# 386-306 DRIVER Larry  
BULK TRUCK  
# DRIVER

RECEIVED  
OCT 17 2005  
KCC WICHITA  
HANDLING 290 @ 1<sup>60</sup> 464<sup>00</sup>  
MILEAGE 106 KSKX mile 1218<sup>00</sup>  
TOTAL 4882<sup>00</sup>

REMARKS:  
Cement did concoluate  
Plug down @ 7:45pm  
Thanks  
FuzzY

SERVICE  
DEPTH OF JOB 437'  
PUMP TRUCK CHARGE 670<sup>00</sup>  
EXTRA FOOTAGE 137 @ .55 75<sup>35</sup>  
MILEAGE 70 @ 5<sup>00</sup> 350<sup>00</sup>  
MANIFOLD @  
TOTAL 1095<sup>35</sup>

CHARGE TO: American Warrior  
STREET  
CITY STATE ZIP

PLUG & FLOAT EQUIPMENT  
2-8 5/8 cent @ 55<sup>00</sup> 110<sup>00</sup>  
TOTAL 110<sup>00</sup>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX  
TOTAL CHARGE  
DISCOUNT IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME